## SAFETY DATA SHEET



Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

Part no. (chemical kit) : 5067-1529

Part no. : <u>RNA 6000 Nano Ladder</u> <u>G2938-80038</u>

RNA 6000 Nano Ladder Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.

For research use only.

RNA 6000 Nano Ladder 1 x 0.035 ml

**Uses advised against**: Not for use in diagnostic procedures (RUO).

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Deutschland GmbH

Hewlett-Packard-Str. 8 76337 Waldbronn

Germany 0800 603 1000

e-mail address of person : pdl-msds\_author@agilent.com

responsible for this SDS

1.4 Emergency telephone number

Emergency telephone

number (with hours of operation)

: CHEMTREC®: +(44)-870-8200418

#### **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture

Product definition : RNA 6000 Nano Ladder Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

RNA 6000 Nano Ladder The product is not classified as hazardous according to Regulation (EC)

1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word : RNA 6000 Nano Ladder No signal word.

**Hazard statements**: RNA 6000 Nano Ladder No known significant effects or critical hazards.

**Precautionary statements** 

Prevention: RNA 6000 Nano LadderNot applicable.Response: RNA 6000 Nano LadderNot applicable.Storage: RNA 6000 Nano LadderNot applicable.Disposal: RNA 6000 Nano LadderNot applicable.Supplemental label: RNA 6000 Nano LadderNot applicable.

: 21/03/2023

elements

Date of issue/Date of revision

Date of previous issue : No previous validation Version : 1 1/11

Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

## **SECTION 2: Hazards identification**

Annex XVII - Restrictions : RNA 6000 Nano Ladder Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

Tactile warning of

danger

: RNA 6000 Nano Ladder Not applicable.

2.3 Other hazards

**Product meets the** criteria for PBT or vPvB

according to Regulation (EC) No.

1907/2006, Annex XIII

Other hazards which do

not result in classification : RNA 6000 Nano Ladder This mixture does not contain any substances that are

assessed to be a PBT or a vPvB.

: RNA 6000 Nano Ladder None known.

## **SECTION 3: Composition/information on ingredients**

3.1 Substances : RNA 6000 Nano Ladder Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**Eye contact** : RNA 6000 Nano Ladder Immediately flush eyes with plenty of water, occasionally

lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation : RNA 6000 Nano Ladder Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical attention if

symptoms occur.

**Skin contact** : RNA 6000 Nano Ladder Flush contaminated skin with plenty of water. Remove

contaminated clothing and shoes. Get medical attention if

symptoms occur.

Ingestion : RNA 6000 Nano Ladder Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to

do so by medical personnel. Get medical attention if

symptoms occur.

**Protection of first-aiders** : RNA 6000 Nano Ladder No action shall be taken involving any personal risk or

without suitable training.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

**Eye contact** : RNA 6000 Nano Ladder No known significant effects or critical hazards. Inhalation : RNA 6000 Nano Ladder No known significant effects or critical hazards. Skin contact : RNA 6000 Nano Ladder No known significant effects or critical hazards. : RNA 6000 Nano Ladder No known significant effects or critical hazards. Ingestion

Over-exposure signs/symptoms

**Eve contact** : RNA 6000 Nano Ladder No specific data. Inhalation : RNA 6000 Nano Ladder No specific data.

Date of issue/Date of revision : 21/03/2023 Date of previous issue : No previous validation Version 2/11

Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

### **SECTION 4: First aid measures**

: RNA 6000 Nano Ladder Skin contact No specific data. : RNA 6000 Nano Ladder Ingestion No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

: RNA 6000 Nano Ladder Notes to physician Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

**Specific treatments** : RNA 6000 Nano Ladder No specific treatment.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing

: RNA 6000 Nano Ladder

Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** 

: RNA 6000 Nano Ladder None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the

substance or mixture

: RNA 6000 Nano Ladder

In a fire or if heated, a pressure increase will occur and the

container may burst.

**Hazardous combustion** 

products

media

media

: RNA 6000 Nano Ladder

No specific data.

5.3 Advice for firefighters

Special precautions for

fire-fighters

: RNA 6000 Nano Ladder

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-

fighters

: RNA 6000 Nano Ladder

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a

basic level of protection for chemical incidents.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

: RNA 6000 Nano Ladder

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas.

Keep unnecessary and unprotected personnel from entering.

Do not touch or walk through spilt material. Put on

appropriate personal protective equipment.

For emergency

responders

: RNA 6000 Nano Ladder

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and

unsuitable materials. See also the information in "For non-

emergency personnel".

**6.2 Environmental** 

precautions

: RNA 6000 Nano Ladder

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant

authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Date of issue/Date of revision : 21/03/2023 Date of previous issue : No previous validation Version: 1 3/11

Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

## **SECTION 6: Accidental release measures**

Methods for cleaning up : RNA 6000 Nano Ladder Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose

of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

: RNA 6000 Nano Ladder Put on appropriate personal protective equipment (see **Protective measures** 

Section 8).

**Advice on general** occupational hygiene : RNA 6000 Nano Ladder

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

: RNA 6000 Nano Ladder **Storage** Store in accordance with local regulations. Store in original

container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use

appropriate containment to avoid environmental

contamination. See Section 10 for incompatible materials

before handling or use.

#### 7.3 Specific end use(s)

Recommendations : RNA 6000 Nano Ladder Industrial applications, Professional applications.

Industrial sector specific : RNA 6000 Nano Ladder Not available.

solutions

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

#### **Biological exposure indices**

None known.

Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

No DNELs/DMELs available.

Date of issue/Date of revision : 21/03/2023 Date of previous issue : No previous validation Version: 1 Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

## **SECTION 8: Exposure controls/personal protection**

#### **PNECs**

No PNECs available

#### 8.2 Exposure controls

**Appropriate engineering** controls

: Good general ventilation should be sufficient to control worker exposure to airborne

contaminants.

#### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

#### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

**Physical state** : RNA 6000 Nano Ladder Liquid.

Colour : RNA 6000 Nano Ladder Not available. Odour : RNA 6000 Nano Ladder Not available. **Odour threshold** : RNA 6000 Nano Ladder Not available.

Melting point/freezing

point

Initial boiling point and

boiling range

100°C : RNA 6000 Nano Ladder

**Flammability** Upper/lower flammability

: RNA 6000 Nano Ladder

: RNA 6000 Nano Ladder

Not applicable. Not available.

 $0^{\circ}C$ 

or explosive limits

: RNA 6000 Nano Ladder

: RNA 6000 Nano Ladder Not available. Flash point

Date of issue/Date of revision : 21/03/2023 Date of previous issue : No previous validation Version: 1 5/11

Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

## **SECTION 9: Physical and chemical properties**

**Auto-ignition** 

: RNA 6000 Nano Ladder Not available.

temperature

**Decomposition** 

temperature

: RNA 6000 Nano Ladder Not available.

: RNA 6000 Nano Ladder Not available. pH **Viscosity** RNA 6000 Nano Ladder Not available.

Solubility(ies) Media Result

> RNA 6000 Nano Ladder water Soluble

Partition coefficient: n-

octanol/water Vapour pressure : RNA 6000 Nano Ladder Not applicable.

	Vapour Pressure at 20°C			Vapour pressure at 50°C		
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
RNA 6000 Nano Ladder						
water	23.8	3.2		92.258	12.3	

: RNA 6000 Nano Ladder Not available. **Evaporation rate Relative density** : RNA 6000 Nano Ladder Not available. Vapour density : RNA 6000 Nano Ladder Not available. : RNA 6000 Nano Ladder Not available. **Explosive properties Oxidising properties** : RNA 6000 Nano Ladder Not available.

**Particle characteristics** 

Median particle size : RNA 6000 Nano Ladder Not applicable.

#### 9.2 Other information

materials

No additional information.

## **SECTION 10: Stability and reactivity**

No specific test data related to reactivity available for this 10.1 Reactivity : RNA 6000 Nano Ladder

product or its ingredients.

10.2 Chemical stability : RNA 6000 Nano Ladder The product is stable.

10.3 Possibility of : RNA 6000 Nano Ladder Under normal conditions of storage and use, hazardous

hazardous reactions reactions will not occur.

10.4 Conditions to avoid : RNA 6000 Nano Ladder No specific data.

10.5 Incompatible : RNA 6000 Nano Ladder May react or be incompatible with oxidising materials.

10.6 Hazardous : RNA 6000 Nano Ladder Under normal conditions of storage and use, hazardous

decomposition products should not be produced. decomposition products

Date of issue/Date of revision : 21/03/2023 Date of previous issue : No previous validation Version 6/11 Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Not available.

#### **Acute toxicity estimates**

N/A

**Irritation/Corrosion** 

**Conclusion/Summary**: Not available.

**Sensitiser** 

**Conclusion/Summary**: Not available.

**Mutagenicity** 

**Conclusion/Summary**: Not available.

**Carcinogenicity** 

**Conclusion/Summary**: Not available.

Reproductive toxicity

**Conclusion/Summary**: Not available.

**Teratogenicity** 

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Information on likely : RNA 6000 Nano Ladder Not available.

routes of exposure

#### Potential acute health effects

Inhalation: RNA 6000 Nano LadderNo known significant effects or critical hazards.Ingestion: RNA 6000 Nano LadderNo known significant effects or critical hazards.Skin contact: RNA 6000 Nano LadderNo known significant effects or critical hazards.Eye contact: RNA 6000 Nano LadderNo known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: RNA 6000 Nano LadderNo specific data.Ingestion: RNA 6000 Nano LadderNo specific data.Skin contact: RNA 6000 Nano LadderNo specific data.Eye contact: RNA 6000 Nano LadderNo specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed : Not available.

effects

Long term exposure

Potential immediate : Not available.

effects

Potential delayed : Not available.

effects

#### Potential chronic health effects

Date of issue/Date of revision: 21/03/2023Date of previous issue: No previous validationVersion: 1

Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

## **SECTION 11: Toxicological information**

#### 11.2 Information on other hazards

#### 11.2.1 Endocrine disrupting properties

Not available.

#### 11.2.2 Other information

Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Conclusion/Summary : Not available.

#### 12.2 Persistence and degradability

Not available.

#### 12.3 Bioaccumulative potential

Not available.

#### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

Not available.

#### 12.7 Other adverse effects

No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** 

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

**Packaging** 

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Date of issue/Date of revision : 21/03/2023 Date of previous issue : No previous validation Version : 1 8/11

Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

## **SECTION 13: Disposal considerations**

**Special precautions** 

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	IATA
14.1 UN number or ID number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

#### **Additional information**

14.6 Special precautions for user

: **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to IMO instruments

: Not available.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

**Annex XIV** 

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Not listed.

Label : RNA 6000 Nano Ladder Not applicable.

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

**Persistent Organic Pollutants** 

Not listed.

Date of issue/Date of revision : 21/03/2023 Date of previous issue : No previous validation Version : 1 9/11

Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

## **SECTION 15: Regulatory information**

#### **Seveso Directive**

This product is not controlled under the Seveso Directive.

#### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### **Montreal Protocol**

Not listed.

#### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

Australia : Not determined.

Canada : Not determined.

**China** : All components are listed or exempted.

**Eurasian Economic** 

Union Japan : Russian Federation inventory: Not determined.

: Japan inventory (CSCL): Not determined.

**Japan inventory (ISHL)**: All components are listed or exempted.

New Zealand : Not determined.
Philippines : Not determined.
Republic of Korea : Not determined.

Taiwan : All components are listed or exempted.

Thailand : Not determined.

Turkey : Not determined.

United States : All components are active or exempted.

Viet Nam : Not determined.

### 15.2 Chemical safety

assessment

: This product contains substances for which Chemical Safety Assessments might still

be required.

## **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

Date of issue/Date of revision : 21/03/2023 Date of previous issue : No previous validation Version : 1 10/11

Agilent RNA 6000 Nano Ladder, Part Number 5067-1529

#### **SECTION 16: Other information**

#### Full text of abbreviated H statements

Not applicable.

#### Full text of classifications [CLP/GHS]

Not applicable.

Date of issue/ Date of

revision

: 21/03/2023

Date of previous issue : No previous validation

Version : 1

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 21/03/2023 Date of previous issue : No previous validation Version : 1 11/11