

Printing date 22.06.2021 Version number 1 Revision: 22.06.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Manganese Standard: 1000 μg/mL Mn in 5% HNO3 [100ml bottle]
- · Part number: 5190-8483
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agilent Technologies Manufacturing GmbH & Co. KG Hewlett-Packard-Str. 8 Tel:0800 603 1000

76337 Waldbronn

Germany

- · Further information obtainable from: e-mail: pdl-msds\_author@agilent.com
- · 1.4 Emergency telephone number: CHEMTREC®: +(44)-870-8200418

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Met. Corr.1 H290 May be corrosive to metals. Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling: nitric acid
- · Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)





Printing date 22.06.2021 Version number 1 Revision: 22.06.2021

## Product name: Manganese Standard: 1000 µg/mL Mn in 5% HNO3 [100ml bottle]

(Contd. from page 1)

· Precautionary statements

*P280* Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Aqueous solution.

Also contains substances at levels not considered to be hazardous.

#### · Dangerous components:

🕲 Ox. Liq. 3, H272; 🥙 Acute Tox. 3, H331; 🔷 Met. Corr.1, H290; Skin Corr.

RTECS: QU5775000 1A, H314, EUH071

Specific concentration limits: Ox. Liq. 2; H272:  $C \ge 99 \%$ 

*Ox. Liq. 3; H272: C \ge 99\%*  $Ox. Liq. 3; H272: 70\% \le C \le 99\%$ 

#### · Additional information:

The concentration of the acid stated in this SDS is calculated as an absolute mass concentration (%w/v). This is less than the acid concentration stated on the product label and COA, which reflects a percent value of the commercially available concentrated aqueous form of the acid.

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Rinse mouth. Do not induce vomiting.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

<5%





Printing date 22.06.2021 Version number 1 Revision: 22.06.2021

Product name: Manganese Standard: 1000 µg/mL Mn in 5% HNO3 [100ml bottle]

(Contd. from page 2)

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.
- $\cdot$  5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Absorb liquid components with liquid-binding material.

DO NOT USE SAWDUST.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions.

Store only in the original receptacle unless other advice is given on the CoA.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 7697-37-2 nitric acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

· Additional information: Lists used were valid at the time of SDS preparation.

(Contd. on page 4)





Printing date 22.06.2021 Version number 1 Revision: 22.06.2021

Product name: Manganese Standard: 1000 µg/mL Mn in 5% HNO3 [100ml bottle]

(Contd. from page 3)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

· Material of gloves

PVC gloves

Neoprene gloves

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Colourless · Odour: **Odourless** · Odour threshold: Not determined. · Melting point/freezing point: 0 °C

· Boiling point or initial boiling point and boiling

100 °C

Not determined. · Flammability

· Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. · Flash point: *Not applicable.* 

(Contd. on page 5)





## Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 22.06.2021 Version number 1 Revision: 22.06.2021

<2

Product name: Manganese Standard: 1000 µg/mL Mn in 5% HNO3 [100ml bottle]

(Contd. from page 4)

· Auto-ignition temperature: Product is not selfigniting.

• Decomposition temperature: Not determined.

· pH

· Viscosity:

Kinematic viscosity
Dynamic at 20 °C:
Not determined.
0.952 mPas

· Solubility

water: Fully miscible.
Partition coefficient n-octanol/water (log value) Not determined.
Vanour pressure at 20 °C: 23 hPa

Vapour pressure at 20 °C:
Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

Ignition temperature: Not determined
 Explosive properties: Not determined.

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

Not applicable · Explosives · Flammable gases Not applicable · Aerosols Not applicable · Oxidising gases Not applicable · Gases under pressure Not applicable · Flammable liquids Not applicable · Flammable solids Not applicable · Self-reactive substances and mixtures Not applicable · Pyrophoric liquids Not applicable · Pyrophoric solids Not applicable · Self-heating substances and mixtures Not applicable

· Substances and mixtures, which emit flammable

gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Not applicable

Not applicable

· Corrosive to metals May be corrosive to metals.

· Desensitised explosives Not applicable

### SECTION 10: Stability and reactivity

· 10.1 Reactivity

Stable under normal conditions.

No further relevant information available.

· 10.2 Chemical stability Stable under normal conditions.

(Contd. on page 6)





Printing date 22.06.2021 Version number 1 Revision: 22.06.2021

Product name: Manganese Standard: 1000 µg/mL Mn in 5% HNO3 [100ml bottle]

(Contd. from page 5)

· Thermal decomposition / conditions to be avoided:

Formation of toxic gases is possible during heating or in case of fire.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat.
- · 10.5 Incompatible materials:

Strong oxidizing agents.

Metals.

· 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity
- · LD/LC50 values relevant for classification:

CAS: 7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (rat)

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS: 7697-37-2 nitric acid

LC50/48 180 mg/l (crustacean)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- $\cdot \textbf{12.4 Mobility in soil} \ \textit{No further relevant information available}.$
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

GB





Printing date 22.06.2021 Version number 1 Revision: 22.06.2021

Product name: Manganese Standard: 1000 µg/mL Mn in 5% HNO3 [100ml bottle]

(Contd. from page 6)

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Transport category

- · Recommendation: Dispose of in accordance with national regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
14.1 UN number or ID number	
ADR, IMDG, IATA	UN3264
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGAN
	N.O.S. (NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (NITRIC ACID)
14.3 Transport hazard class(es)	(MIMC ICID)
• • • • • • • • • • • • • • • • • • • •	
ADR, IMDG, IATA	
8	
	0.6
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F- $A$ , $S$ - $B$
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities $(EQ)$	Code: E1
• • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
T	2

(Contd. on page 8)





Printing date 22.06.2021 Version number 1 Revision: 22.06.2021

Product name: Manganese Standard: 1000 µg/mL Mn in 5% HNO3 [100ml bottle]

	(Contd. from page 7)
· Tunnel restriction code	E
· UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 3: Oxidizing liquids - Category 3

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

#### · Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· Data compared to the previous version altered. All sections have been updated.