

Revision date: 11/18/2024

1 Identification

· Product identifier

· Product Name: DM 471 Standard 9 (1X1 mL)

· Part no.: D471-L-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.
Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



GHS08 Health hazard

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS06

GHS0

- · Signal word Danger
- · Hazard-determining components of labeling: methanol
- · Hazard statements

H225 Highly flammable liquid and vapor. H301+H331 Toxic if swallowed or if inhaled.

(Contd. on page 2)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

(Contd. of page 1)

H370 Causes damage to the central nervous system and the visual organs.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe vapours.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P280 Wear protective gloves / protective clothing. P240 Ground/bond container and receiving equipment.

P242 Use only non-sparking tools.

Take precautionary measures against static discharge. P243

Wash thoroughly after handling. P264

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P301+P310 If swallowed: Immediately call a poison center/doctor. IF exposed: Call a POISON CENTER or doctor/physician. P307+P311

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P330 Rinse mouth.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. P403+P233

Store in a well-ventilated place. Keep cool. P403+P235

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *1Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:

67-56-1 methanol 99.8992%



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
67-56-1	methanol	530 ppm
98-95-3	nitrobenzene	3 ppm
99-65-0	1,3-dinitrobenzene	3 mg/m³
		(Contd. on page 4)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

		(Contd. of page 3
100-00-5 1	-chloro-4-nitrobenzene	1.9 mg/m ³
121-73-3 1	-chloro-3-nitrobenzene	0.9 mg/m^3
· PAC-2:		
67-56-1 n	nethanol	2,100 ppm
98-95-3 n	itrobenzene	20 ppm
99-65-0 1	,3-dinitrobenzene	33 mg/m^3
100-00-5 1	-chloro-4-nitrobenzene	170 mg/m
121-73-3 1	-chloro-3-nitrobenzene	9.9 mg/m ³
· PAC-3:		
67-56-1 n	nethanol	7200* ppm
98-95-3 n	itrobenzene	200 ppm
99-65-0 1	,3-dinitrobenzene	200 mg/m ³
100-00-5 1	-chloro-4-nitrobenzene	1,000 mg/m
121-73-3 1	-chloro-3-nitrobenzene	59 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

·Com	· Components with limit values that require monitoring at the workplace:				
67-50	5-1 methanol				
PEL	Long-term value: 260 mg/m³, 200 ppm				
REL	Short-term value: 325 mg/m³, 250 ppm				
	Long-term value: 260 mg/m³, 200 ppm				
	Skin				

(Contd. on page 5)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

(Contd. of page 4)

TLV Short-term value: 250 ppm Long-term value: 200 ppm

Skin; BEIc

· Ingredients with biological limit values:

67-56-1 methanol

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Colorless

(Contd. on page 6)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

	(Contd. of page
· Odor:	Alcohol-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64 °C (147.2 °F)
· Flash point:	9 °C (48.2 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	100 hPa (75 mm Hg)
Density at 20 °C (68 °F):	0.8 g/cm ³ (6.676 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	Not miscible or difficult to mix.
Water:	
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	22.2.2
Organic solvents:	99.9 %
VOC content:	99.90 %
	999.0 g/l / 8.34 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

(Contd. of page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

. 1	D/L C50	values that	are relevant	for class	ification•

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 3 mg/L

67-56-1 methanol

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

,	· IARC (International Agency for Research on Cancer)			
88-73-3	1-chloro-2-nitrobenzene	2B		
89-61-2	2,5-dichloronitrobenzene	2B		
98-95-3	nitrobenzene	2B		
100-00-5	1-chloro-4-nitrobenzene	2B		
121-73-3	1-chloro-3-nitrobenzene	3		

NTP (National Toxicology Program)

98-95-3 nitrobenzene

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 8)

R



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

(Contd. of page 7)

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

7	4 7	ь.								e.					
ı	47	ı	ra	ns	\mathbf{p}	D	П	П	n	I(or	m	a	П	on

· Not Regulated, De minimis Quantities	
--	--

- · UN-Number
- · DOT, IMDG, IATA

UN1230

- · UN proper shipping name
- · DOT

· IMDG, IATA

Methanol solution METHANOL solution

- · Transport hazard class(es)
- \cdot DOT





· Class

3 Flammable liquids

·Label

3, 6.1

· IMDG





· Class · Label 3 Flammable liquids

3/6.1

 \cdot IATA





·Class

3 Flammable liquids

· Label

3 (6.1)

· Packing group

· DOT, IMDG, IATA

Π

(Contd. on page 9)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

	(Contd. of page
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler co	de): 336
EMS Number:	F-E,S-D
· Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II o	of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
•	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
• • • • • • • • • • • • • • • • • • • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara · Section 3	55 (extremely hazardous substances):	
98-95-3	nitrobenzene	
· Section 3	13 (Specific toxic chemical listings):	
67-56-1	methanol	
98-95-3	nitrobenzene	
99-65-0	1,3-dinitrobenzene	
528-29-0	1,2-dinitrobenzene	
· TSCA (T	Oxic Substances Control Act):	
67-56-1	methanol	ACTIVE
88-73-3	1-chloro-2-nitrobenzene	ACTIVE
89-61-2	2,5-dichloronitrobenzene	ACTIVE
98-95-3	nitrobenzene	ACTIVE
99-54-7	3,4-dichloronitrobenzene	ACTIVE
99-65-0	1,3-dinitrobenzene	ACTIVE
100-00-5	1-chloro-4-nitrobenzene	ACTIVE
121-73-3	1-chloro-3-nitrobenzene	ACTIVE
· Hazardo	us Air Pollutants	
67-56-1 1	methanol	
		(Contd. on page 1



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

09 05 2 mitroleongono	(Contd. of page
98-95-3 nitrobenzene	
Proposition 65	
· Chemicals known to cause cancer:	
88-73-3 1-chloro-2-nitrobenzene	
89-61-2 2,5-dichloronitrobenzene	
98-95-3 nitrobenzene	
100-00-5 1-chloro-4-nitrobenzene	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
98-95-3 nitrobenzene	
99-65-0 1,3-dinitrobenzene	
528-29-0 1,2-dinitrobenzene	
· Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
98-95-3 nitrobenzene]
99-65-0 1,3-dinitrobenzene]
528-29-0 1,2-dinitrobenzene]
· TLV (Threshold Limit Value)	
98-95-3 nitrobenzene	A
100-00-5 1-chloro-4-nitrobenzene	A
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
100-00-5 1-chloro-4-nitrobenzene	

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: pdl-acg-regulatory-cq@agilent.com
- · Date of preparation / last revision 11/18/2024 / 3
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

(Contd. of page 10)



Safety Data Sheet acc. to OSHA HCS

Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: DM 471 Standard 9 (1X1 mL)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

* Data compared to the previous version altered.