Agilent

Printing date 03/28/2019

Version Number 4

Reviewed on 03/28/2019

1 Identification

· Product identifier

· Trade name: Acids Standard (1X1 mL)

- · Part number: EPA-2008N-1
- \cdot Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770 e-mail: pdl-msds_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.

GHS08 I

GHS08 Health hazard

STOT SE 1 H370 Causes damage to organs.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: methanol
- · Hazard statements
- Highly flammable liquid and vapor. Toxic if inhaled. Causes damage to organs.

(Contd. on page 2)

Reviewed on 03/28/2019

Trade name: Acids Standard (1X1 mL)

(Contd. of page 1) · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = *1*1 FIRE Fire = 33 **REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. • **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

67-56-1 methanol

99.861%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

(Contd. on page 3)

US

Printing date 03/28/2019



Agilent

Reviewed on 03/28/2019

Trade name: Acids Standard (1X1 mL)

(Contd. of page 2)

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
67-56-1	methanol	530 ppm
95-57-8	2-chlorophenol	2.3 mg/m ³
534-52-1		0.6 mg/m ³
	2,4-xylenol	6.9 mg/m ³
	2,4-dinitrophenol	0.61 mg/m ³
	2,4-dichlorophenol	0.2 ppm
88-75-5	2-nitrophenol	2.1 mg/m ³
100-02-7	4-nitrophenol	0.69 mg/m ³
		(Contd. on page 4)



Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Acids Standard (1X1 mL)

		(Contd. of page 3)
	pentachlorophenol	1 mg/m ³
	2,4,6-trichlorophenol	2.5 mg/m ³
	chlorocresol	5.5 mg/m ³
108-95-2	phenol	15 ppm
· PAC-2:		
67-56-1	methanol	2,100 ppm
95-57-8	2-chlorophenol	25 mg/m ³
534-52-1	DNOC	0.83 mg/m ³
	2,4-xylenol	76 mg/m ³
51-28-5	2,4-dinitrophenol	6.8 mg/m ³
120-83-2	2,4-dichlorophenol	2 ppm
88-75-5	2-nitrophenol	23 mg/m ³
100-02-7	4-nitrophenol	7.6 mg/m ³
87-86-5	pentachlorophenol	15 mg/m ³
88-06-2	2,4,6-trichlorophenol	27 mg/m ³
59-50-7	chlorocresol	60 mg/m ³
108-95-2	phenol	23 ppm
· PAC-3:		
67-56-1	methanol	7200* ppm
95-57-8	2-chlorophenol	150 mg/m ³
534-52-1		5 mg/m ³
105-67-9	2,4-xylenol	460 mg/m ³
51-28-5	2,4-dinitrophenol	16 mg/m ³
120-83-2	2,4-dichlorophenol	20 ppm
88-75-5	2-nitrophenol	140 mg/m ³
	4-nitrophenol	46 mg/m ³
	pentachlorophenol	150 mg/m ³
88-06-2	2,4,6-trichlorophenol	160 mg/m ³
	chlorocresol	360 mg/m ³
108-95-2	phenol	200 ppm
L	1	

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

(Contd. on page 5)



Version Number 4

Printing date 03/28/2019

US

Reviewed on 03/28/2019

Trade name: Acids Standard (1X1 mL)

(Contd. of page 4)

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.
- **8 Exposure controls/personal protection**
- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

67-56-1 methanol

- PEL Long-term value: 260 mg/m³, 200 ppm
- REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
- TLV Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI

· Ingredients with biological limit values:

67-56-1 methanol

BEI 15 mg/L

Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Store protective clothing separately.
- **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 6)



Printing date 03/28/2019

US -

Reviewed on 03/28/2019

Trade name: Acids Standard (1X1 mL)

(Contd. of page 5)

US

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material For normal use: nitrile rubber: 1 hour

- For direct contact with the chemical: butyl rubber: >4 hours
- Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and c	hemical properties	
· General Information		
· Appearance: Form:	Fluid	
Color:	Colorless	
· Odor:	Alcohol-like	
Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	-98 °C (-144.4 °F)	
Boiling point/Boiling range:	64.7 °C (148.5 °F)	
· Flash point:	9 °C (48.2 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	455 °C (851 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	
· Vapor pressure at 20 °C (68 °F):	100 hPa (75 mm Hg)	
· Density at 20 °C (68 °F):	0.8 g/cm ³ (6.676 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
	(Contd. on page	



Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Acids Standard (1X1 mL)

Printing date 03/28/2019

		(Contd. of pag
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.9 %	
VOC content:	99.87 %	
	998.7 g/l / 8.33 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 3 mg/L

67-56-1 methanol

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (I	iternational Agency for Research on Cancer)	
95-57-8	2-chlorophenol	2B
120-83-2	2,4-dichlorophenol	2B
87-86-5	pentachlorophenol	2B
88-06-2	2,4,6-trichlorophenol	2B
	<u>.</u>	(Contd. on page 8)

(Contd. of page 7)

3

R

R

Safety Data Sheet acc. to OSHA HCS

Trade name: Acids Standard (1X1 mL)

108-95-2 phenol

Printing date 03/28/2019

·NTP (National Toxicology Program)

87-86-5 pentachlorophenol

88-06-2 2,4,6-trichlorophenol

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Qua	ntities -	
· UN-Number · DOT, IMDG, IATA	UN1230	
· UN proper shipping name · DOT · IMDG, IATA	Methanol solution METHANOL solution	
		(Contd. on page 9)



Reviewed on 03/28/2019

Trade name: Acids Standard (1X1 mL)

	(Contd. of pag
Transport hazard class(es)	
DOT	
3 6	
Class	3 Flammable liquids
Label	3, 6.1
IMDG	
Class Label	3 Flammable liquids 3/6.1
IATA	
Class Label	3 Flammable liquids 3 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	336
EMS Number:	F-E,S-D
Stowage Category Stowage Code	B SW2 Clear of living quarters.
Transport in bulk according to Ann MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml



Printing date 03/28/2019

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/28/2019

Trade name: Acids Standard (1X1 mL)

· UN "Model Regulation":

UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

534-52-1	55 (extremely hazardous substances): DNOC	
108-95-2		
	3 (Specific toxic chemical listings):	
	methanol	
	2-chlorophenol	
534-52-1	-	
	2,4-xylenol	
	2,4-dinitrophenol	
	2,4-dichlorophenol	
	2-nitrophenol	
	4-nitrophenol	
	pentachlorophenol	
	2,4,6-trichlorophenol	
108-95-2	phenol	
TSCA (T	oxic Substances Control Act):	
	ients are listed.	
Propositi		
Chemical	s known to cause cancer:	
-	entachlorophenol	
88-06-2 2	,4,6-trichlorophenol	
Chemical	s known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
Chemical	s known to cause reproductive toxicity for males:	
	e ingredients is listed.	
Chemical	s known to cause developmental toxicity:	
67-56-1 n	nethanol	
Carcinog	enic categories	
EPA (Env	vironmental Protection Agency)	
	pentachlorophenol	L
88-06-2	2,4,6-trichlorophenol	E
108-95-2	phenol	E
TLV (Th	eshold Limit Value established by ACGIH)	
87-86-5	pentachlorophenol	
		(Contd. on page

Version Number 4

Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Acids Standard (1X1 mL)

(Contd. of page 10) A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Department issuing SDS: Document Control / Regulatory · Contact: regulatory@ultrasci.com · Date of preparation / last revision 03/28/2019 / 3 · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity - Category 3 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 * * Data compared to the previous version altered.



Printing date 03/28/2019

108-95-2 phenol



