

Revision date: 11/18/2024

1 Identification

· Product identifier

· Product Name: Free Cyanide Standard (125 mL)

· Part no.: ICC-008

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

potassium cyanide

· Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection / face protection.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a poison center/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: Free Cyanide Standard (125 mL)

(Contd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 0

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerous | s components: | |
|-------------|-------------------|---------|
| 1310-73-2 | sodium hydroxide | 0.5% |
| 151-50-8 | potassium cyanide | 0.2503% |

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: Free Cyanide Standard (125 mL)

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: | | |
|----------|-------------------|-----------------------|
| | sodium hydroxide | 0.5 mg/m^3 |
| 151-50-8 | potassium cyanide | 5.3 mg/m ³ |
| · PAC-2: | | |
| | sodium hydroxide | 5 mg/m ³ |
| 151-50-8 | potassium cyanide | 19 mg/m ³ |
| • PAC-3: | | |
| | sodium hydroxide | 50 mg/m ³ |
| 151-50-8 | potassium cyanide | 40 mg/m ³ |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: Free Cyanide Standard (125 mL)

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

| l | · Components with limit values that require monitoring at the workplace: | | |
|---|--|--|--|
| ſ | 1310- | -73-2 sodium hydroxide | |
| Ī | PEL | Long-term value: 2 mg/m ³ | |
| | REL | Ceiling limit value: 2 mg/m³ | |
| | TLV | Ceiling limit value: 2 mg/m³ | |
| Ī | 151-5 | 0-8 potassium cyanide | |
| Ī | | Long-term value: 5 mg/m ³ | |
| ١ | | | |
| | | | |
| ١ | | as CN; *10-min | |
| | TLV | Ceiling limit value: 5 mg/m³, 4.7 ppm | |
| | REL | as CN; Skin Ceiling limit value: 5* mg/m³, 4.7* ppm as CN; *10-min | |

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls

as CN; Skin

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 5)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: Free Cyanide Standard (125 mL)

· Eye protection:

(Contd. of page 4)



Water: VOC content:

Tightly sealed goggles

| Information on basic physical and c | hemical properties |
|---------------------------------------|---|
| General Information | |
| Appearance: | |
| Form: | Fluid |
| Color: | Colorless Odorless |
| · Odor: · Odor threshold: | Not determined. |
| | |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | 0 °C (32 °F) |
| Boiling point/Boiling range: | 100 °C (212 °F) |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not applicable. |
| Decomposition temperature: | Not determined. |
| Ignition temperature: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| Density at 20 °C (68 °F): | 1.00222 g/cm³ (8.36353 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/wate | er): Not determined. |
| · Viscosity: | |
| Dynamic at 20 °C (68 °F): | 0.952 mPas |
| Kinematic: | Not determined. |

99.2 %

0.00~%

0.0 g/l / 0.00 lb/gal

(Contd. on page 6)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: Free Cyanide Standard (125 mL)

(Contd. of page 5)

| Solids content: | 0.0 % | |
|---------------------|--|--|
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 val | ues that are re | elevant for o | classification: |
|---------------|-----------------|---------------|-----------------|
| ATE (Acute 7 | Covicity Estim | ate) | |

| TILL (TICU | itt TUAICIL | y Estimate) |
|------------|-------------|-----------------------|
| Oral | LD50 | 1,997,603 mg/kg (rat) |
| | | 5,713 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 20 mg/L |

| | | _ |
|----------------------------|-----------|---------------------|
| 1310-73-2 | sodium hy | ydroxide |
| Oral | LD50 | 1,350 mg/kg (rat) |
| Dermal | LD50 | 1,350 mg/kg (rat) |
| 151-50-8 potassium cyanide | | |
| Oral | LD50 | 5,000 mg/kg (rat) |
| Dermal | LD50 | 14.3 mg/kg (rabbit) |

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: Free Cyanide Standard (125 mL)

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| UN-Number | not morphotod | |
|------------------------------|-----------------|--|
| DOT, ADN, IMDG, IATA | not regulated | |
| UN proper shipping name | | |
| DOT, ADN, IMDG, IATA | not regulated | |
| Transport hazard class(es) | | |
| DOT, ADN, IMDG, IATA | | |
| Class | not regulated | |
| Packing group | | |
| DOT, IMDG, IATA | not regulated | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: Free Cyanide Standard (125 mL)

(Contd. of page 7)

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extremely hazardous substances):

151-50-8 potassium cyanide

· Section 313 (Specific toxic chemical listings):

151-50-8 potassium cyanide

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

151-50-8 potassium cyanide

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

151-50-8 potassium cyanide

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

151-50-8 potassium cyanide

II

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: pdl-acg-regulatory-cq@agilent.com
- · Date of preparation / last revision 11/18/2024 / 6

(Contd. on page 9)



Printing date: 11/18/2024 Revision date: 11/18/2024

Product Name: Free Cyanide Standard (125 mL)

(Contd. of page 8)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Inhalation 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

* Data compared to the previous version altered.

TIC