Conforms to US OSHA Hazard Communication 29CFR1910.1200

## **SAFETY DATA SHEET**



Molykote - R - Longterm 2 Plus Grease

### Section 1. Identification

1.1 Product identifier			
Product name	: Molykote - R - Longterm 2 Plus Grease		
Part no.	: 79846-65501, 6040-0633		
Validation date	: 4/28/2023		
1.2 Relevant identified uses	of the substance or mixture and uses advised against		
Identified uses	<ul> <li>Reagents and Standards for Analytical Chemistry Laboratory Use 79846-65501 - 10 g 6040-0633 - 1 g</li> </ul>		
1.3 Details of the supplier of the safety data sheet			
Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770		
1.4 Emergency telephone number			
In case of emergency	: CHEMTREC®: 1-800-424-9300		

### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substan	<u>ce or mixture</u>
₩317 H412	SKIN SENSITIZATION - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3
2.2 GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	<ul> <li>         F317 - May cause an allergic skin reaction.     </li> <li>         H412 - Harmful to aquatic life with long lasting effects.     </li> </ul>
Precautionary statements	
Prevention	<ul> <li>              ₱280 - Wear protective gloves.      </li> <li>             P273 - Avoid release to the environment.         </li> <li>             P261 - Avoid breathing dust.         </li> </ul>
Response	<ul> <li>▶ 363 - Wash contaminated clothing before reuse.</li> <li>P302 + P352 - IF ON SKIN: Wash with plenty of water.</li> <li>P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.</li> </ul>
Storage	: Not applicable.
Disposal	<ul> <li>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
2.3 Other hazards	

### Section 2. Hazards identification

Hazards not otherwise classified

: None known.

### Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	CAS number
Pentene, 2,4,4-trimethyl-, sulfurized	<2.5	68515-88-8

♥ontains : Benzene (< 0.1%); IP 346, DMSO (<3%)</p>

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First aid measures

4.1 Description of necess	ary first aid measures
Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### 4.2 Most important symptoms/effects, acute and delayed

Potential acute h	alth effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Defatting to the skin. May cause skin dryness and irritation. May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure si</u>	ins/symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Date of issue :	04/28/2023 <b>2/11</b>

### Section 4. First aid measures

Skin contact	: Adverse symptoms may include the following:
	irritation
	redness
	dryness
	cracking
Ingestion	: No specific data.
	medical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large
	quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### See toxicological information (Section 11)

### Section 5. Fire-fighting measures

5.1 Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray (fog).
Unsuitable extinguishing media	: Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Remark	: Non-flammable.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency	: No action shall be taken involving any personal risk or without suitable training.
personnel	Evacuate surrounding areas. Keep unnecessary and unprotected personnel from
	entering. Do not touch or walk through spilled material. Provide adequate ventilation.
	Wear appropriate respirator when ventilation is inadequate. Put on appropriate
	personal protective equipment.

### Section 6. Accidental release measures

For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Kvoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and materials for	r c	ontainment and cleaning up
Methods for cleaning up	:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling

Protective measures	: Fut on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
7.3 Specific end use(s)	

Recommendations	: Industrial applications, Professional applications.
Industrial sector specific solutions	: Not available.

### Section 8. Exposure controls/personal protection

# Occupational exposure limits Ingredient name Exposure limits Pentene, 2,4,4-trimethyl-, sulfurized None.

#### **Biological exposure indices**

8.1 Control parameters

No exposure indices known.

#### 8.2 Exposure controls

Date of issue :
-----------------

#### agura controla/norganal protoction 0 -41----0 \_

-	ure controls/personal protection
Appropriate engineering controls	: Cood general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>ires</u>
Hygiene measures	: ₩ash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>	
Physical state	: Solid. [grease]
Color	: Black.
Odor	: Slight
Odor threshold	: Not available.
рН	: Not available.
Melting point/freezing point	: Not available.
Boiling point, initial boiling point, and boiling range	: Not available.
Flash point	: 🕅osed cup: 210°C (410°F)
Evaporation rate	: Not available.
Flammability	: Non-flammable.
Date of issue : 04/28/20	023

### Section 9. Physical and chemical properties and safety characteristics

Solubility(ies)       Image: Constraint of the second	Lower and upper explosion limit/flammability limit	: Not applicable.	Not applicable.		
Relative density       : 0.9 [Water = 1]         Density       : 0.9 g/cm³         Solubility(ies)       : Media         Water       Not soluble         Partition coefficient: n- octanol/water       : Mot applicable.         Auto-ignition temperature       : Mot applicable.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C (104°F)): 265 mm²/s (265 cSt) [DIN 51562]	Vapor pressure	: Not available.	Not available.		
Density       : 0.9 g/cm³         Solubility(ies)       : Media       Result         Water       Not soluble         Partition coefficient: n-octanol/water       : Not applicable.         Auto-ignition temperature       : Not applicable.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C (104°F)): 265 mm²/s (265 cSt) [DIN 51562]	Relative vapor density	: Not applicable.	Not applicable.		
Solubility(ies)       Image: Constraint of the second	Relative density	: 🕅.9 [Water = 1]			
Partition coefficient: n- octanol/water     Mot applicable.       Auto-ignition temperature     : Not applicable.       Decomposition temperature     : Not available.       Viscosity     : Kinematic (40°C (104°F)): 265 mm²/s (265 cSt) [DIN 51562]	Density	: 0.9 g/cm <sup>3</sup>			
Partition coefficient: n- octanol/water       : Not applicable.         Auto-ignition temperature       : Not applicable.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C (104°F)): 265 mm²/s (265 cSt) [DIN 51562]	Solubility(ies)	: Media	Result		
octanol/water         Auto-ignition temperature       : Not applicable.         Decomposition temperature       : Not available.         Viscosity       : Kinematic (40°C (104°F)): 265 mm²/s (265 cSt) [DIN 51562]		water	Not soluble		
Decomposition temperature: Not available.Viscosity: Kinematic (40°C (104°F)): 265 mm²/s (265 cSt) [DIN 51562]		: Not applicable.			
Viscosity         : Kinematic (40°C (104°F)): 265 mm²/s (265 cSt) [DIN 51562]	Auto-ignition temperature	: Not applicable.	Not applicable.		
	<b>Decomposition temperature</b>	: Not available.	Not available.		
Particle characteristics	Viscosity	: ₭nematic (40°C (104°F)): 265 mm²/s (265 cSt) [DIN 51562]			
	Particle characteristics				
Median particle size : Not available.	Median particle size	: Not available.	: Not available.		

### Section 10. Stability and reactivity

O a still a state Tarada	
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
10.5 Incompatible materials	: May react or be incompatible with oxidizing materials.
10.4 Conditions to avoid	: No specific data.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.2 Chemical stability	: The product is stable.
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

Product/ingredient name	Result		Species	•	Dos	е	Exposure
Pentene, 2,4,4-trimethyl-, sulfurized	LC50 Inhalation Dusts and mists		Rat		2170 mg/m <sup>3</sup> 4	4 hours	
	LD50 Oral		Rat		3641	mg/kg	-
rritation/Corrosion			•		•		
Product/ingredient name	Result	Spec	cies	Score		Exposure	Observation
Pentene, 2,4,4-trimethyl-, sulfurized	Skin - Moderate irritant	Rabb	oit	-		24 hours 500 uL	-
Conclusion/Summary		•		•			
Skin	: Repeated exposure may	cause s	skin dryne	ess or cr	acking	].	
Sensitization							
Not available.							

### Section 11. Toxicological information

Conclusion/Summary	: Not available.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: Not available.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: Not available.
<b>Teratogenicity</b>	
<b>Conclusion/Summary</b>	: Not available.

#### <u>Specific target organ toxicity (single exposure)</u>

Name	•••	Route of exposure	Target organs
Pentene, 2,4,4-trimethyl-, sulfurized	Category 3		Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.

Information on the likely	: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
routes of exposure	

#### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Defatting to the skin. May cause skin dryness and irritation. May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness dryness cracking
Ingestion	: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
General	: Ønce sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

### Section 11. Toxicological information

- **Carcinogenicity** : No known significant effects or critical hazards.
  - : No known significant effects or critical hazards.
- Reproductive toxicity

**Mutagenicity** 

: No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	(gases)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
Molykote - R - Longterm 2 Plus Grease	166640.1	N/A	N/A	N/A	55.6
Pentene, 2,4,4-trimethyl-, sulfurized	3641	N/A	N/A	N/A	2.17

### Section 12. Ecological information

#### 12.1 Toxicity

Not available.

#### 12.2 Persistence and degradability

**Conclusion/Summary** : This product is not expected to bioaccumulate through food chains in the environment.

#### **12.3 Bioaccumulative potential**

Not available.

#### 12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

### Section 14. Transport information

DOT / TDG / Mexico / IMDG / : Not regulated. IATA

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

### Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

J.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
<u>SARA 302/304</u>	
Composition/information	on ingredients
No products were found.	
SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	
Classification	: SKIN SENSITIZATION - Category 1
Composition/information	on ingredients

### Section 15. Regulatory information

Name	%	Classification	
Residual oils (petroleum), solvent-dewaxed	≥50 - ≤75	HNOC - Static-accumulating flammable liquid	
Distillates (petroleum), hydrotreated heavy naphthenic	≥25 - ≤50	HNOC - Static-accumulating flammable liquid	
Synthetic graphite	≤10	COMBUSTIBLE DUSTS	
Pentene, 2,4,4-trimethyl-, sulfurized	<2.5	ACUTE TOXICITY (inhalation) - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SKIN SENSITIZATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3	

State regulations	
Massachusetts	:
New York	: None of the components are listed.
New Jersey	: The following components are listed: GRAPHITE (NATURAL)
Pennsylvania	: The following components are listed: GRAPHITE
<u>California Prop. 65</u>	

This product does not require a Safe Harbor warning under California Prop. 65.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals
Not listed.

Montreal Protocol
Not listed.
Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

	<b>UNECE Aarhus Protoco</b>	on POPs and Heavy	Metals
--	-----------------------------	-------------------	--------

Not listed.

Inventory list	
Australia	: 🕅 components are listed or exempted.
Canada	: 🕅 components are listed or exempted.
China	: 🕅 components are listed or exempted.
Eurasian Economic Union	: <b>Russian Federation inventory</b> : All components are listed or exempted.
Japan	<ul> <li>Japan inventory (CSCL): All components are listed or exempted.</li> <li>Japan inventory (ISHL): All components are listed or exempted.</li> </ul>
New Zealand	: 🕅 components are listed or exempted.
Philippines	: 🕅 components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: 🕅 components are listed or exempted.
Thailand	: 🕅 components are listed or exempted.
Turkey	: 🕅 components are listed or exempted.
United States	: 🕅 components are active or exempted.
Viet Nam	: 🕅 components are listed or exempted.

### Section 16. Other information

#### Procedure used to derive the classification

Classification KIN SENSITIZATION - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 3		Justification
		Calculation method Calculation method
<u>History</u>		· · ·
Date of issue	: 04/28/2023	
Date of previous issue	: 06/11/2020	
Version	: 6	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Class IATA = International Air Transport Associati IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous G	on

LogPow = logarithm of the octanol/water partition coefficient

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

UN = United Nations
Indicates information that has changed from previously issued version.

N/A = Not available

#### Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.