

Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

1 Identification

· Product identifier

Trade name: Calibration Standard (1X1 mL)

· Part number: NAIM-535-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

acetonitrile

· Hazard statements

Highly flammable liquid and vapor.

Harmful if swallowed.

Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)



Version Number 2 Printing date 04/01/2019 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

(Contd. of page 1)

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- Dangerous components:

75-05-8 acetonitrile

99.722%

4 First-aid measures

- Description of first aid measures
- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)



Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

(Contd. of page 2)

- · **After swallowing:** Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
75-05-8	acetonitrile	13 ppm
121-82-4	perhydro-1,3,5-trinitro-1,3,5-triazine	3 mg/m³
88-72-2	2-nitrotoluene	6 ppm
99-08-1	3-nitrotoluene	6 ppm
99-99-0	4-nitrotoluene	6 ppm
479-45-8	N-methyl-N,2,4,6-tetranitroaniline	4.5 mg/m ³
2691-41-0	cyclotetramethylenetetranitramine	19 mg/m ³
100-01-6	p-nitroaniline	9 mg/m³
121-14-2	2,4-dinitrotoluene	0.6 mg/m ³
606-20-2	2,6-dinitrotoluene	0.6 mg/m ³
99-35-4	1,3,5-trinitrobenzene	1.5 mg/m ³
35572-78-2	2-amino-4,6-dinitrotoluene	4.2 mg/m ³
118-96-7	2,4,6-trinitrotoluene	0.3 mg/m ³
99-65-0	1,3-dinitrobenzene	3 mg/m ³
98-95-3	nitrobenzene	3 ppm



Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

	(Contd. of page 3
PAC-2:	
75-05-8 acetonitrile	50 ppm
121-82-4 perhydro-1,3,5-trinitro-1,3,5-triazine	26 mg/m ³
88-72-2 2-nitrotoluene	33 ppm
99-08-1 3-nitrotoluene	14 ppm
99-99-0 4-nitrotoluene	33 ppm
479-45-8 N-methyl-N,2,4,6-tetranitroaniline	14 mg/m³
2691-41-0 cyclotetramethylenetetranitramine	210 mg/m ²
100-01-6 p-nitroaniline	71 mg/m ³
121-14-2 2,4-dinitrotoluene	12 mg/m³
606-20-2 2,6-dinitrotoluene	47 mg/m³
99-35-4 1,3,5-trinitrobenzene	16 mg/m³
35572-78-2 2-amino-4,6-dinitrotoluene	46 mg/m³
118-96-7 2,4,6-trinitrotoluene	17 mg/m³
99-65-0 1,3-dinitrobenzene	33 mg/m³
98-95-3 nitrobenzene	20 ppm
PAC-3:	·
75-05-8 acetonitrile	150 ppm
121-82-4 perhydro-1,3,5-trinitro-1,3,5-triazine	160 mg/m ³
88-72-2 2-nitrotoluene	200 ppm
99-08-1 3-nitrotoluene	200 ppm
99-99-0 4-nitrotoluene	200 ppm
479-45-8 N-methyl-N,2,4,6-tetranitroaniline	1,300 mg/m
2691-41-0 cyclotetramethylenetetranitramine	1,300 mg/m ²
100-01-6 p-nitroaniline	300 mg/m ³
121-14-2 2,4-dinitrotoluene	200 mg/m ³
606-20-2 2,6-dinitrotoluene	200 mg/m ³
99-35-4 1,3,5-trinitrobenzene	54 mg/m ³
35572-78-2 2-amino-4,6-dinitrotoluene	280 mg/m³
118-96-7 2,4,6-trinitrotoluene	1,000 mg/m
99-65-0 1,3-dinitrobenzene	200 mg/m³
98-95-3 nitrobenzene	200 ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 5)



Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

(Contd. of page 4)

- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

75-05-8 acetonitrile

PEL	Long-term value: 70 mg/m³, 40 ppm
REL	Long-term value: 70 mg/m³, 40 ppm Long-term value: 34 mg/m³, 20 ppm
TLV	Long-term value: 34 mg/m³, 20 ppm Skin
	Skin

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 6)



Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

· Eye protection:

(Contd. of page 5)



Tightly sealed goggles

· Information on basic physical and o	showing a managering
General Information	memical properties
Appearance:	D1 '1
Form:	Fluid
Color: · Odor:	Colorless Aromatic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-46 °C (-50.8 °F)
Boiling point/Boiling range:	81 °C (177.8 °F)
· Flash point:	2 °C (35.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	525 °C (977 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	4.4 Vol %
Upper:	16 Vol %
· Vapor pressure at 20 °C (68 °F):	0 hPa (0 mm Hg)
Density at 20 °C (68 °F):	0.786 g/cm ³ (6.55917 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	
`	or)
· Viscosity:	0.20 mPag
Dynamic at 20 °C (68 °F): Kinematic:	0.39 mPas Not determined.

(Contd. on page 7)



Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:		
ATE (Acu	ite Toxicity	y Estimate)	
Oral	LD50	1,324 mg/kg (rat)	
Dermal	LD50	1,324 mg/kg (rat) >2,006 mg/kg (rabbit)	
		3,597 mg/L (mouse)	

75-05-8 ac		
Oral	LD50	1,320 mg/kg (rat)
	LD50	1,320 mg/kg (rat) >2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3.587 mg/L (mouse)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (In	ternational Agency for Research on Cancer)	
88-72-2	2-nitrotoluene	2A
99-08-1	3-nitrotoluene	3
99-99-0	4-nitrotoluene	3
121-14-2	2,4-dinitrotoluene	2B

(Contd. on page 8)



Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

	(Contd. of page 7)
606-20-2 2,6-dinitrotoluene	2B
118-96-7 2,4,6-trinitrotoluene	3
98-95-3 nitrobenzene	2B
· NTP (National Toxicology Program)	
88-72-2 2-nitrotoluene	R
98-95-3 nitrobenzene	R
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- **Behavior in environmental systems:**
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

4 6				- 4	•	C .		4 •	
 	170	ne	nn	77	ПП	m	rma		n
	116	шы		ш			ша		ш

Not Regulated, De minimus Quantities	-	
· UN-Number · DOT, IMDG, IATA	UN1648	
· UN proper shipping name · DOT · IMDG, IATA	Acetonitrile solution ACETONITRILE solution	

(Contd. on page 9)



Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

(Contd. of page 8)

· Transport hazard class(es)

· DOT, IMDG, IATA



· Class 3 Flammable liquids

· Label

· Packing group

· DOT, IMDG, IATA

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Flammable liquids

3

Danger code (Kemler): 33

• EMS Number: F-E,S-D
• Stowage Category B

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 \cdot DOT

• Quantity limitations On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

 $\cdot \, IMDG$

Limited quantities (LQ)Excepted quantities (EQ)Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1648 ACETONITRILE SOLUTION, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355	(extremely	hazardous su	bstances):
---------------	------------	--------------	------------

98-95-3 nitrobenzene

Section 313 (Specific toxic chemical listings):

75-05-8 acetonitrile

88-72-2 2-nitrotoluene

100-01-6 p-nitroaniline

121-14-2 2,4-dinitrotoluene

606-20-2 2,6-dinitrotoluene

99-65-0 1,3-dinitrobenzene

98-95-3 nitrobenzene

(Contd. on page 10)



Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

TSCA (To	xic Substances Control Act):	(Contd. of pa
`	acetonitrile	
	perhydro-1,3,5-trinitro-1,3,5-triazine	
	2-nitrotoluene	
	3-nitrotoluene	
	4-nitrotoluene	
	N-methyl-N,2,4,6-tetranitroaniline	
	cyclotetramethylenetetranitramine	
	p-nitroaniline	
121-14-2	2,4-dinitrotoluene	
	2,6-dinitrotoluene	
99-35-4	1,3,5-trinitrobenzene	
118-96-7	2,4,6-trinitrotoluene	
	1,3-dinitrobenzene	
98-95-3	nitrobenzene	
Propositio	n 65	
Chemicals	known to cause cancer:	
88-72-2	2-nitrotoluene	
121-14-2	2,4-dinitrotoluene	
606-20-2	2,6-dinitrotoluene	
118-96-7	2,4,6-trinitrotoluene	
98-95-3	nitrobenzene	
Chemicals	known to cause reproductive toxicity for females:	
None of th	e ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
121-14-2	2,4-dinitrotoluene	
606-20-2	2,6-dinitrotoluene	
99-65-0	,3-dinitrobenzene	
98-95-3	nitrobenzene	
Chemicals	known to cause developmental toxicity:	
None of th	e ingredients is listed.	
Carcinoge	nic categories	
	ironmental Protection Agency)	
	acetonitrile	CBD
	perhydro-1,3,5-trinitro-1,3,5-triazine	C
	cyclotetramethylenetetranitramine	D
	2,4,6-trinitrotoluene	C
	1,3-dinitrobenzene	D
	nitrobenzene	L
	eshold Limit Value established by ACGIH)	-
TDA (IIII	acetonitrile	



Printing date 04/01/2019 Version Number 2 Reviewed on 04/01/2019

Trade name: Calibration Standard (1X1 mL)

		(Contd. of page 10)
121-82-4	perhydro-1,3,5-trinitro-1,3,5-triazine	A4
100-01-6	p-nitroaniline	A4
98-95-3	nitrobenzene	A3
NIOSH-Ca (National Institute for Occupational Safety and Health)		
121-14-2 2,4-dinitrotoluene		
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.		

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- Date of preparation / last revision 04/01/2019 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

* Data compared to the previous version altered.

US