Printing date 03/29/2019

Agilent

Version Number 3

Reviewed on 03/29/2019

1 Identification

· Product identifier

· Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

- Part number: NVM-8015A-1
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770 e-mail: pdl-msds_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: ethanol
- · Hazard statements
- May cause cancer.
- · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)

(Contd. on page 2)

US

Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH*0Health = *0FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
123-91-1	1,4-dioxane	0.2%
64-17-5	ethanol	0.2%
108-10-1	4-methylpentan-2-one	0.2%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.



Printing date 03/29/2019

US

US

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

D ^		(Contd. of pag
	ce to other sections ion 7 for information on safe handling.	
	ion 8 for information on personal protection equipment.	
See Sect	ion 13 for disposal information.	
	ve Action Criteria for Chemicals	
PAC-1:		
	acetonitrile	13 ppm
	1,4-dioxane	17 ppm
	2-methylpropan-2-ol	150 ppm
	propionitrile	0.27 ppn
107-18-6	allyl alcohol	0.09 ppn
107-87-9	pentan-2-one	150 ppm
60-29-7	diethyl ether	500 ppm
71-23-8	propan-1-ol	250 ppm
78-83-1	butanol	150 ppm
67-56-1	methanol	530 ppm
64-17-5	ethanol	1,800 pp
71-36-3	butan-1-ol	60 ppm
107-21-1	ethanediol	30 ppm
67-63-0	propan-2-ol	400 ppm
	acetone	200 ppm
78-93-3	butanone	200 ppm
108-10-1	4-methylpentan-2-one	75 ppm
141-78-6	6 ethyl acetate	1,200 pp
PAC-2:		
	acetonitrile	50 ppm
	1,4-dioxane	320 ppm
	2-methylpropan-2-ol	1,300 pp
) propionitrile	3.0 ppm
	5 allyl alcohol	1.7 ppm
	pentan-2-one	830 ppm
	7 diethyl ether	3200* pp
	g propan-1-ol	670 ppm
	butanol	1,300 pp
	methanol	2,100 pp
	5 ethanol	3300* pp
	butan-1-ol	800 ppm
	ethanediol	150 ppm
	propan-2-ol	2000* pp
	acetone	3200* pp
	butanone	2700* pp
	4-methylpentan-2-one	500 ppm



Printing date 03/29/2019

Version Number 3

03/29/2019

Printing date 03/29/2019

Version Number 3

Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

1.41.70.6		(Contd. of page 3)		
141-78-6	ethyl acetate	1,700 ppm		
· PAC-3:	· PAC-3:			
75-05-8	acetonitrile	150 ppm		
123-91-1	1,4-dioxane	760 ppm		
	2-methylpropan-2-ol	8000* ppm		
107-12-0	propionitrile	9.1 ppm		
107-18-6	allyl alcohol	13 ppm		
107-87-9	pentan-2-one	5000* ppm		
60-29-7	diethyl ether	19000*** ppm		
71-23-8	propan-1-ol	4000* ppm		
78-83-1	butanol	8000* ppm		
67-56-1	methanol	7200* ppm		
64-17-5	ethanol	15000* ppm		
71-36-3	butan-1-ol	8000** ppm		
107-21-1	ethanediol	900 ppm		
67-63-0	propan-2-ol	12000** ppm		
67-64-1	acetone	5700* ppm		
78-93-3	butanone	4000* ppm		
108-10-1	4-methylpentan-2-one	3000* ppm		
141-78-6	ethyl acetate	10000** ppm		

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

US



Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

(Contd. of page 4)

	rol parameters ponents with limit values that require monitoring at the workplace:
	1-1 1,4-dioxane
	Long-term value: 360 mg/m ³ , 100 ppm
LL	Skin
REL	Ceiling limit value: 3.6* mg/m ³ , 1* ppm
	*30-min; See Pocket Guide App. A
TLV	Long-term value: 72 mg/m ³ , 20 ppm
	Skin
	-5 ethanol
	Long-term value: 1900 mg/m ³ , 1000 ppm
	Long-term value: 1900 mg/m ³ , 1000 ppm
	Short-term value: 1880 mg/m ³ , 1000 ppm
	0-1 4-methylpentan-2-one
	Long-term value: 410 mg/m ³ , 100 ppm
REL	Short-term value: 300 mg/m ³ , 75 ppm Long-term value: 205 mg/m ³ , 50 ppm
TIV	
ILV	Short-term value: 307 mg/m ³ , 75 ppm Long-term value: 82 mg/m ³ , 20 ppm
	BEI
Ingre	dients with biological limit values:
0	0-1 4-methylpentan-2-one
	l mg/L
	Medium: urine
	Time: end of shift
	Parameter: MIBK
	tional information: The lists that were valid during the creation were used as basis.
	sure controls
	nal protective equipment: ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
Wash	hands before breaks and at the end of work.
	protective clothing separately.
	thing equipment: used as intended with Agilent instruments, the use of the product under normal laboratory conditions and
	tandard practices does not result in significant airborne exposures and therefore respiratory protection is no
neede	
	an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved
	e/equipment with appropriate organic or acid gas cartridge.
	ction of hands: ugh not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil
	less are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is
	contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough time
excee	ding 4 hrs. Supplier recommendations should be followed.
	rial of gloves
	ormal use: nitrile rubber, 11-13 mil thickness freet contact with the chemical: butyl rubber, 12-15 mil thickness
	noor oonwor what the energineer. Outyr rubber, 12-15 mill the Kiless



Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

(Contd. of page 5)

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours • Eye protection:

Tightly sealed goggles

T 0 / 1 · · · · · ·				
· Information on basic physical and chemical properties				
· General Information				
· Appearance: Form:	Fluid			
Color:	Colorless			
· Odor:	Odorless			
· Odor threshold:	Not determined.			
· pH-value:	Not determined.			
•				
• Change in condition	TT 14 ' 1			
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	100 °C (212 °F)			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
· Density at 20 °C (68 °F):	0.99391 g/cm ³ (8.29418 lbs/gal)			
· Relative density	Not determined.			
· Vapor density	Not determined.			
· Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
Water:	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/wate	r): Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Solvent content:				
Organic solvents:	2.8 %			
		(Contd. on page		



Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

(Contd. of page 6)

Water: VOC content:

Printing date 03/29/2019

96.4 % 2.60 % 25.8 g/l / 0.22 lb/gal No further relevant information available.

· Other information

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
Oral	LD50	12,117 mg/kg (rat)	

Dermal	LD50	>5,133 mg/kg (rabbit)
Inhalative	LC50/4 h	500 mg/L

123-91-1 1,4-dioxane		
Oral	LD50	5,700 mg/kg (mouse)

		4,200 mg/kg (rat)
Dermal	LD50	7,858 mg/kg (rabbit)
Inhalative	LC50/4 h	46 mg/L (rat)

64-17-5 ethanol

108_10_1 /	mothyln	nton_2_one
Inhalative	LC50/4 h	20,000 mg/L (rat)
Oral	LD50	>5,000 mg/kg (rat)

 108-10-1
 4-methylpentan-2-one

 Oral
 LD50
 2,080 mg/kg (rat)

Dermal LD50 16,000 mg/kg (rab)

>16,000 mg/kg (rabbit)

Inhalative LC50/4 h >8.2 mg/L (rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)



Version Number 3

Version

Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

(Contd. of page 7)

· Carcinogenic categories		
· IARC (In	ternational Agency for Research on Cancer)	
123-91-1	1,4-dioxane	2B
64-17-5	ethanol	1
	propan-2-ol	3
108-10-1	4-methylpentan-2-one	2B
· NTP (Na	tional Toxicology Program)	
123-91-1	1,4-dioxane	R
· OSHA-C	a (Occupational Safety & Health Administration)	
None of t	he ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information · Not Regulated, De minimus Quantities -· UN-Number · DOT, ADN, IMDG, IATA not regulated · UN proper shipping name · DOT, ADN, IMDG, IATA not regulated (Contd. on page 9) US



Printing date 03/29/2019



Printing date 03/29/2019

Version Number 3

Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

		(Contd. of page 8)
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

yl alcohol (Specific toxic chemical listings): etonitrile 4-dioxane methylpropan-2-ol	
etonitrile 4-dioxane methylpropan-2-ol	
1-dioxane methylpropan-2-ol	
methylpropan-2-ol	
.1 .111	
yl alcohol	
ethanol	
tan-1-ol	
nanediol	
opan-2-ol	
tanone	
methylpentan-2-one	
c Substances Control Act):	
ts are listed.	
65	
nown to cause cancer:	
1-dioxane	
methylpentan-2-one	
nown to cause reproductive toxicity for fe	males:
ngredients is listed.	
nown to cause reproductive toxicity for ma	ales:
ngredients is listed.	
	anediol opan-2-ol tanone methylpentan-2-one c Substances Control Act): ts are listed. 65 nown to cause cancer: -dioxane methylpentan-2-one nown to cause reproductive toxicity for fe ngredients is listed. nown to cause reproductive toxicity for m

Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

		(Contd. of page 9
· Chemical	s known to cause developmental toxicity:	
67-56-1	methanol	
64-17-5	ethanol	
107-21-1	ethanediol	
108-10-1	4-methylpentan-2-one	
· Carcinog	enic categories	
	vironmental Protection Agency)	
	acetonitrile	CBD, D
123-91-1	1,4-dioxane	L
71-36-3	butan-1-ol	D
67-64-1	acetone	I
78-93-3	butanone	I
108-10-1	4-methylpentan-2-one	Ι
· TLV (Th	reshold Limit Value established by ACGIH)	
	acetonitrile	A
123-91-1	1,4-dioxane	A
	2-methylpropan-2-ol	A
	allyl alcohol	A
71-23-8	propan-1-ol	A
64-17-5	ethanol	A
107-21-1	ethanediol	A
67-63-0	propan-2-ol	A
67-64-1	acetone	A
· NIOSH-C	Ca (National Institute for Occupational Safety and Health)	· · · · ·
123-91-1	1,4-dioxane	

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Department issuing SDS: Document Control / Regulatory

- · Contact: regulatory@ultrasci.com
- Date of preparation / last revision 03/29/2019 / 2
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 11)



Printing date 03/29/2019

⁻ US

Reviewed on 03/29/2019

Trade name: Non-Halogenated Volatiles Standard (1X1 mL)

	(Contd. of page 10)
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Carc. 1A: Carcinogenicity – Category 1A	
* * Data compared to the previous version altered.	
• •	US



Printing date 03/29/2019