Printing date 03/30/2019

Version Number 2

Reviewed on 03/30/2019

## 1 Identification

Agilent

· Product identifier

· Trade name: Dibenzo(a,l)pyrene Standard (1X1 mL)

- · Part number: P-791-1
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

### · Information department:

Telephone: 800-227-9770 e-mail: pdl-msds\_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1BH350 May cause cancer.STOT RE 2H373 May cause damage to organs through prolonged or repeated exposure.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: dichloromethane
Hazard statements
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
May cause cancer.
May cause respiratory irritation.


(Contd. on page 2)

US

Version Number 2

Reviewed on 03/30/2019

### Trade name: Dibenzo(a,l)pyrene Standard (1X1 mL)



· Dangerous components:

75-09-2 dichloromethane

(Contd. on page 3)

99.985%



Reviewed on 03/30/2019

Trade name: Dibenzo(a,l)pyrene Standard (1X1 mL)

(Contd. of page 2)

### **4 First-aid measures**

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

<sup>•</sup> Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:	
75-09-2 dichloromethane	200 ppm
· PAC-2:	
75-09-2 dichloromethane	560 ppm
· PAC-3:	
75-09-2 dichloromethane	6,900 ppm
	- US

(Contd. on page 4)



Version Number 2

Reviewed on 03/30/2019

#### Trade name: Dibenzo(a,l)pyrene Standard (1X1 mL)

(Contd. of page 3)

### 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

<ul> <li>Components with limit values t</li> </ul>	hat require monitoring	at the workplace:
--	------------------------	-------------------

### 75-09-2 dichloromethane

- PEL Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052
- REL See Pocket Guide App. A
- TLV Long-term value: 174 mg/m<sup>3</sup>, 50 ppm BEI

### · Ingredients with biological limit values:

#### 75-09-2 dichloromethane

BEI 0.3 mg/L

Medium: urine Time: end of shift Parameter: Dichloromethane (semi-quantitative)

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.



Printing date 03/30/2019

Version Number 2

Reviewed on 03/30/2019

Trade name: Dibenzo(a,l)pyrene Standard (1X1 mL)

(Contd. of page 4)

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

#### · Material of gloves

· Protection of hands:

For normal use: nitrile rubber, 11-13 mil thickness

- For direct contact with the chemical: butyl rubber, 12-15 mil thickness
- · Penetration time of glove material
- For normal use: nitrile rubber: 1 hour
- For direct contact with the chemical: butyl rubber: >4 hours
- Eye protection:

Safety glasses



Tightly sealed goggles

Physical and chemical proper	ties		
Information on basic physical and c	hemical properties		
General Information	1 1		
Appearance:			
Form:	Fluid		
Color:	Colorless		
Odor:	Like chlorine		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range:	-95.1 °C (-139.2 °F)		
<b>Boiling point/Boiling range:</b>	40 °C (104 °F)		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:	605 °C (1,121 °F)		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	13 Vol %		
Upper:	22 Vol %		
Vapor pressure at 20 °C (68 °F):	360 hPa (270 mm Hg)		
Density at 20 °C (68 °F):	1.3 g/cm <sup>3</sup> (10.8485 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		

(Contd. on page 6)

Printing date 03/30/2019

Version Number 2

Agilent

Reviewed on 03/30/2019

Trade name: Dibenzo(a,l)pyrene Standard (1X1 mL)

		(Contd. of page
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water at 20 °C (68 °F):	20 g/l	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
· Other information	No further relevant information available.	

## **10 Stability and reactivity**

• Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

## · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimation and the statement of the s	ate)
--	------

Oral	LD50	1,600 mg/kg (rat)
		>2,000 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/L (rat)

### 75-09-2 dichloromethane

Oral	LD50	1,600 mg/kg (rat)
Dermal	LD50	1,600 mg/kg (rat) >2,000 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/L (rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

#### Irritant

(Contd. on page 7)



Version Number 2

US

Reviewed on 03/30/2019

Trade name: Dibenzo(a,l)pyrene Standard (1X1 mL)

(Contd. of page 6)

2A

2A

R

R

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

75-09-2 dichloromethane

191-30-0 Dibenzo(a,l)pyrene

·NTP (National Toxicology Program)

75-09-2 dichloromethane

191-30-0 Dibenzo(a,l)pyrene

· OSHA-Ca (Occupational Safety & Health Administration)

75-09-2 dichloromethane

## **12 Ecological information**

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

· Not Regulated, De minimus Quantities

· UN-Number · DOT, ADN, IMDG, IATA

not regulated

not regulated

-

· UN proper shipping name

· DOT, ADN, IMDG, IATA

(Contd. on page 8)

211



Version Number 2

. .

Reviewed on 03/30/2019

Trade name: Dibenzo(a,l)pyrene Standard (1X1 mL)

		(Contd. of page 7)
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	not regulated	

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

75-09-2 dichloromethane

· Proposition 65

· Chemicals known to cause cancer:

All ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency) 75-09-2 dichloromethane L · TLV (Threshold Limit Value established by ACGIH) 75-09-2 dichloromethane A3 · NIOSH-Ca (National Institute for Occupational Safety and Health) 75-09-2 dichloromethane (Contd. on page 9)



Printing date 03/30/2019

Version Number 2

Version Number 2

Reviewed on 03/30/2019

Trade name: Dibenzo(a,l)pyrene Standard (1X1 mL)

(Contd. of page 8)

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/30/2019 / 1
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 1B: Carcinogenicity - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 \* \* Data compared to the previous version altered.

