Printing date 03/30/2019

Version Number 2

Reviewed on 03/30/2019

1 Identification

· Product identifier

· Trade name: Phenols Standard (1X1 mL)

- · Part number: PHM-834A-1
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770 e-mail: pdl-msds_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: propan-2-ol
Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

(Contd. on page 2)



US

Reviewed on 03/30/2019

Trade name: Phenols Standard (1X1 mL)

(Contd. of page 1) Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = 2FIRE Fire = 33 **REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

67-63-0 propan-2-ol

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

US

99.733%

Printing date 03/30/2019



Agilent

Reviewed on 03/30/2019

Trade name: Phenols Standard (1X1 mL)

 $(Contd. \ of \ page \ 2)$

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

67-63-0	propan-2-ol	400 ppm
59-50-7	chlorocresol	5.5 mg/m ³
95-57-8 2	2-chlorophenol	2.3 mg/m ³
534-52-1 1	DNOC	0.6 mg/m ³
105-67-9 2	2,4-xylenol	6.9 mg/m ³
51-28-5 2	2,4-dinitrophenol	0.61 mg/m
120-83-2	2,4-dichlorophenol	0.2 ppm
88-75-5 2	2-nitrophenol	2.1 mg/m ³
100-02-7 4	4-nitrophenol	0.69 mg/m
87-86-5 p	pentachlorophenol	1 mg/m ³
95-95-4 2	2,4,5-trichlorophenol	2.5 mg/m ³
88-06-2	2,4,6-trichlorophenol	2.5 mg/m ³
88-85-7	linoseb	0.41 mg/m
87-65-0 2	2,6-dichlorophenol	8.8 mg/m ³
108-95-2 j	bhenol	15 ppm



Printing date 03/30/2019

Reviewed on 03/30/2019

Printing date 03/30/2019

Version Number 2

Trade name: Phenols Standard (1X1 mL)

PAC-2:		(Contd. of page
	propan-2-ol	2000* ppn
	chlorocresol	60 mg/m ³
	2-chlorophenol	25 mg/m ³
534-52-1		0.83 mg/m
	2,4-xylenol	76 mg/m ³
	2,4-dinitrophenol	6.8 mg/m ³
	2,4-dichlorophenol	2 ppm
88-75-5	2-nitrophenol	23 mg/m ³
	4-nitrophenol	7.6 mg/m ³
	pentachlorophenol	15 mg/m ³
95-95-4	2,4,5-trichlorophenol	27 mg/m ³
	2,4,6-trichlorophenol	27 mg/m ³
88-85-7	dinoseb	4.5 mg/m ³
87-65-0	2,6-dichlorophenol	97 mg/m ³
108-95-2		23 ppm
PAC-3:		
67-63-0	propan-2-ol	12000** ppr
59-50-7	chlorocresol	360 mg/m ³
95-57-8	2-chlorophenol	150 mg/m ³
534-52-1	DNOC	5 mg/m ³
105-67-9	2,4-xylenol	460 mg/m ³
51-28-5	2,4-dinitrophenol	16 mg/m ³
120-83-2	2,4-dichlorophenol	20 ppm
88-75-5	2-nitrophenol	140 mg/m ³
100-02-7	4-nitrophenol	46 mg/m ³
87-86-5	pentachlorophenol	150 mg/m ³
95-95-4	2,4,5-trichlorophenol	160 mg/m ³
88-06-2	2,4,6-trichlorophenol	160 mg/m ³
88-85-7	dinoseb	5.4 mg/m ³
	2,6-dichlorophenol	580 mg/m ³
108-95-2	phenol	200 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 5)



US

Reviewed on 03/30/2019

Trade name: Phenols Standard (1X1 mL)

(Contd. of page 4)

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection
- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

- PEL Long-term value: 980 mg/m³, 400 ppm
- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

· Ingredients with biological limit values:

67-63-0 propan-2-ol

BEI 40 mg/L

Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 6)



Printing date 03/30/2019

Reviewed on 03/30/2019

Trade name: Phenols Standard (1X1 mL)

(Contd. of page 5)

US

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

• Penetration time of glove material For normal use: nitrile rubber: 1 hour

- For direct contact with the chemical: butyl rubber: >4 hours
- Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

Appearance:	
Form:	Fluid
Color:	Clear
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-89.5 °C (-129.1 °F)
Boiling point/Boiling range:	82 °C (179.6 °F)
Flash point:	12 °C (53.6 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	35 hPa (26.3 mm Hg)
Density at 20 °C (68 °F):	0.785 g/cm ³ (6.55083 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	1 g/l
Partition coefficient (n-octanol/wate	w). Not determined



Printing date 03/30/2019

Reviewed on 03/30/2019

Agilent

Printing date 03/30/2019

Version Number 2

Trade name: Phenols Standard (1X1 mL)

		(Contd. of page
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.8 %	
VOC content:	99.77 %	
	997.7 g/l / 8.33 lb/gal	
Solids content:	0.2 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 4,723 mg/kg (rat)

 Inhalative
 LC50/4 h
 72.8 mg/L (rat)

67-63-0 propan-2-ol

-	1	
Oral	LD50	4,710 mg/kg (rat)
Dermal	LD50	12,800 mg/kg (rat)
		12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	72.6 mg/L (rat)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

67-63-0 propan-2-ol

3

(Contd. on page 8)

Trade name: Phenols Standard (1X1 mL)

Printing date 03/30/2019

		(Contd. of page
95-57-8	2-chlorophenol	21
120-83-2	2,4-dichlorophenol	21
87-86-5	pentachlorophenol	21
58-90-2	2,3,4,6-tetrachlorophenol	21
95-95-4	2,4,5-trichlorophenol	21
88-06-2	2,4,6-trichlorophenol	21
87-65-0	2,6-dichlorophenol	21
108-95-2	phenol	3
· NTP (Nat	ional Toxicology Program)	
87-86-5 p	entachlorophenol	I
88-06-2 2	,4,6-trichlorophenol	I
· OSHA-C	ı (Occupational Safety & Health Administration)	· ·

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

_

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities

(Contd. on page 9)

US



Version Number 2

Reviewed on 03/30/2019

Version Number 2

Reviewed on 03/30/2019

Trade name: Phenols Standard (1X1 mL)

	(Contd. of page
· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT · IMDG, IATA	Flammable liquids, n.o.s. (Isopropanol) FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL))
· Transport hazard class(es)	
DOT, IMDG, IATA	
· Class · Label	3 Flammable liquids
· Packing group	
DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler): EMS Number: Stowage Category	Warning: Flammable liquids 33 F-E, <u>S-E</u> B
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

95-48-7 o-cresol

534-52-1 DNOC

(Contd. on page 10)



Printing date 03/30/2019

US

US

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/30/2019

Printing date 03/30/2019

88-85-7	(Contd. of page
88-83-7 108-95-2	
	13 (Specific toxic chemical listings):
67-63-0	propan-2-ol
	2-chlorophenol
	o-cresol
108-39-4	
106-44-5	
534-52-1	
	2,4-xylenol
	2,4-dinitrophenol
	2,4-dichlorophenol
	2-nitrophenol
	4-nitrophenol
	pentachlorophenol
58-90-2	2,3,4,6-tetrachlorophenol
	2,4,5-trichlorophenol
	2,4,6-trichlorophenol
88-85-7	dinoseb
87-65-0	2,6-dichlorophenol
108-95-2	phenol
	oxic Substances Control Act):
	propan-2-ol
	chlorocresol
	2-chlorophenol
95-48-7	o-cresol
108-39-4	m-cresol
106-44-5	p-cresol
534-52-1	DNOC
	2,4-xylenol
51-28-5	2,4-dinitrophenol
120-83-2	2,4-dichlorophenol
88-75-5	2-nitrophenol
	4-nitrophenol
87-86-5	pentachlorophenol
	2,3,4,6-tetrachlorophenol
	2,4,5-trichlorophenol
	2,4,6-trichlorophenol
	dinoseb
	2,6-dichlorophenol
108-95-2	
	(Contd. on page



Reviewed on 03/30/2019

Trade name: Phenols Standard (1X1 mL)

(Contd. of page 10)

Proposition 65 Chemicals known to cause cancer:

Printing date 03/30/2019

87-86-5 pentachlorophenol

88-06-2 2,4,6-trichlorophenol

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

88-85-7 dinoseb

· Chemicals known to cause developmental toxicity:

88-85-7 dinoseb

· Carcinogenic categories

· EPA (Environmental Protection Agency)			
95-48-7	o-cresol	С	
108-39-4	m-cresol	С	
106-44-5	p-cresol	С	
87-86-5	pentachlorophenol	L	
88-06-2	2,4,6-trichlorophenol	B2	
88-85-7	dinoseb	D	
108-95-2	phenol	D, I	
· TLV (Th	reshold Limit Value established by ACGIH)		
67-63-0	propan-2-ol	A4	
87-86-5	pentachlorophenol	A3	
108-95-2	phenol	A4	
·NIOSH-Ca (National Institute for Occupational Safety and Health)			
None of the ingredients is listed.			

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/30/2019 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)

Reviewed on 03/30/2019

Trade name: Phenols Standard (1X1 mL)

(Contd. of page 11)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * * Data compared to the previous version altered.



Printing date 03/30/2019