

Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

1 Identification

· Product identifier

· Trade name: PAH Standard (1X1 mL)

· Part number: PM-035-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds_author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1B H350 May cause cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

dichloromethane

benzo[a]pyrene

dibenz[a,h]anthracene

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

(Contd. on page 2)



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 1)

May cause cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



 $\begin{aligned} & Health = 2 \\ & Fire = 0 \end{aligned}$

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*2 Health = *2 0 Fire = 0

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

•	Dangerous	components:
---	-----------	-------------

75-09-2 dichloromethane 98.643% 50-32-8 benzo[a]pyrene 0.0754%

(Contd. on page 3)



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

 53-70-3 | dibenz[a,h]anthracene
 (Contd. of page 2)

 0.0754%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
75-09-2	dichloromethane	200 ppm
83-32-9	acenaphthene	3.6 mg/m ³
208-96-8	acenaphthylene	10 mg/m ³
120-12-7	anthracene	48 mg/m ³
205-99-2	benz[e]acephenanthrylene	0.12 mg/m^3
		(Contd. on page

US



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

		(Contd. of pag
191-24-2	benzo[ghi]perylene	30 mg/m ³
	benzo[a]pyrene	0.6 mg/m^3
	chrysene	0.6 mg/m^3
	dibenz[a,h]anthracene	0.093 mg/r
	fluoranthene	8.2 mg/m ³
	fluorene	6.6 mg/m^3
193-39-5	indeno[1,2,3-cd]pyrene	1.2 mg/m ³
	naphthalene	15 ppm
	phenanthrene	5.4 mg/m ³
129-00-0		0.15 mg/m ²
	benz[a]anthracene	0.6 mg/m ³
· PAC-2:		
75-09-2	dichloromethane	560 ppm
83-32-9	acenaphthene	40 mg/m ²
208-96-8	acenaphthylene	110 mg/n
120-12-7	anthracene	530 mg/n
205-99-2	benz[e]acephenanthrylene	1.3 mg/m
191-24-2	benzo[ghi]perylene	330 mg/r
	benzo[a]pyrene	120 mg/n
218-01-9		12 mg/m ²
	dibenz[a,h]anthracene	1 mg/m^3
206-44-0	fluoranthene	90 mg/m ²
86-73-7	fluorene	72 mg/m ²
193-39-5	indeno[1,2,3-cd]pyrene	13 mg/m ²
	naphthalene	83 ppm
	phenanthrene	59 mg/m ²
129-00-0	pyrene	1.7 mg/m
56-55-3	benz[a]anthracene	120 mg/r
· PAC-3:		,
75-09-2	dichloromethane	6,900 ppm
83-32-9	acenaphthene	240 mg/m ³
208-96-8	acenaphthylene	660 mg/m ³
120-12-7	anthracene	3,200 mg/n
205-99-2	benz[e]acephenanthrylene	7.9 mg/m ³
191-24-2	benzo[ghi]perylene	2,000 mg/n
50-32-8	benzo[a]pyrene	700 mg/m ³
218-01-9		69 mg/m ³
53-70-3	dibenz[a,h]anthracene	2.9 mg/m ³
206-44-0	fluoranthene	400 mg/m ³
86-73-7	fluorene	430 mg/m ³
193_39_5	indeno[1,2,3-cd]pyrene	79 mg/m ³



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

		(Contd. of page 4)
91-20-3	naphthalene	500 ppm
85-01-8	phenanthrene	360 mg/m ³
129-00-0	pyrene	110 mg/m ³
56-55-3	benz[a]anthracene	700 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

75-09-2 dichloromethane

· Component	s with l	limit val	lues that	require	monitoring	at the worl	kplace:

PEL Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052 REL See Pocket Guide App. A TLV Long-term value: 174 mg/m³, 50 ppm BEI 50-32-8 benzo[a]pyrene PEL Long-term value: 0.2 mg/m³ see Coal tar pitch volatiles

REL	Long-term value: 0.1 mg/m ³
	Coal tar pitch volatile; Pocket Guide Apps. A+C

TLV L; BEIp

· Ingredients with biological limit values:

75-09-2 dichloromethane

BEI 0.3 mg/L

Medium: urine Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

(Contd. on page 6)



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 5)

50-32-8 benzo[a]pyrene

BEI -

Medium: urine

Time: end of shift at end of workweek

Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:

Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless

Odor: Like chlorine
Odor threshold: Not determined.

(Contd. on page 7)



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

	(Contd. of pag	3e (
· pH-value:	Not determined.	
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	-95.1 °C (-139.2 °F) 40 °C (104 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	605 °C (1,121 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	13 Vol % 22 Vol %	
· Vapor pressure at 20 °C (68 °F):	360 hPa (270 mm Hg)	
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.3 g/cm³ (10.8485 lbs/gal) Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water at 20 °C (68 °F):	20 g/l	
· Partition coefficient (n-octanol/water	r): Not determined.	
· Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	0.43 mPas Not determined.	
· Solvent content: Organic solvents: VOC content:	98.6 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content: Other information	1.4 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 7)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:					
ATE (Acu	ATE (Acute Toxicity Estimate)					
Oral	LD50	1,622 mg/kg (rat)				
Dermal	LD50	>2,028 mg/kg (rat)				
Inhalative	LC50/4 h	89.2 mg/L (rat)				
75-09-2 di	75-09-2 dichloromethane					
Oral	LD50	1,600 mg/kg (rat)				
Dermal	LD50	>2,000 mg/kg (rat)				
Inhalative	LC50/4 h	88 mg/L (rat)				
208-96-8 a	cenaphth	ylene				
Oral	LD50	1,760 mg/kg (mouse)				
129-00-0 p	129-00-0 pyrene					
Oral	LD50	2,700 mg/kg (rat)				
Inhalative	Inhalative LC50/4 h 170 mg/L (rat)					

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

*	ternational Agency for Research on Cancer)	
75-09-2	dichloromethane	24
83-32-9	acenaphthene	3
120-12-7	anthracene	3
205-99-2	benz[e]acephenanthrylene	21
207-08-9	benzo[k]fluoranthene	21
191-24-2	benzo[ghi]perylene	3
50-32-8	benzo[a]pyrene	1
218-01-9	chrysene	21
53-70-3	dibenz[a,h]anthracene	2.
206-44-0	fluoranthene	3
86-73-7	fluorene	3
193-39-5	indeno[1,2,3-cd]pyrene	21
91-20-3	naphthalene	21
85-01-8	phenanthrene	3



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

		(Contd. of pa
129-00-0 pyrene		
192-97-2 benzo[e]p		:
205-82-3 benzo[j]fl		1
56-55-3 benz[a]an	thracene	1
NTP (National Tox	icology Program)	
75-09-2 dichlorom	ethane	
120-12-7 anthracene		
205-99-2 benz[e]ace	ephenanthrylene	
207-08-9 benzo[k]fl	uoranthene	
50-32-8 benzo[a]p	yrene	
218-01-9 chrysene		
53-70-3 dibenz[a,h		
206-44-0 fluoranthe	ne	
86-73-7 fluorene		
193-39-5 indeno[1,2	2,3-cd]pyrene	
91-20-3 naphthaler	ne	
85-01-8 phenanthr	ene	
129-00-0 pyrene		
192-97-2 benzo[e]p	-	
205-82-3 benzo[j]fl		
56-55-3 benz[a]an	thracene	
OSHA-Ca (Occupa	tional Safety & Health Administration)	
75-09-2 dichlorome	thane	

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

211



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 9)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 4 7			· ·	4.0
4.	ranci	port in	torma	tion
11-11	ташы	AAT CIII	тот ша	UUII

· Not Regulated, De minimus Quantities	-
· UN-Number · DOT, IMDG, IATA	UN1593
· UN proper shipping name	
· DOT	Dichloromethane
· IMDG	DICHLOROMETHANE
·IATA	DICHLOROMETHANE, solution
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	6.1 Toxic substances
·Label	6.1
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Toxic substances
Danger code (Kemler):	60
EMS Number:	F-A,S-A
· Segregation groups	Liquid halogenated hydrocarbons
· Stowage Category	A
· Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	of Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 60L
	On cargo aircraft only: 220L
·IMDG	
· Limited quantities (LQ)	5L
	(Contd. on page 1

-US



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 10) Code: E1 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 1593 DICHLOROMETHANE, 6.1, III, **ENVIRONMENTALLY HAZARDOUS**

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara		
· Section 355 (extremely hazardous substances):		
129-00-0	pyrene	
· Section 313 (Specific toxic chemical listings):		
75-09-2	dichloromethane	
120-12-7	anthracene	
	benz[e]acephenanthrylene	
	benzo[k]fluoranthene	
	benzo[ghi]perylene	
	benzo[a]pyrene	
218-01-9	·	
	dibenz[a,h]anthracene	
206-44-0	fluoranthene	
	indeno[1,2,3-cd]pyrene	
	naphthalene	
	phenanthrene	
	benzo[j]fluoranthene	
56-55-3	benz[a]anthracene	
TSCA (Toxic Substances Control Act):		
75-09-2	dichloromethane	
83-32-9	acenaphthene	
208-96-8	acenaphthylene	
120-12-7	anthracene	
50-32-8	benzo[a]pyrene	
218-01-9	chrysene	
53-70-3	dibenz[a,h]anthracene	
206-44-0	fluoranthene	
86-73-7	fluorene	
	indeno[1,2,3-cd]pyrene	
	naphthalene	
85-01-8	phenanthrene	
129-00-0	pyrene	

(Contd. on page 12)



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

193-39-5 indeno[1,2,3-cd]pyrene

56-55-3 benz[a]anthracene

91-20-3 naphthalene 85-01-8 phenanthrene

129-00-0 pyrene

(Contd. of page 11) 56-55-3 benz[a]anthracene TSCA new (21st Century Act): (Substances not listed) 53-70-3 dibenz[a,h]anthracene · Proposition 65 Chemicals known to cause cancer: 75-09-2 dichloromethane 205-99-2 benz[e]acephenanthrylene 207-08-9 benzo[k]fluoranthene 50-32-8 benzo[a]pyrene 218-01-9 chrysene 53-70-3 dibenz[a,h]anthracene 193-39-5 indeno[1,2,3-cd]pyrene 91-20-3 naphthalene 205-82-3 benzo[j]fluoranthene 56-55-3 benz[a]anthracene · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) 75-09-2 dichloromethane L 83-32-9 acenaphthene A (oral) 208-96-8 acenaphthylene D 120-12-7 anthracene D 205-99-2 benz[e]acephenanthrylene В2 207-08-9 benzo[k]fluoranthene В2 191-24-2 benzo[ghi]perylene D 50-32-8 benzo[a]pyrene CaH В2 218-01-9 chrysene 53-70-3 dibenz[a,h]anthracene B2 206-44-0 fluoranthene D 86-73-7 fluorene D

B2 C, CBD

D

D

B2



Printing date 03/28/2019 Version Number 2 Reviewed on 03/28/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 12)

		(Conta. of page 12)
· TLV (Th	reshold Limit Value established by ACGIH)	
75-09-2	dichloromethane	A3
205-99-2	benz[e]acephenanthrylene	A2
50-32-8	benzo[a]pyrene	A2
218-01-9	chrysene	A3
91-20-3	naphthalene	A4
56-55-3	benz[a]anthracene	A2
· NIOSH-0	Ca (National Institute for Occupational Safety and Health)	
75-09-2	dichloromethane	
50-32-8	benzo[a]pyrene	
218-01-9	chrysene	

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Date of preparation / last revision 03/28/2019 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Carc. 1B: Carcinogenicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

* Data compared to the previous version altered.