Agilent

#### Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

## **1 Identification**

- · Product identifier
- · Trade name: PAH Standard (1X1 mL)
- · Part number: PM-525A-1
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

#### · Information department:

Telephone: 800-227-9770 e-mail: pdl-msds\_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS0

GHS08 Health hazard

Carc. 1B H350 May cause cancer.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms

\_\_\_\_\_



· Signal word Danger

Hazard-determining components of labeling: acetone dibenz[a,h]anthracene benzo[a]pyrene
Hazard statements Highly flammable liquid and vapor.

(Contd. on page 2)

<sup>-</sup> US

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

	(Contd. c	of pag
Causes serious eye irritatio	۵.	
May cause cancer.		
May cause drowsiness or c		
Precautionary statement		
Obtain special instructions		
	ty precautions have been read and understood.	
	s/open flames/hot surfaces No smoking.	
Ground/bond container and		
	cal/ventilating/lighting/equipment.	
Use only non-sparking too		
Take precautionary measu		
Avoid breathing dust/fume		
Wash thoroughly after han		
Use only outdoors or in a v		
	tective clothing/eye protection/face protection.	
	f immediately all contaminated clothing. Rinse skin with water/shower.	
	son to fresh air and keep comfortable for breathing.	
	with water for several minutes. Remove contact lenses, if present and easy to do	•
Continue rinsing.		
IF exposed or concerned: (	et medical advice/attention.	
Call a poison center/doctor		
If eye irritation persists: G		
	nction: CO2, powder or water spray.	
	lace. Keep container tightly closed.	
Store in a well-ventilated p	lace. Keep cool.	
Store locked up.		
	her in accordance with local/regional/national/international regulations.	
Classification system:		
NFPA ratings (scale 0 - 4	1	
Health $= 2$		
Fire = $3$		
2 0 Reactivity =	0	
HMIS-ratings (scale 0 - 4		
HEALTH *2 Health = *2		
	- 0	
REACTIVITY 0 Reactivity	- 0	
Other hazards		
Results of PBT and vPvE	assessment	
<b>PBT:</b> Not applicable.		
<b>vPvB:</b> Not applicable.		
<b>Composition/inform</b>	tion on ingredients	

 $\cdot$  **Description:** Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

67-64-1 acetone

\*

(Contd. on page 3)

99.836%



Printing date 03/30/2019

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Cu	ontd. of page 2)
53-70-3 dibenz[a,h]anthracene	0.0126%
50-32-8 benzo[a]pyrene	0.0126%

## **4 First-aid measures**

Printing date 03/30/2019

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eve contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.

## · Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
67-64-1		200 ppm
	fluorene	6.6 mg/m <sup>3</sup>
120-12-7	anthracene	48 mg/m <sup>3</sup>
	phenanthrene	5.4 mg/m <sup>3</sup>
208-96-8	acenaphthylene	10 mg/m <sup>3</sup>
		(Contd. on page 4)



Reviewed on 03/30/2019

Printing date 03/30/2019

Version Number 3

		(Contd. of page 3
53-70-3	dibenz[a,h]anthracene	0.093 mg/m <sup>3</sup>
193-39-5	indeno[1,2,3-cd]pyrene	1.2 mg/m <sup>3</sup>
218-01-9		0.6 mg/m <sup>3</sup>
205-99-2	benz[e]acephenanthrylene	0.12 mg/m <sup>3</sup>
50-32-8	benzo[a]pyrene	0.6 mg/m <sup>3</sup>
56-55-3	benz[a]anthracene	0.6 mg/m <sup>3</sup>
191-24-2	benzo[ghi]perylene	30 mg/m <sup>3</sup>
129-00-0	pyrene	0.15 mg/m <sup>3</sup>
· PAC-2:		I
67-64-1	acetone	3200* ppm
86-73-7	fluorene	72 mg/m <sup>3</sup>
120-12-7	anthracene	530 mg/m <sup>3</sup>
85-01-8	phenanthrene	59 mg/m <sup>3</sup>
208-96-8	acenaphthylene	110 mg/m <sup>3</sup>
53-70-3	dibenz[a,h]anthracene	1 mg/m <sup>3</sup>
193-39-5	indeno[1,2,3-cd]pyrene	13 mg/m <sup>3</sup>
218-01-9	chrysene	12 mg/m <sup>3</sup>
205-99-2	benz[e]acephenanthrylene	1.3 mg/m <sup>3</sup>
50-32-8	benzo[a]pyrene	120 mg/m <sup>3</sup>
56-55-3	benz[a]anthracene	120 mg/m <sup>3</sup>
191-24-2	benzo[ghi]perylene	330 mg/m <sup>3</sup>
129-00-0	pyrene	1.7 mg/m <sup>3</sup>
· PAC-3:		·
67-64-1	acetone	5700* ppm
86-73-7	fluorene	430 mg/m <sup>3</sup>
120-12-7	anthracene	3,200 mg/m <sup>3</sup>
85-01-8	phenanthrene	360 mg/m <sup>3</sup>
208-96-8	acenaphthylene	660 mg/m <sup>3</sup>
	dibenz[a,h]anthracene	2.9 mg/m <sup>3</sup>
193-39-5	indeno[1,2,3-cd]pyrene	79 mg/m <sup>3</sup>
218-01-9	chrysene	69 mg/m <sup>3</sup>
	benz[e]acephenanthrylene	7.9 mg/m <sup>3</sup>
50-32-8	benzo[a]pyrene	700 mg/m <sup>3</sup>
56-55-3	benz[a]anthracene	700 mg/m <sup>3</sup>
191-24-2	benzo[ghi]perylene	2,000 mg/m <sup>3</sup>
129-00-0	pyrene	110 mg/m <sup>3</sup>

# 7 Handling and storage

- Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)



US

Version Number 3

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

Printing date 03/30/2019

Open and handle receptacle with care. Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

• Components with limit values that require monitoring at the workplace:	
67-64-1 acetone	
PEL Long-term value: 2400 mg/m <sup>3</sup> , 1000 ppm	
REL Long-term value: 590 mg/m <sup>3</sup> , 250 ppm	
TLV Short-term value: 1187 mg/m <sup>3</sup> , 500 ppm Long-term value: 594 mg/m <sup>3</sup> , 250 ppm BEI	
50-32-8 benzo[a]pyrene	
PEL Long-term value: 0.2 mg/m <sup>3</sup> see Coal tar pitch volatiles	
REL Long-term value: 0.1 mg/m <sup>3</sup> Coal tar pitch volatile; Pocket Guide Apps. A+C	
TLV L; BEIp	
· Ingredients with biological limit values:	
67-64-1 acetone	
BEI 50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)	
50-32-8 benzo[a]pyrene	
BEI - Medium: urine Time: end of shift at end of workweek Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)	
• Additional information: The lists that were valid during the creation were us	sed as basis. (Contd. on page 6) US



(Contd. of page 4)

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 5)

US

	(Contd. of page
· Exposure controls	
· Personal protective equipment:	
· General protective and hygienic me	easures:
Keep away from foodstuffs, beverage	
Immediately remove all soiled and co	
Wash hands before breaks and at the	
Store protective clothing separately.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
• Breathing equipment:	
When used as intended with Agilent i	instruments, the use of the product under normal laboratory conditions and
needed.	It in significant airborne exposures and therefore respiratory protection is no
device/equipment with appropriate or	e a respirator is deemed necessary, use a NIOSH or equivalent approved rganic or acid gas cartridge.
· Protection of hands:	
thickness are recommended for norma	ant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil al use. The breakthrough time is 1 hr. For cleaning a spill where there is ubber gloves are recommended 12-15 mil thickness with breakthrough time dations should be followed
• Material of gloves	
For normal use: nitrile rubber, 11-13	
For direct contact with the chemical:	bulyi rubber, 12-15 mil inickness
Penetration time of glove material	
For normal use: nitrile rubber: 1 hour	
For direct contact with the chemical:	butyl rubber: >4 hours
· Eye protection:	
Tightly sealed goggles	
Tightiy sealed goggles	
9 Physical and chemical proper	rties
r nystear and enemiear proper	
· Information on basic physical and (	chemical properties
· General Information	
Appearance:	
Form:	Fluid
Color:	Colorless
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-94.7 °C (-138.5 °F)
<b>Bailing paint/Bailing range</b>	55 °C (131 °F)

 Boiling point/Boiling range:
 55 °C (131 °F)

 • Flash point:
 -17 °C (1.4 °F)

 • Flammability (solid, gaseous):
 Not applicable.



Printing date 03/30/2019

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

	(Contd. of page
Ignition temperature:	465 °C (869 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	13 Vol %
Vapor pressure at 20 °C (68 °F):	245.3 hPa (184 mm Hg)
Density at 20 °C (68 °F):	0.791 g/cm <sup>3</sup> (6.6009 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	99.8 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.2 %
Other information	No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)



Version Number 3

Printing date 03/30/2019

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 7)

## **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

Printing date 03/30/2019

· LD/LC50 values that are relevant for classification:

### 67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

Primary irritant effect:

on the skin: No irritant effect.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

86-73-7	fluorene	3
120-12-7	anthracene	3
85-01-8	phenanthrene	3
	dibenz[a,h]anthracene	2.
193-39-5	indeno[1,2,3-cd]pyrene	2
218-01-9	chrysene	2
207-08-9	benzo[k]fluoranthene	2.
205-99-2	benz[e]acephenanthrylene	2.
50-32-8	benzo[a]pyrene	1
56-55-3	benz[a]anthracene	2
191-24-2	benzo[ghi]perylene	3
129-00-0	pyrene	3
NTP (Nat	tional Toxicology Program)	·
86-73-7	fluorene	
120-12-7	anthracene	
85-01-8	phenanthrene	
53-70-3	dibenz[a,h]anthracene	
193-39-5	indeno[1,2,3-cd]pyrene	
218-01-9	chrysene	
207-08-9	benzo[k]fluoranthene	
205-99-2	benz[e]acephenanthrylene	
50-32-8	benzo[a]pyrene	
56-55-3	benz[a]anthracene	
129-00-0	pyrene	



Version Number 3

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

Printing date 03/30/2019

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

## **14 Transport information**

· Not Regulated, De minimus Quantities	-
· UN-Number · DOT, IMDG, IATA	UN1993
<ul> <li><sup>1</sup> UN proper shipping name</li> <li><sup>1</sup> DOT</li> <li><sup>1</sup> IMDG</li> </ul>	Flammable liquids, n.o.s. (Acetone) FLAMMABLE LIQUID, N.O.S. (ACETONE, dibenz[a,h] anthracene), MARINE POLLUTANT
·IATA	FLAMMABLE LIQUID, N.O.S. (ACETONE)
· Transport hazard class(es)	
· DOT, IATA	
·Class	3 Flammable liquids
	(Contd. on page 10



(Contd. of page 8)

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

	(Contd. of page
Label	3
IMDG	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Product contains environmentally hazardous substances: pyrene
Marine pollutant:	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F-E, <u>S-E</u>
Stowage Category	В
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE), 3, II, ENVIRONMENTALLY HAZARDOUS

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

129-00-0	pyrene
Section 3	313 (Specific toxic chemical listings):
120-12-7	anthracene
85-01-8	phenanthrene
53-70-3	dibenz[a,h]anthracene
193-39-5	indeno[1,2,3-cd]pyrene
218-01-9	chrysene
	(Contd. on pag



Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

		(Contd. of page 10)
207-08-9	benzo[k]fluoranthene	
205-99-2	benz[e]acephenanthrylene	
	benzo[a]pyrene	
56-55-3	benz[a]anthracene	
191-24-2	benzo[ghi]perylene	
· TSCA (T	oxic Substances Control Act):	
67-64-1		
86-73-7	fluorene	
120-12-7	anthracene	
85-01-8	phenanthrene	
208-96-8	acenaphthylene	
	dibenz[a,h]anthracene	
193-39-5	indeno[1,2,3-cd]pyrene	
218-01-9		
50-32-8	benzo[a]pyrene	
56-55-3	benz[a]anthracene	
129-00-0	pyrene	
· TSCA ne	w (21st Century Act): (Substances not listed)	
	libenz[a,h]anthracene	
· Propositi		
-	s known to cause cancer:	
53-70-3	dibenz[a,h]anthracene	
193-39-5	indeno[1,2,3-cd]pyrene	
218-01-9		
	benzo[k]fluoranthene	
	benz[e]acephenanthrylene	
	benzo[a]pyrene	
56-55-3	benz[a]anthracene	
· Chemica	s known to cause reproductive toxicity for females:	
	ne ingredients is listed.	
	s known to cause reproductive toxicity for males:	
	ne ingredients is listed.	
	s known to cause developmental toxicity:	
	ne ingredients is listed.	
None of t	le ingredients is fisted.	
-	enic categories	
	vironmental Protection Agency)	
67-64-1		Ι
	fluorene	D
120-12-7	anthracene	D
	phenanthrene	D
208-96-8	acenaphthylene	D
		(Contd. on page 12)



Printing date 03/30/2019

Reviewed on 03/30/2019

Printing date 03/30/2019

Version Number 3

Trade name: PAH Standard (1X1 mL)

Contd. of page 11)           53-70-3         dibenz[a,h]anthracene         B2           193-39-5         indeno[1,2,3-cd]pyrene         B2           218-01-9         chrysene         B2           207-08-9         benzo[k]fluoranthene         B2           205-99-2         benzo[k]fluoranthene         B2           50-32-8         benzo[a]pyrene         CaH           56-55-3         benzo[a]pyrene         CaH           56-55-3         benzo[ghi]perylene         D           129-00-0         pyrene         D <b>TLV (Threshold Limit Value established by ACGIH)</b> A4           218-01-9         chrysene         A3           205-99-2         benz[a]anthracene         A4           218-01-9         chrysene         A2           50-32-8         benz[a]pyrene         A2           50-32-8         benz[a]pyrene         A2           50-32-8         benz[a]pyrene         A2           50-32-8         benz[a]pyrene         A2 <b>NIOSH-C- (National Institute for Occupational Safety and Health)</b> A2           •NIOSH-Ca (National Institute for Occupational Safety and Health)         A2           •0-32-8         benz[a]pyrene         M2			
193-39-5       inden[1,2,3-cd]pyrene       B2         218-01-9       chrysene       B2         207-08-9       benzo[k]fluoranthene       B2         205-99-2       benzo[a]pyrene       B2         50-32-8       benzo[a]pyrene       CaH         56-55-3       benzo[ghi]perylene       B2         191-24-2       benzo[ghi]perylene       D         129-00-0       pyrene       D         • TLV (Threshold Limit Value established by ACGIH)       A4         67-64-1       acetone       A4         218-01-9       chrysene       A3         205-99-2       benz[a]anthracene       A2         50-32-8       benzo[ghi]perylene       A2         50-56-53       benz[a]anthracene       A4         218-01-9       chrysene       A2         50-32-8       benzo[a]pyrene       A2         50-55-3       benz[a]anthracene       A2         50-55-3       benz[a]anthracene       A2         •NIOSH-Ca (National Institute for Occupational Safety and Health)       A1         218-01-9       chrysene       A2			. of page 11)
218-01-9       chrysene       B2         207-08-9       benzo[k]fluoranthene       B2         205-99-2       benz[e]acephenanthrylene       B2         50-32-8       benzo[a]pyrene       CaH         56-55-3       benzo[ghi]perylene       B2         191-24-2       benzo[ghi]perylene       D         129-00-0       pyrene       D         • TLV (Threshold Limit Value established by ACGIH)       A4         67-64-1       acetone       A4         218-01-9       chrysene       A3         205-99-2       benz[e]acephenanthrylene       A2         50-32-8       benzo[a]pyrene       A2         50-53-3       benzo[a]pyrene       A2         50-54-5       benzo[a]pyrene       A2         50-55-3       benzo[a]pyrene       A2         50-55-3       benzo[a]pyrene       A2         50-55-3       benzo[a]pyrene       A2         51-55-3       benzo[a]pyrene       A2         51-55-3       benzo[a]pyrene       A2         51-55-3       benzo[a]pyrene       A2         51-55-3       benzo[a]pyrene       A2         51-51-9       chrysene       A2			B2
207-08-9benzo[k]fluorantheneB2205-99-2benz[e]acephenanthryleneB250-32-8benzo[a]pyreneCaH56-55-3benz[a]anthraceneB2191-24-2benzo[ghi]peryleneD129-00-0pyreneDTLV (Threshold Limit Value established by ACGIH)67-64-1acetoneA4218-01-9chryseneA3205-99-2benz[e]acephenanthryleneA250-32-8benzo[a]pyreneA250-53-3benzo[a]pyreneA250-55-3benzo[a]anthraceneA2NIOSH-C (National Institute for Occupational Safety and Health)218-01-9chryseneCreme	193-39-5	indeno[1,2,3-cd]pyrene	B2
205-99-2benz[e]acephenanthryleneB250-32-8benzo[a]pyreneCaH56-55-3benzo[a]anthraceneB2191-24-2benzo[ghi]peryleneD129-00-0pyreneD• TLV (Threshold Limit Value established by ACGIH)A467-64-1acetoneA4218-01-9chryseneA3205-99-2benz[e]acephenanthryleneA250-32-8benz[a]anthraceneA250-55-3benz[a]anthraceneA2• NIOSH-Ca (National Institute for Occupational Safety and Health)A1218-01-9chryseneCaH	218-01-9	chrysene	B2
50-32-8benzo[a]pyreneCaH56-55-3benz[a]anthraceneB2191-24-2benzo[ghi]peryleneD129-00-0pyreneD• TLV (Threshold Limit Value established by ACGIH)67-64-1acetoneA4218-01-9chryseneA3205-99-2benz[e]acephenanthryleneA250-32-8benzo[a]pyreneA250-53-3benz[a]anthraceneA2• NIOSH-Ca (National Institute for Occupational Safety and Health)218-01-9chrysenechrysene	207-08-9	benzo[k]fluoranthene	B2
56-55-3benz[a]anthraceneB2191-24-2benzo[ghi]peryleneD129-00-0pyreneD• TLV (Threshold Limit Value established by ACGIH)A467-64-1acetoneA4218-01-9chryseneA3205-99-2benz[e]acephenanthryleneA250-32-8benzo[a]pyreneA256-55-3benz[a]anthraceneA2• NIOSH-Ca (National Institute for Occupational Safety and Health)218-01-9218-01-9chrysenechrysene	205-99-2	benz[e]acephenanthrylene	B2
191-24-2benzo[ghi]peryleneD129-00-0pyreneDTLV (Threshold Limit Value established by ACGIH)67-64-1acetoneA4218-01-9chryseneA3205-99-2benz[e]acephenanthryleneA250-32-8benzo[a]pyreneA256-55-3benz[a]anthraceneA2• NIOSH-Ca (National Institute for Occupational Safety and Health)218-01-9chrysenechrysene	50-32-8	benzo[a]pyrene	СаН
129-00-0pyreneD• TLV (Threshold Limit Value established by ACGIH)A467-64-1acetoneA4218-01-9chryseneA3205-99-2benz[e]acephenanthryleneA250-32-8benzo[a]pyreneA256-55-3benz[a]anthraceneA2• NIOSH-Ca (National Institute for Occupational Safety and Health)218-01-9218-01-9chrysenechrysene	56-55-3	benz[a]anthracene	B2
• TLV (Threshold Limit Value established by ACGIH)         67-64-1       acetone       A4         218-01-9       chrysene       A3         205-99-2       benz[e]acephenanthrylene       A2         50-32-8       benzo[a]pyrene       A2         56-55-3       benz[a]anthracene       A2         • NIOSH-Ca (National Institute for Occupational Safety and Health)       218-01-9         218-01-9       chrysene       Chrysene	191-24-2	benzo[ghi]perylene	D
67-64-1acetoneA4218-01-9chryseneA3205-99-2benz[e]acephenanthryleneA250-32-8benzo[a]pyreneA256-55-3benz[a]anthraceneA2NIOSH-Ca (National Institute for Occupational Safety and Health)218-01-9chrysene	129-00-0	pyrene	D
218-01-9chryseneA3205-99-2benz[e]acephenanthryleneA250-32-8benzo[a]pyreneA256-55-3benz[a]anthraceneA2• NIOSH-Ca (National Institute for Occupational Safety and Health)218-01-9chrysene	· TLV (Th	reshold Limit Value established by ACGIH)	
205-99-2       benz[e]acephenanthrylene       A2         50-32-8       benzo[a]pyrene       A2         56-55-3       benz[a]anthracene       A2         · NIOSH-Ca (National Institute for Occupational Safety and Health)       218-01-9         chrysene       Chrysene	67-64-1	acetone	A4
50-32-8       benzo[a]pyrene       A2         56-55-3       benz[a]anthracene       A2         • NIOSH-Ca (National Institute for Occupational Safety and Health)       218-01-9         chrysene       Chrysene	218-01-9	chrysene	A3
56-55-3       benz[a]anthracene       A2         · NIOSH-Ca (National Institute for Occupational Safety and Health)       218-01-9         chrysene       Chrysene	205-99-2	benz[e]acephenanthrylene	A2
• NIOSH-Ca (National Institute for Occupational Safety and Health)         218-01-9       chrysene	50-32-8	benzo[a]pyrene	A2
218-01-9 chrysene	56-55-3	benz[a]anthracene	A2
	· NIOSH-0	Ca (National Institute for Occupational Safety and Health)	•
50-32-8 benzo[a]pyrene	218-01-9	chrysene	
	50-32-8	benzo[a]pyrene	

· National regulations:

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/30/2019 / 2
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

(Contd. on page 13)



<sup>—</sup> US

Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 12)

US

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit BEI: Biological Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Carc. 1B: Carcinogenicity – Category 1B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 · \* Data compared to the previous version altered.



Printing date 03/30/2019