Printing date 03/30/2019

Version Number 2

Reviewed on 03/30/2019

1 Identification

· Product identifier

· Trade name: Pesticides Standard no. 1 (1X1 mL)

- · Part number: PPM-527A-1
- \cdot Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770 e-mail: pdl-msds_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: ethyl acetate
Hazard statements
Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

(Contd. on page 2)



US

Version Number 2

Reviewed on 03/30/2019

Trade name: Pesticides Standard no. 1 (1X1 mL)

(Contd. of page 1) Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = 2FIRE Fire = 33 **REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

141-78-6 ethyl acetate

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

US

99.114%

Agilent

Printing date 03/30/2019



Reviewed on 03/30/2019

Trade name: Pesticides Standard no. 1 (1X1 mL)

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
141-78-6	ethyl acetate	1,200 ppm
143-50-0	chlordecone (ISO)	1.6 mg/m ³
2385-85-5	mirex	6.3 mg/m ³
· PAC-2:	PAC-2:	
141-78-6	ethyl acetate	1,700 ppm
143-50-0	chlordecone (ISO)	17 mg/m ³
2385-85-5	mirex	69 mg/m ³
· PAC-3:		
141-78-6	ethyl acetate	10000** ppm
143-50-0	chlordecone (ISO)	100 mg/m ³
2385-85-5	mirex	410 mg/m ³

(Contd. on page 4)



Printing date 03/30/2019

Version Number 2

Reviewed on 03/30/2019

Trade name: Pesticides Standard no. 1 (1X1 mL)

(Contd. of page 3)

7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

141-78-6 ethyl acetate

PEL Long-term value: 1400 mg/m³, 400 ppm

REL Long-term value: 1400 mg/m³, 400 ppm

TLV Long-term value: 1440 mg/m³, 400 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

[•] Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 5)



Printing date 03/30/2019

Version Number 2

Reviewed on 03/30/2019

Trade name: Pesticides Standard no. 1 (1X1 mL)

(Contd. of page 4)

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

• **Penetration time of glove material** For normal use: nitrile rubber: 1 hour

For normal use: murile rubber: 1 nour

- For direct contact with the chemical: butyl rubber: >4 hours
- Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Fruit-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-83.57 °C (-118.4 °F)
Boiling point/Boiling range:	77 °C (170.6 °F)
Flash point:	-4 °C (24.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	460 °C (860 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2.1 Vol %
Upper:	11.5 Vol %
Vapor pressure at 20 °C (68 °F):	75 hPa (56.3 mm Hg)
Density at 20 °C (68 °F):	0.9 g/cm ³ (7.5105 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	79 g/l
Partition coefficient (n-octanol/wate	er): Not determined.



Printing date 03/30/2019

Version Number 2

I

Reviewed on 03/30/2019

Trade name: Pesticides Standard no. 1 (1X1 mL)

		(Contd. of page
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	99.1 %	
VOC content:	99.11 %	
	991.1 g/l / 8.27 lb/gal	
Solids content:	0.7 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 1,614 mg/L (rat)

141-78-6 ethyl acetate

Oral LD50	5,620 mg/kg (rabbit)
-----------	----------------------

Inhalative LC50/4 h 1,600 mg/L (rat)

66230-04-4 (S)-alpha-cyano-3-phenoxybenzyl-(S)-2-(4-chlorophenyl)-3-methylbutyrate

LD50 Oral 75 mg/kg (rat)

LD50 >2,000 mg/kg (rabbit) Dermal 82657-04-3 bifenthrin

Oral LD50

55 mg/kg (rat) LD50 >2,000 mg/kg (rabbit) Dermal

1836-75-5 nitrofen (ISO)

Oral LD50 740 mg/kg (rat)

LD50 Dermal 5,000 mg/kg (rabbit)

Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

(Contd. on page 7)

US



Printing date 03/30/2019

Version Number 2

Version Number 2

Reviewed on 03/30/2019

Trade name: Pesticides Standard no. 1 (1X1 mL)

(Contd. of page 6)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
51630-58-1	fenvalerate	3
1836-75-5	nitrofen (ISO)	2B
143-50-0	chlordecone (ISO)	2B
1912-24-9	atrazine (ISO)	3
2385-85-5	mirex	2B
· NTP (Natio	nal Toxicology Program)	
1836-75-5	nitrofen (ISO)	R
143-50-0	chlordecone (ISO)	R
2385-85-5	mirex	R
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

US



Printing date 03/30/2019

Reviewed on 03/30/2019

(Contd. of page 7)

Trade name: Pesticides Standard no. 1 (1X1 mL)

Transport information	
Not Regulated, De minimus Quantities	-
[•] UN-Number • DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT · IMDG	Flammable liquids, n.o.s. (Ethyl acetate) FLAMMABLE LIQUID, N.O.S. (ETHYL ACETATE, bifenthi MARINE POLLUTANT
НАТА	FLAMMABLE LIQUID, N.O.S. (ETHYL ACETATE)
Transport hazard class(es) DOT, IATA	
· Class · Label	3 Flammable liquids 3
IMDG	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Product contains environmentally hazardous substances: mirex, alpha-cyano-3-phenoxybenzyl-(S)-2-(4-chlorophenyl)-3-methylbutyrate
Marine pollutant:	Symbol (fish and tree)
Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids 33 F-E, <u>S-E</u>
Stowage Category	B
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ)	1L



*

Printing date 03/30/2019

Version Number 2

//2019

Reviewed on 03/30/2019

Trade name: Pesticides Standard no. 1 (1X1 mL)

	(Contd. of page 8)
• Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHYL ACETATE), 3, II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

	(extremely hazardous substances):
None of the	ingredients is listed.
	(Specific toxic chemical listings):
82657-04-3	bifenthrin
51630-58-1	fenvalerate
	nitrofen (ISO)
	S-4-chlorobenzyl diethylthiocarbamate
1912-24-9	atrazine (ISO)
314-40-9	
	3-cyclohexyl-6-dimethylamino-1-methyl-1,2,3,4-tetrahydro-1,3,5-triazine-2,4-dione
27314-13-2	norflurazon
	prometryn
50471-44-8	vinclozolin (ISO)
· ·	ic Substances Control Act):
	ethyl acetate
	nitrofen (ISO)
	atrazine (ISO)
	3-cyclohexyl-6-dimethylamino-1-methyl-1,2,3,4-tetrahydro-1,3,5-triazine-2,4-dione
	propazine
· Proposition	
	known to cause cancer:
	nitrofen (ISO)
	chlordecone (ISO)
	vinclozolin (ISO)
2385-85-5	mirex
· Chemicals I	known to cause reproductive toxicity for females:
	atrazine (ISO)
139-40-2	
	known to cause reproductive toxicity for males:
None of the	ingredients is listed.
	(Contd. on page 10)



Printing date 03/30/2019

Version Number 2

Reviewed

Version Number 2

Reviewed on 03/30/2019

Trade name: Pesticides Standard no. 1 (1X1 mL)

· Chemicals known to cause developmental toxicity:

143-50-0 chlordecone (ISO)

1912-24-9 atrazine (ISO)

Printing date 03/30/2019

139-40-2 propazine 50471-44-8 vinclozolin (ISO)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

143-50-0 chlordecone (ISO)

· TLV (Threshold Limit Value established by ACGIH)

1912-24-9 atrazine (ISO)

314-40-9 bromacil

· NIOSH-Ca (National Institute for Occupational Safety and Health)

143-50-0 chlordecone (ISO)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/30/2019 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- **REL:** Recommended Exposure Limit
- Flam. Liq. 2: Flammable liquids Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- * Data compared to the previous version altered.





(Contd. of page 9)

L

A4

A3