Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

### **1 Identification**

· Product identifier

· Trade name: Carbamate Pesticides Standard (1X1 mL)

- · Part number: PPM-632A-1
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

#### · Information department:

Telephone: 800-227-9770 e-mail: pdl-msds\_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

# 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.

GHS08 I

GHS08 Health hazard

STOT SE 1 H370 Causes damage to organs.

· Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: methanol

· Hazard statements

Highly flammable liquid and vapor. Toxic if inhaled. Causes damage to organs.

(Contd. on page 2)



<sup>—</sup> US

Version Number 3

Reviewed on 03/30/2019

#### Trade name: Carbamate Pesticides Standard (1X1 mL)

(Contd. of page 1) · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Specific treatment (see on this label). In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = \*1\*1 FIRE Fire = 33 **REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment

• **PBT:** Not applicable. • **vPvB:** Not applicable.

# **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

67-56-1 methanol

99.761%

#### **4 First-aid measures**

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

(Contd. on page 3)



Printing date 03/30/2019

<sup>—</sup> US

Reviewed on 03/30/2019

#### Trade name: Carbamate Pesticides Standard (1X1 mL)

(Contd. of page 2)

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

# 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

· PAC-1:		
67-56-1	methanol	530 ppm
114-26-1	propoxur (ISO)	1.5 mg/m <sup>3</sup>
315-18-4	mexacarbate (ISO)	1.3 mg/m <sup>3</sup>
1563-66-2	carbofuran (ISO)	0.3 mg/m <sup>3</sup>
23135-22-0	N',N'-dimethylcarbamoyl(methylthio)methylenamine N-methylcarbamate	0.15 mg/m <sup>3</sup>
16752-77-5	methomyl	0.91 mg/m <sup>3</sup>
2032-65-7	mercaptodimethur (ISO)	1.4 mg/m <sup>3</sup>
63-25-2	carbaryl (ISO)	1.5 mg/m <sup>3</sup>
		(Contd. on page 4)



Printing date 03/30/2019

Version Number 3

Review

Reviewed on 03/30/2019

#### Trade name: Carbamate Pesticides Standard (1X1 mL)

PAC-2:		(Contd. of page
67-56-1	methanol	2,100 ppm
114-26-1	propoxur (ISO)	6.7 mg/m <sup>3</sup>
315-18-4	mexacarbate (ISO)	14 mg/m <sup>3</sup>
1563-66-2	carbofuran (ISO)	0.43 mg/m
23135-22-0	N',N'-dimethylcarbamoyl(methylthio)methylenamine N-methylcarbamate	1.7 mg/m <sup>3</sup>
16752-77-5	methomyl	10 mg/m <sup>3</sup>
2032-65-7	mercaptodimethur (ISO)	15 mg/m <sup>3</sup>
63-25-2	carbaryl (ISO)	100 mg/m <sup>3</sup>
PAC-3:	·	•
67-56-1	methanol	7200* ppn
114-26-1	propoxur (ISO)	40 mg/m <sup>3</sup>
315-18-4	mexacarbate (ISO)	84 mg/m <sup>3</sup>
1563-66-2	carbofuran (ISO)	3.7 mg/m <sup>3</sup>
23135-22-0	N',N'-dimethylcarbamoyl(methylthio)methylenamine N-methylcarbamate	4.7 mg/m <sup>3</sup>
16752-77-5	methomyl	23 mg/m <sup>3</sup>
2032-65-7	mercaptodimethur (ISO)	90 mg/m <sup>3</sup>
63-25-2	carbaryl (ISO)	600 mg/m

#### 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

#### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

#### · Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

#### · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)



Printing date 03/30/2019

Version Number 3

US

Reviewed on 03/30/2019

# Trade name: Carbamate Pesticides Standard (1X1 mL)

(Contd. of page 4)

US

	ponents with limit values that require monitoring at the workplace:
67-56	-1 methanol
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin
TLV	Short-term value: 328 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 262 mg/m <sup>3</sup> , 200 ppm
	Skin; BEI
Ingre	dients with biological limit values:
67-56	-1 methanol
	15 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Methanol (background, nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
Imme Wash Store Brea When with s neede Unde	away from foodstuffs, beverages and feed. diately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. <b>thing equipment:</b> used as intended with Agilent instruments, the use of the product under normal laboratory conditions and trandard practices does not result in significant airborne exposures and therefore respiratory protection is no d. r an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved e/equipment with appropriate organic or acid gas cartridge.
	ction of hands: ugh not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil
	these are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is
	contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough time
	ding 4 hrs. Supplier recommendations should be followed.
	rial of gloves
	ormal use: nitrile rubber, 11-13 mil thickness
	irect contact with the chemical: butyl rubber, 12-15 mil thickness
	ration time of glove material
	ormal use: nitrile rubber: 1 hour
For n	
	irect contact with the chemical: butyl rubber: >4 hours




Printing date 03/30/2019

Reviewed on 03/30/2019

Trade name: Carbamate Pesticides Standard (1X1 mL)

(Contd. of page 5)

· Eye protection:



Information on basic physical and c	hemical properties
General Information	nemen properties
Appearance:	
Form:	Fluid
Color:	Colorless
Odor: Odor threshold:	Alcohol-like Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
<b>Boiling point/Boiling range:</b>	64.7 °C (148.5 °F)
Flash point:	9 °C (48.2 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	100 hPa (75 mm Hg)
Density at 20 °C (68 °F):	0.8 g/cm <sup>3</sup> (6.676 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.



Printing date 03/30/2019

Reviewed on 03/30/2019

#### Trade name: Carbamate Pesticides Standard (1X1 mL)

		(Contd. of page 6
• Solvent content: Organic solvents: VOC content:	99.8 % 99.76 % 997.6 g/l / 8.33 lb/gal	
Solids content: • Other information	0.2 % No further relevant information available.	

# **10 Stability and reactivity**

• Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

#### • Acute toxicity:

· LD/LC50 values that are	e relevant for	classification:
---------------------------	----------------	-----------------

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 3.01 mg/L

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
16752-77-	-5 methom	yl
Oral	LD50	17 mg/kg (rat)
Dermal	LD50	5,880 mg/kg (rabbit)
330-54-1	diuron(ISC	<b>D</b> )
Oral	LD50	1,017 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h	>5.05 mg/L (rat)
• Additiona	n: No irrita e: No irrita ion: No se al toxicolog	ant effect. ting effect. nsitizing effects known. gical information: he following dangers according to internally approved calculation methods for preparations:
		(Contd. on page 8)



Printing date 03/30/2019

Version Number 3

mber 3

Version Number 3

Reviewed on 03/30/2019

Trade name: Carbamate Pesticides Standard (1X1 mL)

(Contd. of page 7)

3

3 3

3 3

3

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

315-18-4 mexacarbate (ISO)

2164-17-2 fluometuron

150-68-5 monuron (ISO)

122-42-9 propham

101-21-3 chlorpropham

63-25-2 carbaryl (ISO)

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

# **14 Transport information**

· Not Regulated, De minimus Quantities

· UN-Number

· DOT, IMDG, IATA

UN1230

-

(Contd. on page 9)



Printing date 03/30/2019

US



Printing date 03/30/2019

# Safety Data Sheet acc. to OSHA HCS

Version Number 3

Reviewed on 03/30/2019

Trade name: Carbamate Pesticides Standard (1X1 mL) (Contd. of page 8) · UN proper shipping name · DOT Methanol solution ·IMDG METHANOL solution ·IATA METHANOL mixture · Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label 3, 6.1 ·IMDG · Class 3 Flammable liquids · Label 3/6.1 ·IATA · Class 3 Flammable liquids · Label 3 (6.1) · Packing group · DOT, IMDG, IATA Π Not applicable. · Environmental hazards: Warning: Flammable liquids · Special precautions for user · Danger code (Kemler): 336 · EMS Number: F-E,S-D · Stowage Category В SW2 Clear of living quarters. · Stowage Code · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT On passenger aircraft/rail: 1 L · Quantity limitations On cargo aircraft only: 60 L ·IMDG · Limited quantities (LQ) 1L (Contd. on page 10)

US

Reviewed on 03/30/2019

Trade name: Carbamate Pesticides Standard (1X1 mL)

		(Contd. of page 9)
• Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II	

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 35	5 (extremely hazardous substances):
	4 mexacarbate (ISO)
	2 carbofuran (ISO)
	0 N',N'-dimethylcarbamoyl(methylthio)methylenamine N-methylcarbamate
	5 methomyl
	7 mercaptodimethur (ISO)
	3 (Specific toxic chemical listings):
	methanol
	propoxur (ISO)
	carbofuran (ISO)
	fluometuron (ISO)
	monuron (ISO)
	diuron(ISO)
	linuron (ISO)
	mercaptodimethur (ISO)
	carbaryl (ISO)
	oxic Substances Control Act):
	methanol
	carbofuran (ISO)
2164-17-2	fluometuron
150-68-5	monuron (ISO)
122-42-9	propham
101-42-8	fenuron
330-54-1	diuron(ISO)
330-55-2	linuron (ISO)
63-25-2	carbaryl (ISO)
· Propositio	n 65
· Chemicals	s known to cause cancer:
	propoxur (ISO)
330-54-1	diuron(ISO)
63-25-2	carbaryl (ISO)
	(Contd. on page 1



\*

Printing date 03/30/2019

A3

A4

A4

A4

A4

# Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/30/2019

Trade name: Carbamate Pesticides Standard (1X1 mL)

(Contd. of page 10)

· Chemicals known to cause reproductive toxicity for females:

63-25-2 carbaryl (ISO)

· Chemicals known to cause reproductive toxicity for males:

63-25-2 carbaryl (ISO)

· Chemicals known to cause developmental toxicity:

67-56-1 methanol

330-55-2 linuron (ISO) 63-25-2 carbaryl (ISO)

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

 $\cdot$  TLV (Threshold Limit Value established by ACGIH)

114-26-1 propoxur (ISO)

1563-66-2 carbofuran (ISO)

16752-77-5 methomyl

330-54-1 diuron(ISO)

63-25-2 carbaryl (ISO)

# ·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Department issuing SDS: Document Control / Regulatory

· Contact: regulatory@ultrasci.com

- · Date of preparation / last revision 03/30/2019 / 2
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit



Printing date 03/30/2019

Version Number 3

Reviewed on 03/30/2019

Trade name: Carbamate Pesticides Standard (1X1 mL)

BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

• \* Data compared to the previous version altered.



(Contd. of page 11)

US

Printing date 03/30/2019