

Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

1 Identification

· Product identifier

· Trade name: Pendimethalin Standard (1X1 mL)

· Part number: PST-1600K1000

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd.

Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

acetone

pendimethalin (ISO)

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Contd. on page 2)



Version Number 2 Printing date 03/30/2019 Reviewed on 03/30/2019

Trade name: Pendimethalin Standard (1X1 mL)

(Contd. of page 1)

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2

Fire = 3

REACTIVITY 0 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | | |
|-------------------------|---------------------|---------|--|
| 67-64-1 | acetone | 99.874% | |
| 40487-42-1 | pendimethalin (ISO) | 0.126% | |



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: Pendimethalin Standard (1X1 mL)

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| PAC-1: | |
|-----------------|-----------|
| 67-64-1 acetone | 200 ppm |
| · PAC-2: | |
| 67-64-1 acetone | 3200* ppm |
| · PAC-3: | |
| 67-64-1 acetone | 5700* ppm |



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: Pendimethalin Standard (1X1 mL)

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm REL Long-term value: 590 mg/m³, 250 ppm TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI

· Ingredients with biological limit values:

67-64-1 acetone

BEI 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

(Contd. on page 5)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: Pendimethalin Standard (1X1 mL)

(Contd. of page 4)

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

| A DI | • 1 | | • 1 | | | • |
|-------|-------|------|---------|-----|------|-----|
| y Phy | VSTCa | and | hemical | nro | neri | TAS |
| | | auto | | | | |

| · Appearance: Form: Color: Color: Color: Odor: Odor: Odor threshold: Not determined. · pH-value: Not determined. · Change in condition Melting point/Melting range: Boiling point/Melting range: -94.7 °C (-138.5 °F) -55 °C (131 °F) · Flash point: -17 °C (1.4 °F) · Flammability (solid, gaseous): Not applicable. · Ignition temperature: 465 °C (869 °F) · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. · Explosion limits: Lower: Upper: 13 Vol % · Vapor pressure at 20 °C (68 °F): 245.3 hPa (184 mm Hg) | · Information on basic physical and chemical properties · General Information | | | |
|--|--|------------------------------|--|--|
| Form: Color: Color: Colorless Characteristic Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Melting range: Sor (131 °F) Flash point: -17 °C (1.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Upper: 13 Vol % | · Appearance: | | | |
| Odor: Characteristic Odor threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: 55 °C (-138.5 °F) Boiling point/Boiling range: 55 °C (131 °F) Flash point: -17 °C (1.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 2.6 Vol % Upper: 13 Vol % | | Fluid | | |
| Odor threshold: Not determined. Othange in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: -17 °C (-138.5 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 2.6 Vol % Upper: 13 Vol % | Color: | Colorless | | |
| PH-value: Otherwise in condition Melting point/Melting range: Boiling point/Boiling range: Society of the second point of the | · Odor: | Characteristic | | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: -94.7 °C (-138.5 °F) 55 °C (131 °F) Flash point: -17 °C (1.4 °F) Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Lower: Upper: 13 Vol % | · Odor threshold: | Not determined. | | |
| Melting point/Melting range: Boiling point/Boiling range: -94.7 °C (-138.5 °F) 55 °C (131 °F) -17 °C (1.4 °F) Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Upper: 2.6 Vol % 13 Vol % | · pH-value: | Not determined. | | |
| Boiling point/Boiling range: 55 °C (131 °F) · Flash point: -17 °C (1.4 °F) · Flammability (solid, gaseous): Not applicable. · Ignition temperature: 465 °C (869 °F) · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. · Explosion limits: Lower: 2.6 Vol % Upper: 13 Vol % | | | | |
| Flash point: -17 °C (1.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: Upper: 2.6 Vol % 13 Vol % | | | | |
| Flammability (solid, gaseous): Not applicable. Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 2.6 Vol % Upper: 13 Vol % | Boiling point/Boiling range: | 55 °C (131 °F) | | |
| Ignition temperature: 465 °C (869 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 2.6 Vol % Upper: 13 Vol % | · Flash point: | -17 °C (1.4 °F) | | |
| Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 2.6 Vol % Upper: 13 Vol % | · Flammability (solid, gaseous): | Not applicable. | | |
| Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 2.6 Vol % Upper: 13 Vol % | · Ignition temperature: | 465 °C (869 °F) | | |
| Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 2.6 Vol % Upper: 13 Vol % | · Decomposition temperature: | Not determined. | | |
| mixtures are possible. Explosion limits: Lower: 2.6 Vol % Upper: 13 Vol % | · Auto igniting: | Product is not selfigniting. | | |
| Lower: 2.6 Vol % Upper: 13 Vol % | · Danger of explosion: | | | |
| Upper: 13 Vol % | · Explosion limits: | | | |
| cpp. | Lower: | | | |
| · Vapor pressure at 20 °C (68 °F): 245.3 hPa (184 mm Hg) | Upper: | 13 Vol % | | |
| | · Vapor pressure at 20 °C (68 °F): | 245.3 hPa (184 mm Hg) | | |
| • Density at 20 °C (68 °F): 0.791 g/cm³ (6.6009 lbs/gal) | Density at 20 °C (68 °F): | 0.791 g/cm³ (6.6009 lbs/gal) | | |

(Contd. on page 6)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: Pendimethalin Standard (1X1 mL)

| | | (Contd. of page 5 |
|---------------------------------------|--|-------------------|
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| · Partition coefficient (n-octanol/wa | ater): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Organic solvents: | 99.9 % | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 0.1 % | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC | · LD/LC50 values that are relevant for classification: | | | | |
|---------|--|----------------------|--|--|--|
| 67-64-1 | 67-64-1 acetone | | | | |
| Oral | LD50 | 5,800 mg/kg (rat) | | | |
| Dermal | LD50 20,000 mg/kg (rabbit) | | | | |
| 40487-4 | 40487-42-1 pendimethalin (ISO) | | | | |
| Oral | LD50 | 1,050 mg/kg (rat) | | | |
| Dermal | LD50 | 2,260 mg/kg (rabbit) | | | |

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 7)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: Pendimethalin Standard (1X1 mL)

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

| · Not Regulated, I | De minimus (| Quantities | - |
|--------------------|--------------|------------|---|
| | | • | |

· UN-Number

· DOT, IMDG, IATA UN1090

· UN proper shipping name

• **DOT** Acetone mixture • **IMDG, IATA** ACETONE mixture

(Contd. on page 8)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: Pendimethalin Standard (1X1 mL)

(Contd. of page 7)

· Transport hazard class(es)

· DOT, IMDG, IATA



· Class 3 Flammable liquids

·Label

· Packing group

· DOT, IMDG, IATA II

Not applicable. · Environmental hazards:

· Special precautions for user Warning: Flammable liquids

3

· Danger code (Kemler): 33

F-E,S-D · EMS Number: · Stowage Category Е

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 \cdot DOT

· Quantity limitations On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

· IMDG

· Limited quantities (LQ) 1L Code: E2 · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1090 ACETONE MIXTURE, 3, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

40487-42-1 pendimethalin (ISO)

· TSCA (Toxic Substances Control Act):

67-64-1 acetone

· TSCA new (21st Century Act): (Substances not listed)

40487-42-1 pendimethalin (ISO)

(Contd. on page 9)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: Pendimethalin Standard (1X1 mL)

(Contd. of page 8) · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) 67-64-1 acetone Ι · TLV (Threshold Limit Value established by ACGIH) A4 67-64-1 acetone · NIOSH-Ca (National Institute for Occupational Safety and Health)

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com

None of the ingredients is listed.

- · Date of preparation / last revision 03/30/2019 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.