

Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

### 1 Identification

· Product identifier

Trade name: DioxathionPart number: PST-456

· CAS Number:

78-34-2

• EC number: 201-107-7

• **Index number:** 015-063-00-X

- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS06

- · Signal word Danger
- · Hazard-determining components of labeling:

dioxathion (ISO)

· Hazard statements

Fatal if swallowed or if inhaled.

Toxic in contact with skin.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

(Contd. on page 2)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Dioxathion

(Contd. of page 1)

Use only outdoors or in a well-ventilated area.

Wear protective gloves / protective clothing.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Immediately call a poison center/doctor.

Rinse mouth.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Specific treatment is urgent (see on this label).

Take off immediately all contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3

Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 $\frac{3}{1}$  Health = 3 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

78-34-2 dioxathion (ISO)

- · Identification number(s)
- · EC number: 201-107-7
- · Index number: 015-063-00-X

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Dioxathion

(Contd. of page 2)

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

Trottetive Action Criteria for Chemicais	
· PAC-1:	
	0.31 mg/m³
· PAC-2:	
	$3.4 \text{ mg/m}^3$
· PAC-3:	
	39 mg/m³

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Dioxathion

(Contd. of page 3)

· Information about storage in one common storage facility: Not required.

- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

### 78-34-2 dioxathion (ISO)

REL Long-term value: 0.2 mg/m³ Skin

TLV Long-term value: 0.1\* mg/m<sup>3</sup>

Skin; BEI-A;\*as inhalable fraction and vapor

### · Ingredients with biological limit values:

#### 78-34-2 dioxathion (ISO)

BEI 70 % of baseline

Medium: red blood cells Time: discretionary

Parameter: Cholinesterase activity (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

#### · Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 5)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Dioxathion

(Contd. of page 4)

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours • Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties			
· Information on basic physical and chemical properties			
· General Information	• •		
· Appearance:			
Form:	Fluid		
Color:	Not determined.		
Odor:	Characteristic		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	-20 °C (-4 °F)		
Boiling point/Boiling range:	Undetermined.		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature:	Not determined.		
· Auto igniting:	Not determined.		
Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapor pressure:	Not determined.		
Density at 20 °C (68 °F):	1.257 g/cm <sup>3</sup> (10.48967 lbs/gal)		
Relative density	Not determined.		
· Vapor density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
· Partition coefficient (n-octanol/wat	er): Not determined.		
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Organic solvents:	100.0 %		

(Contd. on page 6)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Dioxathion

(Contd. of page 5)

**VOC content:** 100.00 %

1,257.0 g/l / 10.49 lb/gal

• Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ncarion	· classifica	tor (	evant to	reie	are	tnat	vaines	ムラロ	/I ) / I .	•
ш	· ciassiiic	ior (	evant 10	reie	are	tnat	values	ムシロ	JU/L	٠.

## **ATE (Acute Toxicity Estimate)**

Oral	LD50	23 mg/kg (rat)
		63 mg/kg (rat)
Inhalative	LC50/4 h	1,398 mg/L (rat)

#### 78-34-2 dioxathion (ISO)

Oral	LD50	23 mg/kg (rat)
Dermal	LD50	63 mg/kg (rat)
Inhalative	LC50/4 h	1,398 mg/L (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

Substance is not listed.

### NTP (National Toxicology Program)

Substance is not listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

US ·



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Dioxathion

(Contd. of page 6)

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

1 i I i allopot e illioi illactor	14 T	rans	ort in	forma	tion
-----------------------------------	------	------	--------	-------	------

· UN-Number · DOT, IMDG, IATA	UN2783
· UN proper shipping name	
· DOT	Organophosphorus pesticides, solid, toxic (dioxathion (ISO))
· IMDG	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC
	(dioxathion (ISO)), MARINE POLLUTANT
· IATA	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC
	(dioxathion (ISO))
· Transport hazard class(es)	

· DOT, IATA



Class 6.1 Toxic substances

(Contd. on page 8)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Dioxathion

uut nume. Divaumon	
	(Contd. of page
· Label	6.1
· IMDG	
· Class	6.1 Toxic substances
· Label	6.1
Packing group	II
· DOT, IMDG, IATA	11
· Environmental hazards:	Crown al (figh and trace)
· Marine pollutant:	Symbol (fish and tree)
· Special precautions for user	Warning: Toxic substances
· Danger code (Kemler): · EMS Number:	60 6.1-04
Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 25 kg
-	On cargo aircraft only: 100 kg
· IMDG	
· Limited quantities (LQ)	500 g
· Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2783 ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXI
	(DIOXATHION (ISO)), 6.1, II, ENVIRONMENTALLY
	HAZARDOUS

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is not listed.

(Contd. on page 9)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Dioxathion

(Contd. of page 8)

· TSCA new (21st Century Act): (Substances not listed)

78-34-2 dioxathion (ISO)

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/24/2019 / 1
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 2: Acute toxicity - Category 2

(Contd. on page 10)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Dioxathion

(Contd. of page 9)

Acute Tox. 3: Acute toxicity – Category 3

\* Data compared to the previous version altered.