

Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

1 Identification

· Product identifier

· Trade name: Methyl Parathion

· Part number: PST-700, PST-700-10MG

• CAS Number: 298-00-0 • EC number: 206-050-1

· Index number: 015-035-00-7

- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds_author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS06

GHS08

(Contd. on page 2)



Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

Trade name: Methyl Parathion

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labeling:

parathion -methyl (ISO)

· Hazard statements

Flammable liquid and vapor.

Fatal if swallowed or if inhaled.

Toxic in contact with skin.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection.

If swallowed: Immediately call a poison center/doctor.

Rinse mouth.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Specific treatment is urgent (see on this label).

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 4Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



4 Health = 4 0 Fire = 0

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

US ·



Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

Trade name: Methyl Parathion

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

298-00-0 parathion -methyl (ISO)

· Identification number(s)

• EC number: 206-050-1 • Index number: 015-035-00-7

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)



Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

Trade name: Methyl Parathion

(Contd. of page 3)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· **PAC-1**:

 0.11 mg/m^3

PAC-2:

1.2 mg/m³

· PAC-3:

 3.5 mg/m^3

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

298-00-0 parathion -methyl (ISO)

REL Long-term value: 0.2 mg/m³

Skin

TLV Long-term value: 0.02* mg/m³

Skin; BEI-C;*as inhalable fraction and vapor

(Contd. on page 5)



Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

Trade name: Methyl Parathion

(Contd. of page 4)

· Ingredients with biological limit values:

298-00-0 parathion -methyl (ISO)

BEI 70 % of baseline

Medium: red blood cells Time: discretionary

Parameter: Cholinesterase activity (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Crystalline
Color: Not determined.
Odor! Odorless

(Contd. on page 6)



Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

Trade name: Methyl Parathion

	(Contd. of page			
Odor threshold:	Not determined.			
pH-value:	Not applicable.			
Change in condition				
Melting point/Melting range:	35-36 °C (95-96.8 °F)			
Boiling point/Boiling range:	154 °C (309.2 °F)			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Flammable.			
Decomposition temperature:	Not determined.			
Auto igniting:	Not determined.			
Danger of explosion:	Heating may cause an explosion.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure at 20 °C (68 °F):	0.000013 hPa (0 mm Hg)			
Density at 20 °C (68 °F):	1.36 g/cm³ (11.3492 lbs/gal)			
Relative density	Not determined.			
Vapor density	Not applicable.			
Evaporation rate	Not applicable.			
Solubility in / Miscibility with				
Water at 20 °C (68 °F):	0.05 g/l			
Partition coefficient (n-octanol/wate	er): Not determined.			
Viscosity:				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			
VOC content:	0.00 %			
	0.0 g/l / 0.00 lb/gal			
Solids content:	100.0 %			
Other information	No further relevant information available.			

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

US



Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

Trade name: Methyl Parathion

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

l	· LD/LC50 values that are relevant for classification:						
	ATE (Acute Toxicity Estimate)						
	Oral	LD50	6.01 mg/kg (rat)				
	Dermal	LD50	67 mg/kg (rat)				
١	Inhalative	LC50/4 h	$0.05~\mathrm{mg/L}$				

298-00-0 parathion -methyl (ISO) Oral LD50 6.01 mg/kg (rat) Dermal LD50 67 mg/kg (rat) 300 mg/kg (rabbit) 300 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

3

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

US



Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

Trade name: Methyl Parathion

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 / / / / / / / / / / / / / / / / / / /		e 1•
14 rane	nort in	formation
IT II all	DOLLIII	ivimativi

•	U.	N-	N	u	m	b	er
---	----	----	---	---	---	---	----

· **DOT, IMDG, IATA** UN2811

· UN proper shipping name

• **DOT** Toxic solids, organic, n.o.s. (parathion -methyl (ISO))

· IMDG TOXIC SOLID, ORGANIC, N.O.S. (parathion -methyl (ISO)),

MARINE POLLUTANT

· IATA TOXIC SOLID, ORGANIC, N.O.S. (parathion -methyl (ISO))

· Transport hazard class(es)

· DOT, IATA



· Class 6.1 Toxic substances

· Label 6.

· IMDG





· Class 6.1 Toxic substances

· Label 6.1

· Packing group

· DOT, IMDG, IATA

· Environmental hazards:

· Marine pollutant: Symbol (fish and tree)

· Special precautions for user Warning: Toxic substances

I

Danger code (Kemler):EMS Number:F-A,S-A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 9)



Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

Trade name: Methyl Parathion

(Contd. of page 8)

· Transport/Additional information:

· DOT

• Quantity limitations On passenger aircraft/rail: 5 kg

On cargo aircraft only: 50 kg

· Hazardous substance: 100 lbs, 45.4 kg

· IMDG

· Limited quantities (LQ) 0

· Excepted quantities (EQ) Code: E5

Maximum net quantity per inner packaging: 1 g Maximum net quantity per outer packaging: 300 g

· UN "Model Regulation": UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (PARATHION -

METHYL (ISO)), 6.1, I, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

Substance is listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is not listed.

· TSCA new (21st Century Act): (Substances not listed)

298-00-0 parathion -methyl (ISO)

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

(Contd. on page 10)



Printing date 03/24/2019 Version Number 3 Reviewed on 03/24/2019

Trade name: Methyl Parathion

(Contd. of page 9)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/24/2019 / 2
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

* Data compared to the previous version altered.

US