

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/30/2019

Version Number 4

Reviewed on 03/30/2019

### 1 Identification

- **Product identifier**
- **Trade name:** QualityCheck Cyanide Sample (10 mL)
- **Part number:** QCI-750
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies, Inc.  
5301 Stevens Creek Blvd.  
Santa Clara, CA 95051 USA
- **Information department:**  
Telephone: 800-227-9770  
e-mail: pdl-msds\_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Dangerous components:** Void

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 03/30/2019

Version Number 4

Reviewed on 03/30/2019

**Trade name: QualityCheck Cyanide Sample (10 mL)**

(Contd. of page 1)

#### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

#### \* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

|            |                               |                       |
|------------|-------------------------------|-----------------------|
| 1310-73-2  | sodium hydroxide              | 0.5 mg/m <sup>3</sup> |
| 151-50-8   | potassium cyanide             | 5.3 mg/m <sup>3</sup> |
| 13746-66-2 | tripotassium hexacyanoferrate | 13 mg/m <sup>3</sup>  |

- **PAC-2:**

|            |                               |                      |
|------------|-------------------------------|----------------------|
| 1310-73-2  | sodium hydroxide              | 5 mg/m <sup>3</sup>  |
| 151-50-8   | potassium cyanide             | 19 mg/m <sup>3</sup> |
| 13746-66-2 | tripotassium hexacyanoferrate | 18 mg/m <sup>3</sup> |

- **PAC-3:**

|            |                               |                       |
|------------|-------------------------------|-----------------------|
| 1310-73-2  | sodium hydroxide              | 50 mg/m <sup>3</sup>  |
| 151-50-8   | potassium cyanide             | 40 mg/m <sup>3</sup>  |
| 13746-66-2 | tripotassium hexacyanoferrate | 110 mg/m <sup>3</sup> |

US

(Contd. on page 3)

## Safety Data Sheet acc. to OSHA HCS

Printing date 03/30/2019

Version Number 4

Reviewed on 03/30/2019

**Trade name: QualityCheck Cyanide Sample (10 mL)**

(Contd. of page 2)

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:**  
When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.  
Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.
- **Protection of hands:**  
Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.
- **Material of gloves**  
For normal use: nitrile rubber, 11-13 mil thickness  
For direct contact with the chemical: butyl rubber, 12-15 mil thickness
- **Penetration time of glove material**  
For normal use: nitrile rubber: 1 hour  
For direct contact with the chemical: butyl rubber: >4 hours
- **Eye protection:** Goggles recommended during refilling.

US

(Contd. on page 4)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 03/30/2019

Version Number 4

Reviewed on 03/30/2019

**Trade name: QualityCheck Cyanide Sample (10 mL)**

(Contd. of page 3)

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

|                          |                 |
|--------------------------|-----------------|
| · <b>Form:</b>           | Fluid           |
| · <b>Color:</b>          | Colorless       |
| · <b>Odor:</b>           | Odorless        |
| · <b>Odor threshold:</b> | Not determined. |

· **pH-value:** Not determined.

· **Change in condition**

|                                       |                 |
|---------------------------------------|-----------------|
| · <b>Melting point/Melting range:</b> | Undetermined.   |
| · <b>Boiling point/Boiling range:</b> | 100 °C (212 °F) |

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

|                 |                 |
|-----------------|-----------------|
| · <b>Lower:</b> | Not determined. |
| · <b>Upper:</b> | Not determined. |

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Density at 20 °C (68 °F):** 1.00065 g/cm<sup>3</sup> (8.35042 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

|                                    |                 |
|------------------------------------|-----------------|
| · <b>Dynamic at 20 °C (68 °F):</b> | 0.952 mPas      |
| · <b>Kinematic:</b>                | Not determined. |

· **Solvent content:**

|                       |                       |
|-----------------------|-----------------------|
| · <b>Water:</b>       | 99.9 %                |
| · <b>VOC content:</b> | 0.00 %                |
|                       | 0.0 g/l / 0.00 lb/gal |

· **Solids content:** 0.1 %

· **Other information** No further relevant information available.

### 10 Stability and reactivity

· **Reactivity** No further relevant information available.

(Contd. on page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing date 03/30/2019

Version Number 4

Reviewed on 03/30/2019

**Trade name: QualityCheck Cyanide Sample (10 mL)**

(Contd. of page 4)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

(Contd. on page 6)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 03/30/2019

Version Number 4

Reviewed on 03/30/2019


**Trade name: QualityCheck Cyanide Sample (10 mL)**

(Contd. of page 5)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

|  |   |
|--|---|
| <ul style="list-style-type: none"> <li>· UN-Number</li> <li>· DOT, IMDG, IATA</li> </ul>   | UN1824  |
| <ul style="list-style-type: none"> <li>· UN proper shipping name</li> <li>· DOT</li> <li>· IMDG, IATA</li> </ul>   | Sodium hydroxide solution<br>SODIUM HYDROXIDE SOLUTION  |
| <ul style="list-style-type: none"> <li>· Transport hazard class(es)</li> <li>· DOT, IMDG, IATA</li> </ul>  | <div style="text-align: center;">  </div> |
| <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>   | 8 Corrosive substances<br>8   |
| <ul style="list-style-type: none"> <li>· Packing group</li> <li>· DOT, IMDG, IATA</li> </ul>   | III   |
| <ul style="list-style-type: none"> <li>· Environmental hazards:</li> </ul>   | Not applicable.   |
| <ul style="list-style-type: none"> <li>· Special precautions for user</li> <li>· Danger code (Kemler):</li> <li>· EMS Number:</li> <li>· Segregation groups</li> </ul> | Warning: Corrosive substances<br>80<br>F-A,S-B<br>Alkalis   |
| <ul style="list-style-type: none"> <li>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>  | Not applicable.   |
| <ul style="list-style-type: none"> <li>· Transport/Additional information:</li> <li>· DOT</li> <li>· Quantity limitations</li> </ul>                                   | On passenger aircraft/rail: 1 L<br>On cargo aircraft only: 30 L   |
| <ul style="list-style-type: none"> <li>· IMDG</li> <li>· Limited quantities (LQ)</li> <li>· Excepted quantities (EQ)</li> </ul>  | 1 L<br>Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml      |
| <ul style="list-style-type: none"> <li>· UN "Model Regulation":</li> </ul>   | UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II  |

(Contd. on page 7)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 03/30/2019

Version Number 4

Reviewed on 03/30/2019

|  |
|--|
| <b>Trade name: QualityCheck Cyanide Sample (10 mL)</b> |
|--|

(Contd. of page 6)

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Sara**

- **Section 355 (extremely hazardous substances):**

|          |                   |
|----------|-------------------|
| 151-50-8 | potassium cyanide |
|----------|-------------------|

- **Section 313 (Specific toxic chemical listings):**

|          |                   |
|----------|-------------------|
| 151-50-8 | potassium cyanide |
|----------|-------------------|

|            |                               |
|------------|-------------------------------|
| 13746-66-2 | tripotassium hexacyanoferrate |
|------------|-------------------------------|

- **TSCA (Toxic Substances Control Act):**

|                             |
|-----------------------------|
| All ingredients are listed. |
|-----------------------------|

- **Proposition 65**

- **Chemicals known to cause cancer:**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Chemicals known to cause reproductive toxicity for females:**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Chemicals known to cause reproductive toxicity for males:**

|          |                   |
|----------|-------------------|
| 151-50-8 | potassium cyanide |
|----------|-------------------|

- **Chemicals known to cause developmental toxicity:**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

|          |                   |    |
|----------|-------------------|----|
| 151-50-8 | potassium cyanide | II |
|----------|-------------------|----|

|            |                               |    |
|------------|-------------------------------|----|
| 13746-66-2 | tripotassium hexacyanoferrate | II |
|------------|-------------------------------|----|

- **TLV (Threshold Limit Value established by ACGIH)**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Department issuing SDS:** Document Control / Regulatory

- **Contact:** regulatory@ultrasci.com

- **Date of preparation / last revision** 03/30/2019 / 3

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 8)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/30/2019

Version Number 4

Reviewed on 03/30/2019

**Trade name: QualityCheck Cyanide Sample (10 mL)**

CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit

(Contd. of page 7)

· \* **Data compared to the previous version altered.**

US