Printing date 03/31/2019

Agilent

Version Number 3

Reviewed on 03/31/2019

1 Identification

· Product identifier

· Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

- · Part number: QCM-211
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770 e-mail: pdl-msds_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: acetone
Hazard statements
Highly flammable liquid and vapor. Causes serious eye irritation.
May cause drowsiness or dizziness.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

(Contd. on page 2)

US

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

(Contd. of page 1) Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = 2FIRE Fire = 33 **REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- 67-64-1 acetone

99.99%

4 First-aid measures

- · Description of first aid measures
- \cdot General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- \cdot After skin contact: Immediately rinse with water.

· After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

Printing date 03/31/2019



Agilent

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
67-64-1	acetone	200 ppm
77-47-4	hexachlorocyclopentadiene).03 ppm
72-43-5	methoxychlor	30 mg/m ³
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	1.2 mg/m ³
118-74-1	hexachlorobenzene	0.006 mg/m ³
1024-57-3	heptachlor epoxide - isomer B	0.15 mg/m ³
58-89-9	γ -HCH or γ -BHC	9.1 mg/m ³
309-00-2	aldrin (ISO)	0.91 mg/m ³
60-57-1	dieldrin (ISO)	0.3 mg/m ³
72-20-8	endrin (ISO)	1.8 mg/m ³
76-44-8	heptachlor (ISO)	0.15 mg/m ³
· PAC-2:		
67-64-1	acetone	3200* ppm
77-47-4	hexachlorocyclopentadiene	0.55 ppm
72-43-5	methoxychlor	150 mg/m ³
	(0	Contd. on page 4)



Printing date 03/31/2019

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

		(Contd. of page 3)
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	13 mg/m ³
118-74-1	hexachlorobenzene	14 mg/m ³
1024-57-3	heptachlor epoxide - isomer B	0.5 mg/m ³
58-89-9	γ -HCH or γ -BHC	100 mg/m ³
309-00-2	aldrin (ISO)	10 mg/m ³
60-57-1	dieldrin (ISO)	6.8 mg/m ³
72-20-8	endrin (ISO)	20 mg/m ³
76-44-8	heptachlor (ISO)	14 mg/m ³
· PAC-3:		
67-64-1	acetone	5700* ppm
77-47-4	hexachlorocyclopentadiene	1 ppm
72-43-5	methoxychlor	4,500 mg/m ³
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	78 mg/m ³
118-74-1	hexachlorobenzene	91 mg/m ³
1024-57-3	heptachlor epoxide - isomer B	3 mg/m ³
58-89-9	γ -HCH or γ -BHC	1,000 mg/m ³
309-00-2	aldrin (ISO)	100 mg/m ³
60-57-1	dieldrin (ISO)	450 mg/m ³
72-20-8	endrin (ISO)	2,000 mg/m ³
76-44-8	heptachlor (ISO)	700 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

US

Printing date 03/31/2019

Agilent

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

(Contd. of page 4)

(Contd. on page 6)

	ponents with limit values that require monitoring at the workplace:
67-6 4	1-1 acetone
PEL	Long-term value: 2400 mg/m ³ , 1000 ppm
REL	Long-term value: 590 mg/m ³ , 250 ppm
TLV	Short-term value: 1187 mg/m ³ , 500 ppm
	Long-term value: 594 mg/m ³ , 250 ppm
	BEI
0	edients with biological limit values:
	4-1 acetone
	50 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Acetone (nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
	sure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
Wash	hands before breaks and at the end of work.
	d contact with the eyes.
	d contact with the eyes and skin.
	thing equipment:
with s	n used as intended with Agilent instruments, the use of the product under normal laboratory conditions and standard practices does not result in significant airborne exposures and therefore respiratory protection is not
neede	
	r an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved
	e/equipment with appropriate organic or acid gas cartridge.
	ection of hands:
	bugh not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil
	ness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is
	t contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough time
	eding 4 hrs. Supplier recommendations should be followed.
	e rial of gloves ormal use: nitrile rubber, 11-13 mil thickness
	irect contact with the chemical: butyl rubber, 12-15 mil thickness
	tration time of glove material
	ormal use: nitrile rubber: 1 hour
	irect contact with the chemical: butyl rubber: >4 hours
	protection:
Lyck	
(
Cim	Tightly sealed goggles



Agilent

Version Number 3

Printing date 03/31/2019

· Control parameters

Version Number 3

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

(Contd. of page 5)

(Contd. on page 7)

· Information on basic physical and c	hemical properties
· General Information	nemical properties
· Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
• Change in condition	04.7 oc (129.5 of)
Melting point/Melting range: Boiling point/Boiling range:	-94.7 °C (-138.5 °F) 55.8-56.6 °C (132.4-133.9 °F)
0 1 0 0	-17 °C (1.4 °F)
Flash point:	
Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	465 °C (869 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2.6 Vol %
Upper:	13 Vol %
• Vapor pressure at 20 °C (68 °F):	245.3 hPa (184 mm Hg)
· Density at 20 °C (68 °F):	0.791 g/cm ³ (6.6009 lbs/gal)
· Relative density	Not determined.
Vapor density	Not determined.
• Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	
· Viscosity:	
Dynamic at 20 °C (68 °F):	32 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	100.0 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %

Printing date 03/31/2019

Agilent

*

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

(Contd. of page 6)

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Int	ernational Agency for Research on Cancer)	
72-43-5	methoxychlor	3
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	3
118-74-1	hexachlorobenzene	2B
1024-57-3	heptachlor epoxide - isomer B	2B
58-89-9	γ -HCH or γ -BHC	1
309-00-2	aldrin (ISO)	3
60-57-1	dieldrin (ISO)	3
72-20-8	endrin (ISO)	3
76-44-8	heptachlor (ISO)	2B
· NTP (Nati	onal Toxicology Program)	
118-74-1 ł	nexachlorobenzene	R
58-89-9 γ	γ -HCH or γ -BHC	R
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	e ingredients is listed.	
		- 11

(Contd. on page 8)



Printing date 03/31/2019

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1090	
UN proper shipping name		
DOT	Acetone solution	
IMDG, IATA	ACETONE solution	
Transport hazard class(es)		
DOT, IMDG, IATA		
3	3 Flammable liquids	
Class		
Class Label	3	
Label		
Label Packing group		
Label Packing group DOT, IMDG, IATA	3	
	3 II	



Printing date 03/31/2019

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

	(Contd. of page
EMS Number:	F-E,S-D
Stowage Category	E
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
•	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
` ` -/	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1090 ACETONE SOLUTION, 3, II

15 Regulatory information

*

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 3	55 (extremely hazardous substances):
77-47-4	hexachlorocyclopentadiene
58-89-9	γ -HCH or γ -BHC
309-00-2	aldrin (ISO)
72-20-8	endrin (ISO)
· Section 3	13 (Specific toxic chemical listings):
77-47-4	hexachlorocyclopentadiene
72-43-5	5 methoxychlor
1918-16-7	7 propachlor (ISO)
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)
118-74-1	hexachlorobenzene
58-89-9	γ -HCH or γ -BHC
309-00-2	2 aldrin (ISO)
76-44-8	heptachlor (ISO)
· TSCA (T	oxic Substances Control Act):
67-64-1	acetone
77-47-4	hexachlorocyclopentadiene
118-74-1	hexachlorobenzene
58-89-9	γ -HCH or γ -BHC
· Propositi	on 65
· Chemical	s known to cause cancer:
1918-16-7	7 propachlor (ISO)
	(Contd. on page 10)
	US



Printing date 03/31/2019

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

110 74 1	havashlarahargana	(Contd. of pag
	hexachlorobenzene	
	heptachlor epoxide - isomer B γ -HCH or γ -BHC	
	aldrin (ISO)	
	dieldrin (ISO)	
	heptachlor (ISO)	
	known to cause reproductive toxicity for females:	
	e ingredients is listed.	
	known to cause reproductive toxicity for males:	
None of the	e ingredients is listed.	
Chemicals	known to cause developmental toxicity:	
118-74-1 h	exachlorobenzene	
72-20-8 e	ndrin (ISO)	
76-44-8 h	eptachlor (ISO)	
Carcinoge	nic categories	
	ronmental Protection Agency)	
67-64-1		Ι
77-47-4	hexachlorocyclopentadiene	E, N
	methoxychlor	D
	trifluralin (ISO) (containing < 0,5 ppm NPDA)	С
	hexachlorobenzene	B2
1024-57-3	heptachlor epoxide - isomer B	B2
	aldrin (ISO)	B2
60-57-1	dieldrin (ISO)	B2
72-20-8	endrin (ISO)	D
76-44-8	heptachlor (ISO)	B2
TLV (Thre	eshold Limit Value established by ACGIH)	
67-64-1	• ,	A4
77-47-4	hexachlorocyclopentadiene	A4
72-43-5	methoxychlor	A4
	hexachlorobenzene	A3
1024-57-3	heptachlor epoxide - isomer B	A3
58-89-9	γ-HCH or γ-BHC	A3
309-00-2	aldrin (ISO)	A3
60-57-1	dieldrin (ISO)	(A
72-20-8	endrin (ISO)	A4
76-44-8	heptachlor (ISO)	A3
NIOSH-Ca	a (National Institute for Occupational Safety and Health)	
	methoxychlor	
1024-57-3	heptachlor epoxide - isomer B	
	aldrin (ISO)	



Printing date 03/31/2019

Reviewed on 03/31/2019

Trade name: QualityCheck WS Pesticides no. 1 sample (1X2 mL)

(Contd. of page 10)

60-57-1 dieldrin (ISO)

76-44-8 heptachlor (ISO)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- Date of preparation / last revision 03/31/2019 / 2
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* * Data compared to the previous version altered.



Version Number 3

US -