

Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

### 1 Identification

· Product identifier

· Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

· Part number: QCM-300

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd.

Santa Clara, CA 95051 USA

· Information department: Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

acetone

dibenz[a,h]anthracene

benzo[a]pyrene

· Hazard statements

Highly flammable liquid and vapor.

(Contd. on page 2)



Printing date 03/31/2019 Reviewed on 03/31/2019 Version Number 4

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

(Contd. of page 1)

Causes serious eye irritation.

May cause cancer.

May cause drowsiness or dizziness.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*2

Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

67-64-1 acetone

99.342%

(Contd. on page 3)



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

		(Contd. of page 2)
53-70-3	dibenz[a,h]anthracene	0.0253%
50-32-8	benzo[a]pyrene	0.0253%

#### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

Frotectiv	e Action Criteria for Chemicals	
· PAC-1:		
67-64-1	acetone	200 ppm
101-55-3	4-bromophenyl phenyl ether	$0.33 \text{ mg/m}^3$
132-64-9	dibenzofuran	$30 \text{ mg/m}^3$
95-50-1	1,2-dichlorobenzene	50 ppm
106-46-7	1,4-dichlorobenzene	30 ppm
	,	(Contd. on page 4



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

		(Contd. of page 3
131-11-3	dimethyl phthalate	15 mg/m <sup>3</sup>
121-14-2	2,4-dinitrotoluene	0.6 mg/m <sup>3</sup>
117-84-0	dioctyl phthalate	41 mg/m <sup>3</sup>
118-74-1	hexachlorobenzene	$0.006 \text{ mg/m}^3$
98-95-3	nitrobenzene	3 ppm
120-82-1	1,2,4-trichlorobenzene	0.45 ppm
91-20-3	naphthalene	15 ppm
129-00-0		$0.15 \text{ mg/m}^3$
	anthracene	48 mg/m <sup>3</sup>
85-01-8	phenanthrene	5.4 mg/m <sup>3</sup>
	fluoranthene	8.2 mg/m <sup>3</sup>
83-32-9	acenaphthene	3.6 mg/m <sup>3</sup>
	dibenz[a,h]anthracene	0.093 mg/m³
	chrysene	0.6 mg/m³
	benz[e]acephenanthrylene	$0.12 \text{ mg/m}^3$
	benzo[a]pyrene	0.6 mg/m³
	benz[a]anthracene	0.6 mg/m <sup>3</sup>
	benzo[ghi]perylene	30 mg/m <sup>3</sup>
	di-(2-ethylhexyl) phthalate	$10 \text{ mg/m}^3$
85-68-7		15 mg/m <sup>3</sup>
84-66-2	diethyl phthalate	15 mg/m <sup>3</sup>
	3,5,5-trimethylcyclohex-2-enone	12 ppm
· PAC-2:		
67-64-1	acetone	3200* ppm
101-55-3	4-bromophenyl phenyl ether	3.6 mg/m <sup>3</sup>
132-64-9	dibenzofuran	330 mg/m <sup>3</sup>
95-50-1	1,2-dichlorobenzene	170 ppm
106-46-7	1,4-dichlorobenzene	170 ppm
131-11-3	dimethyl phthalate	1,600 mg/m³
121-14-2	2,4-dinitrotoluene	12 mg/m³
117-84-0	dioctyl phthalate	450 mg/m <sup>3</sup>
118-74-1	hexachlorobenzene	14 mg/m <sup>3</sup>
98-95-3	nitrobenzene	20 ppm
120-82-1	1,2,4-trichlorobenzene	5 ppm
91-20-3	naphthalene	83 ppm
129-00-0	pyrene	$1.7 \text{ mg/m}^3$
120-12-7	anthracene	530 mg/m <sup>3</sup>
85-01-8	phenanthrene	59 mg/m³
206-44-0	fluoranthene	90 mg/m³
83-32-9	acenaphthene	$40 \text{ mg/m}^3$
	dibenz[a,h]anthracene	$1 \text{ mg/m}^3$
	<u> </u>	(Contd. on page 5



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

210.01.0		(Contd. of page
218-01-9		12 mg/m <sup>3</sup>
	benz[e]acephenanthrylene	1.3 mg/m <sup>3</sup>
	benzo[a]pyrene	120 mg/m³
	benz[a]anthracene	120 mg/m <sup>3</sup>
	benzo[ghi]perylene	330 mg/m <sup>3</sup>
	di-(2-ethylhexyl) phthalate	1,000 mg/m
85-68-7		77 mg/m <sup>3</sup>
	diethyl phthalate	300 mg/m <sup>3</sup>
78-59-1	3,5,5-trimethylcyclohex-2-enone	33 ppm
PAC-3:		
67-64-1	acetone	5700* ppm
101-55-3	4-bromophenyl phenyl ether	21 mg/m <sup>3</sup>
132-64-9	dibenzofuran	2,000 mg/m <sup>3</sup>
95-50-1	1,2-dichlorobenzene	1,000 ppm
106-46-7	1,4-dichlorobenzene	1,000 ppm
131-11-3	dimethyl phthalate	9300* mg/m <sup>3</sup>
121-14-2	2,4-dinitrotoluene	200 mg/m <sup>3</sup>
117-84-0	dioctyl phthalate	11000* mg/n
118-74-1	hexachlorobenzene	91 mg/m <sup>3</sup>
98-95-3	nitrobenzene	200 ppm
120-82-1	1,2,4-trichlorobenzene	20 ppm
91-20-3	naphthalene	500 ppm
129-00-0	pyrene	110 mg/m <sup>3</sup>
120-12-7	anthracene	3,200 mg/m <sup>3</sup>
85-01-8	phenanthrene	360 mg/m <sup>3</sup>
206-44-0	fluoranthene	400 mg/m <sup>3</sup>
83-32-9	acenaphthene	240 mg/m <sup>3</sup>
53-70-3	dibenz[a,h]anthracene	2.9 mg/m <sup>3</sup>
218-01-9	chrysene	69 mg/m <sup>3</sup>
205-99-2	benz[e]acephenanthrylene	7.9 mg/m <sup>3</sup>
50-32-8	benzo[a]pyrene	700 mg/m <sup>3</sup>
	benz[a]anthracene	700 mg/m <sup>3</sup>
191-24-2	benzo[ghi]perylene	2,000 mg/m <sup>3</sup>
117-81-7	di-(2-ethylhexyl) phthalate	6,100 mg/m <sup>3</sup>
85-68-7	BBP	460 mg/m <sup>3</sup>
84-66-2	diethyl phthalate	1,800 mg/m <sup>3</sup>
78-59-1	3,5,5-trimethylcyclohex-2-enone	200 ppm



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

(Contd. of page 5)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

	F
· Comj	ponents with limit values that require monitoring at the workplace:
67-64	-1 acetone
PEL	Long-term value: 2400 mg/m³, 1000 ppm
REL	Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI

#### 50-32-8 benzo[a]pyrene

PEL Long-term value: 0.2 mg/m³
see Coal tar pitch volatiles

REL Long-term value: 0.1 mg/m³
Coal tar pitch volatile; Pocket Guide Apps. A+C

TLV L; BEIp

Ingredients with biological limit values:

#### 67-64-1 acetone

BEI 50 mg/L Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

(Contd. on page 7)



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

(Contd. of page 6)

#### 50-32-8 benzo[a]pyrene

BEI -

Medium: urine

Time: end of shift at end of workweek

Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

#### · Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

#### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

#### · Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Colorless

Odor: Characteristic
Odor threshold: Not determined.

(Contd. on page 8)



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

	(Contd. of page
· pH-value:	Not determined.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	-94.7 °C (-138.5 °F) 55.8-56.6 °C (132.4-133.9 °F)
· Flash point:	-17 °C (1.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	465 °C (869 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits: Lower: Upper:	2.6 Vol % 13 Vol %
· Vapor pressure at 20 °C (68 °F):	245.3 hPa (184 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.791 g/cm³ (6.6009 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water	er): Not determined.
· Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	32 mPas Not determined.
· Solvent content: Organic solvents: VOC content:	99.4 % 0.05 % 0.5 g/l / 0.00 lb/gal
Solids content: · Other information	0.4% No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 9)



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

(Contd. of page 8)

· Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC:	50 valu	es that are relevant for classification:
67-64-1	aceton	ne
Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (In	ternational Agency for Research on Cancer)	
95-50-1	1,2-dichlorobenzene	3
106-46-7	1,4-dichlorobenzene	2B
121-14-2	2,4-dinitrotoluene	2B
118-74-1	hexachlorobenzene	2B
98-95-3	nitrobenzene	2B
91-20-3	naphthalene	2B
129-00-0	pyrene	3
120-12-7	anthracene	3
	phenanthrene	3
206-44-0	fluoranthene	3
	acenaphthene	3
53-70-3	dibenz[a,h]anthracene	2A
218-01-9	chrysene	2B
205-99-2	benz[e]acephenanthrylene	2B
	benzo[a]pyrene	1
	benz[a]anthracene	2B
	benzo[ghi]perylene	3
117-81-7	di-(2-ethylhexyl) phthalate	2B
85-68-7	BBP	3
· NTP (Na	ional Toxicology Program)	
106-46-7	1,4-dichlorobenzene	R
118-74-1	hexachlorobenzene	R
98-95-3	nitrobenzene	R
91-20-3	naphthalene	R
		(Contd. on page 10)

US



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

		(Contd. of page 9)
129-00-0	pyrene	R
120-12-7	anthracene	R
85-01-8	phenanthrene	R
206-44-0	fluoranthene	R
53-70-3	dibenz[a,h]anthracene	R
218-01-9	chrysene	R
205-99-2	benz[e]acephenanthrylene	R
50-32-8	benzo[a]pyrene	R
56-55-3	benz[a]anthracene	R
117-81-7	di-(2-ethylhexyl) phthalate	R
· OSHA-C	a (Occupational Safety & Health Administration)	
None of the	he ingredients is listed.	

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN1090

(Contd. on page 11)



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

(Contd. of page 10)

	TIME				•	
•		nra	ner	chi	nnına	name
	UII	DIV	JUL	2111	UDILLE	mamic

· **DOT** Acetone solution

• IMDG ACETONE solution, MARINE POLLUTANT

· IATA ACETONE solution

#### · Transport hazard class(es)

· DOT, IATA



· Class 3 Flammable liquids

· Label 3

· IMDG





· Class 3 Flammable liquids

· Label 3

· Packing group

· DOT, IMDG, IATA

• Environmental hazards: Product contains environmentally hazardous substances: 1,2-

dichlorobenzene, dibenz[a,h]anthracene

· **Marine pollutant:** Symbol (fish and tree)

· Special precautions for user Warning: Flammable liquids

Danger code (Kemler):EMS Number:Stowage Category33F-E,S-DB

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot\, DOT$ 

• **Quantity limitations**On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

 $\cdot$  IMDG

· Limited quantities (LQ)

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1090 ACETONE SOLUTION, 3, II, ENVIRONMENTALLY

**HAZARDOUS** 



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

(Contd. of page 11)

5 Regulat	ory information
· Safety, he	ealth and environmental regulations/legislation specific for the substance or mixture
· Section 3:	55 (extremely hazardous substances):
	nitrobenzene
129-00-0	pyrene
· Section 3	13 (Specific toxic chemical listings):
132-64-9	dibenzofuran
95-50-1	1,2-dichlorobenzene
106-46-7	1,4-dichlorobenzene
131-11-3	dimethyl phthalate
121-14-2	2,4-dinitrotoluene
	hexachlorobenzene
98-95-3	nitrobenzene
120-82-1	1,2,4-trichlorobenzene
91-20-3	naphthalene
120-12-7	anthracene
85-01-8	phenanthrene
206-44-0	fluoranthene
53-70-3	dibenz[a,h]anthracene
218-01-9	chrysene
205-99-2	benz[e]acephenanthrylene
50-32-8	benzo[a]pyrene
56-55-3	benz[a]anthracene
191-24-2	benzo[ghi]perylene
117-81-7	di-(2-ethylhexyl) phthalate
· TSCA (T	oxic Substances Control Act):
67-64-1	acetone
101-55-3	4-bromophenyl phenyl ether
132-64-9	dibenzofuran
95-50-1	1,2-dichlorobenzene
106-46-7	1,4-dichlorobenzene
131-11-3	dimethyl phthalate
121-14-2	2,4-dinitrotoluene
117-84-0	dioctyl phthalate
118-74-1	hexachlorobenzene
98-95-3	nitrobenzene
120-82-1	1,2,4-trichlorobenzene
	naphthalene
129-00-0	pyrene



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

		l. of page
	anthracene	
	phenanthrene	
	fluoranthene	
	acenaphthene	
	dibenz[a,h]anthracene	
218-01-9		
	benzo[a]pyrene	
	benz[a]anthracene	
	di-(2-ethylhexyl) phthalate	
85-68-7		
	diethyl phthalate	
78-59-1	3,5,5-trimethylcyclohex-2-enone	
	w (21st Century Act): (Substances not listed)	
	libenz[a,h]anthracene	
· Propositi		
	s known to cause cancer:	
	1,4-dichlorobenzene	
	2,4-dinitrotoluene	
	hexachlorobenzene	
	nitrobenzene	
	naphthalene	
	dibenz[a,h]anthracene	
218-01-9		
	benz[e]acephenanthrylene	
	benzo[a]pyrene	
	benz[a]anthracene	
117-81-7	di-(2-ethylhexyl) phthalate	
	s known to cause reproductive toxicity for females:	
	ne ingredients is listed.	
	s known to cause reproductive toxicity for males:	
	2,4-dinitrotoluene	
	nitrobenzene	
	di-(2-ethylhexyl) phthalate	
	s known to cause developmental toxicity:	
	hexachlorobenzene	
	di-(2-ethylhexyl) phthalate	
85-68-7	BBP	
_	enic categories	
	vironmental Protection Agency)	
67-64-1		I
101-55-3	4-bromophenyl phenyl ether	D



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

	(Cor	td. of page
132-64-9	dibenzofuran	D
95-50-1	1,2-dichlorobenzene	D
131-11-3	dimethyl phthalate	D
118-74-1	hexachlorobenzene	B2
98-95-3	nitrobenzene	L
120-82-1	1,2,4-trichlorobenzene	D
91-20-3	naphthalene	C, CB
129-00-0	•	D
	anthracene	D
85-01-8	phenanthrene	D
	fluoranthene	D
83-32-9	acenaphthene	A (ora
	dibenz[a,h]anthracene	B2
	chrysene	B2
	benz[e]acephenanthrylene	B2
	benzo[a]pyrene	СаН
	benz[a]anthracene	B2
	benzo[ghi]perylene	D
	di-(2-ethylhexyl) phthalate	B2
85-68-7		С
	diethyl phthalate	D
	3,5,5-trimethylcyclohex-2-enone	С
· TLV (Tl	reshold Limit Value established by ACGIH)	<u> </u>
67-64-1	acetone	A
95-50-1	1,2-dichlorobenzene	A
106-46-7	1,4-dichlorobenzene	A
118-74-1	hexachlorobenzene	A
98-95-3	nitrobenzene	A
91-20-3	naphthalene	A
218-01-9	chrysene	A
205-99-2	benz[e]acephenanthrylene	A
50-32-8	benzo[a]pyrene	A
56-55-3	benz[a]anthracene	A
117-81-7	di-(2-ethylhexyl) phthalate	A
84-66-2	diethyl phthalate	A
78-59-1	3,5,5-trimethylcyclohex-2-enone	A
	Ca (National Institute for Occupational Safety and Health)	<u> </u>
106-46-7	1,4-dichlorobenzene	
	2,4-dinitrotoluene	
121-14-2		
	chrysene	



Printing date 03/31/2019 Version Number 4 Reviewed on 03/31/2019

Trade name: QualityCheck Base/Neutrals Sample (1X2 mL)

(Contd. of page 14)

#### 117-81-7 di-(2-ethylhexyl) phthalate

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/31/2019 / 3
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1B: Carcinogenicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

US