

Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

## 1 Identification

· Product identifier

· Trade name: Epichlorohydrin

· Part number: RCC-161

• **CAS Number:** 106-89-8

• EC number: 203-439-8

• **Index number:** 603-026-00-6

- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



(Contd. on page 2)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

(Contd. of page 1)

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms











GHS05

GHS06

#### · Signal word Danger

### · Hazard-determining components of labeling:

1-chloro-2,3-epoxypropane

#### · Hazard statements

Flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause cancer.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

(Contd. of page 2)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



\*3 Health = \*3Fire = 3REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable. · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

106-89-8 1-chloro-2,3-epoxypropane

- · Identification number(s) • EC number: 203-439-8
- · Index number: 603-026-00-6

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

(Contd. of page 3)

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
	1.7 ppm
· PAC-2:	
	24 ppm
· PAC-3:	
	72 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 5)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

(Contd. of page 4)

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

### · Components with limit values that require monitoring at the workplace:

#### 106-89-8 1-chloro-2,3-epoxypropane

PEL Long-term value: 19 mg/m³, 5 ppm

Skin

REL See Pocket Guide App. A

TLV Long-term value: 1.9 mg/m<sup>3</sup>, 0.5 ppm

Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

#### Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

#### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 6)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

· Eye protection:

(Contd. of page 5)



Tightly sealed goggles

Physical and chemical proper	ties
Information on basic physical and c General Information	hemical properties
Appearance:	71.11
Form:	Fluid
Color:	Colorless
Odor: Odor threshold:	Like chlorine Not determined.
	Not determined.
pH-value:	Not determined.
Change in condition	55 0 00 ( 51 0T)
Melting point/Melting range:	-57.2 °C (-71 °F)
Boiling point/Boiling range:	116 °C (240.8 °F)
Flash point:	32 °C (89.6 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	385 °C (725 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2.3 Vol %
Upper:	34.4 Vol %
Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)
Density at 20 °C (68 °F):	1.183 g/cm <sup>3</sup> (9.87214 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
<b>Evaporation rate</b>	Not determined.
Solubility in / Miscibility with Water at 20 °C (68 °F):	60 g/l
Partition coefficient (n-octanol/wate	
Viscosity:	,
Dynamic:	Not determined.
Kinematic:	Not determined.
VOC content: 0.00 %	
	0.0 g/l / 0.00 lb/gal

(Contd. on page 7)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

(Contd. of page 6)

· Other information

No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:				
ATE (Acute Toxicity Estimate)				
Oral	LD50	90 mg/kg (rat)		
Dermal	LD50	515 mg/kg (rabbit)		
Inhalative	LC50/4 h	250 mg/L (rat)		

# 106-89-8 1-chloro-2,3-epoxypropane Oral | LD50 | 90 mg/kg (rat)

Dermal	LD50	515 mg/kg (rabbit)
Inhalative	LC50/4 h	250 mg/L (rat)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Age	ncy for Research on Cancer)
---------------------------	-----------------------------

2A

· NTP (National Toxicology Program)

R

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

US ·



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

(Contd. of page 7)

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA UN2023
- · UN proper shipping name
- · **DOT** Epichlorohydrin
- · IMDG EPICHLOROHYDRIN, MARINE POLLUTANT
- · IATA EPICHLOROHYDRIN
- · Transport hazard class(es)
- · DOT



Class 6.1 Toxic substances

(Contd. on page 9)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

(Contd. of page 8) ·Label 6.1, 3· IMDG 6.1 Toxic substances · Class ·Label 6.1/3·IATA 6.1 Toxic substances · Class ·Label 6.1(3)· Packing group · DOT, IMDG, IATA Π · Environmental hazards: · Marine pollutant: Symbol (fish and tree) · Special precautions for user Warning: Flammable liquids · Danger code (Kemler): 36 · EMS Number: 6.1-01 · Stowage Category A · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · Hazardous substance: 100 lbs, 45.4 kg  $\cdot \, IMDG$ · Limited quantities (LQ) 100 ml · Excepted quantities (EQ) Code: E4 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 2023 EPICHLOROHYDRIN, 3 (6.1), II

US ·



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

(Contd. of page 9)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

Substance is listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

B2

· TLV (Threshold Limit Value established by ACGIH)

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group I (extremely dangerous).

Carcinogenic hazardous material group II (very dangerous).

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/24/2019 / 1

(Contd. on page 11)



Printing date 03/24/2019 Version Number 2 Reviewed on 03/24/2019

Trade name: Epichlorohydrin

(Contd. of page 10)

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Sens. 1: Skin sensitisation – Category 1

Carc. 1B: Carcinogenicity – Category 1B

-US

<sup>\*</sup> Data compared to the previous version altered.