Printing date 03/25/2019

gilent

Version Number 3

Reviewed on 03/25/2019

Printing date 03/25/2019	Version Number 3	Reviewed on 03/25/2019
1 Identification		
· Product identifier		
· Trade name: Hexachloroethane	e	
<ul> <li>Part number: RHH-019</li> <li>CAS Number: 67-72-1</li> <li>EC number: 200-666-4</li> <li>Application of the substance / the substance in the substance</li></ul>	<b>he mixture</b> Reagents and Standards for Ana	alytical Chemical Laboratory Use
<ul> <li>Details of the supplier of the sate</li> <li>Manufacturer/Supplier: Agilent Technologies, Inc.</li> <li>5301 Stevens Creek Blvd.</li> <li>Santa Clara, CA 95051 USA</li> </ul>	fety data sheet	
• Information department: Telephone: 800-227-9770 e-mail: pdl-msds_author@agilen • Emergency telephone number:		
2 Hazard(s) identification		
· Classification of the substance of	or mixture	
GHS08 Health hazard		
Carc. 2 H351 Suspected of STOT RE 2 H373 May cause d	f causing cancer. lamage to organs through prolonged or repe	ated exposure.

GHS07

\*

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

• Hazard-determining components of labeling: hexachloroethane

• Hazard statements Causes skin irritation. Causes serious eye irritation.


(Contd. on page 2)

US

Version Number 3

Reviewed on 03/25/2019

Trade name: Hexachloroethane



(Contd. on page 3)



Printing date 03/25/2019

Reviewed on 03/25/2019

Trade name: Hexachloroethane

(Contd. of page 2)

### 4 First-aid measures

### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### · Protective Action Criteria for Chemicals

· PAC-1:

3 ppm

· PAC-2:

· PAC-3:

36 ppm

300 ppm

(Contd. on page 4)



Printing date 03/25/2019



Reviewed on 03/25/2019

**Trade name: Hexachloroethane** 

Printing date 03/25/2019

(Contd. of page 3)

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### **8 Exposure controls/personal protection**

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

### 67-72-1 hexachloroethane

- PEL Long-term value: 10 mg/m<sup>3</sup>, 1 ppm Skin
- REL Long-term value: 10 mg/m<sup>3</sup>, 1 ppm Skin; See Pocket Guide Apps. A and C
- TLV Long-term value: 9.7 mg/m<sup>3</sup>, 1 ppm Skin

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

### · Personal protective equipment:

- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.
- **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

(Contd. on page 5)

US





Reviewed on 03/25/2019

**Trade name: Hexachloroethane** 

Printing date 03/25/2019

(Contd. of page 4)

US

· Protection of hands: Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

For normal use: nitrile rubber: 1 hour

- For direct contact with the chemical: butyl rubber: >4 hours
- · Eye protection:



Tightly sealed goggles

#### **9** Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Crystalline Color: White Characteristic · Odor: · Odor threshold: Not determined. · pH-value: Not applicable. · Change in condition Melting point/Melting range: 185 °C (365 °F) **Boiling point/Boiling range:** Undetermined. Not applicable. · Flash point: · Flammability (solid, gaseous): Product is not flammable. · Decomposition temperature: Not determined. Not determined. • Auto igniting: Product does not present an explosion hazard. · Danger of explosion: • Explosion limits: Lower: Not determined. Not determined. **Upper:** 0.4 hPa (0.3 mm Hg) · Vapor pressure at 20 °C (68 °F): · Density at 20 °C (68 °F): 2.091 g/cm<sup>3</sup> (17.4494 lbs/gal) Not determined. · Relative density Not applicable. · Vapor density (Contd. on page 6)



Reviewed on 03/25/2019

**Trade name: Hexachloroethane** 

Printing date 03/25/2019

		(Contd. of page
• Evaporation rate	Not applicable.	
Solubility in / Miscibility wit	h	
Water:	Insoluble.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

### 67-72-1 hexachloroethane

Dermal LD50 32,000 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)

### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Contd. on page 7)



Version Number 3

2B

R

Reviewed on 03/25/2019

Trade name: Hexachloroethane

(Contd. of page 6)

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- $\cdot$  Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3077
UN proper shipping name	
DOT	Environmentally hazardous substance, solid, n.o.s. (hexachloroethane)
IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLII N.O.S. (hexachloroethane)
Transport hazard class(es)	
DOT, IMDG	
Class	9 Miscellaneous dangerous substances and articles



Version Number 3

Printing date 03/25/2019

Reviewed on 03/25/2019

Trade name: Hexachloroethane

	(Contd. of page	
Label	9	
IATA		
Class	9 Miscellaneous dangerous substances and articles	
Label	9	
Packing group DOT, IMDG, IATA	III	
Environmental hazards:		
Special marking (IATA):	Symbol (fish and tree)	
Special precautions for user	Warning: Miscellaneous dangerous substances and articles	
Danger code (Kemler):	90	
EMS Number:	F-A,S-F	
Stowage Category	А	
Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.	
Transport in bulk according to Annex l MARPOL73/78 and the IBC Code	II of Not applicable.	
Transport/Additional information:		
рот		
Quantity limitations	On passenger aircraft/rail: No limit	
	On cargo aircraft only: No limit	
Hazardous substance:	100 lbs, 45.4 kg	
IMDG		
Limited quantities (LQ)	5 kg	
Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (HEXACHLOROETHANE), 9, III	

# **15 Regulatory information**

\*

· Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara

· Section 355 (extremely hazardous substances): Substance is not listed. · Section 313 (Specific toxic chemical listings): Substance is listed. · TSCA (Toxic Substances Control Act): Substance is listed. (Contd. on page 9) US



Printing date 03/25/2019

Reviewed on 03/25/2019

Trade name: Hexachloroethane

(Contd. of page 8)

L

A3

## · Chemicals known to cause cancer:

Substance is listed.

· Proposition 65

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

· TLV (Threshold Limit Value established by ACGIH)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Department issuing SDS: Document Control / Regulatory

· Contact: regulatory@ultrasci.com

· Date of preparation / last revision 03/25/2019 / 2

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

\*\* Data compared to the previous version altered.



Version Number 3

Printing date 03/25/2019