Printing date 03/30/2019

Agilent

Version Number 2

Reviewed on 03/30/2019

### **1 Identification**

- · Product identifier
- · Trade name: 1,6-Dinitropyrene Standard (1X1 mL)
- Part number: RNH-142
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA
- · Information department:
- Telephone: 800-227-9770 e-mail: pdl-msds\_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

### · Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

GHS08 Health hazard

Carc. 2

H351 Suspected of causing cancer.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

- Hazard-determining components of labeling: nitromethane
- **Hazard statements** Flammable liquid and vapor. Harmful if swallowed. Suspected of causing cancer.

(Contd. on page 2)

Version Number 2

Reviewed on 03/30/2019

## Trade name: 1,6-Dinitropyrene Standard (1X1 mL)

	(Contd. of page
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF exposed or concerned: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
$\frac{3}{100}$ Health = 1	
Fire = 3 $\mathbf{P}$	
$\mathbf{U}  \text{Reactivity} = 0$	
HMIS-ratings (scale 0 - 4)	
<b>HEALTH 1</b> Health = $1$	
FIRE 3 Fire = $3$	
<b>REACTIVITY</b> Reactivity = $0$	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
vPvB: Not applicable.	
Results of PBT and vPvB assessment BT: Not applicable. PvB: Not applicable.	
Composition/information on ingredients	
Chemical characterization: Mixtures	
Description: Mixture of the substances listed below with nonhazardous additions.	
Dangerous components:	

75-52-5 nitromethane

99.991%





Printing date 03/30/2019

Version Number 2

Reviewed on 03/30/2019

Trade name: 1,6-Dinitropyrene Standard (1X1 mL)

(Contd. of page 2)

### **4 First-aid measures**

Printing date 03/30/2019

### · Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet

· Personal precautions, protective equipment and emergency procedures

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### **6** Accidental release measures

Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
75-52-5 nitromethane	60 ppm
PAC-2:	
75-52-5 nitromethane	210 ppm
PAC-3:	
75-52-5 nitromethane	1,000 ppm
	US -



(Contd. on page 4)

Reviewed on 03/30/2019

Trade name: 1,6-Dinitropyrene Standard (1X1 mL)

(Contd. of page 3)

## 7 Handling and storage

- · Handling:
- $\cdot$  Precautions for safe handling Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- Protect from heat.
- Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

### 75-52-5 nitromethane

PEL Long-term value: 250 mg/m<sup>3</sup>, 100 ppm

TLV Long-term value: 50 mg/m<sup>3</sup>, 20 ppm

Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Store protective clothing separately.
- Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

### Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness



Printing date 03/30/2019



Reviewed on 03/30/2019

Trade name: 1,6-Dinitropyrene Standard (1X1 mL)

(Contd. of page 4)

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours · Eye protection:

Tightly sealed goggles

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-29.2 °C (-20.6 °F)	
<b>Boiling point/Boiling range:</b>	101 °C (213.8 °F)	
Flash point:	36 °C (96.8 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	415 °C (779 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Heating may cause an explosion.	
Explosion limits:		
Lower:	7.1 Vol %	
Upper:	63 Vol %	
Vapor pressure at 20 °C (68 °F):	27.3 hPa (20.5 mm Hg)	
Density at 20 °C (68 °F):	1.127 g/cm <sup>3</sup> (9.40482 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water at 20 °C (68 °F):	5 g/l	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	



Printing date 03/30/2019

Reviewed on 03/30/2019

Trade name: 1,6-Dinitropyrene Standard (1X1 mL)

(Contd. of page 5)

· Solvent content: VOC content:

0.00 % 0.0 g/l / 0.00 lb/gal No further relevant information available.

· Other information

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot$  Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,478 mg/kg (rat)

### 75-52-5 nitromethane

Oral LD50 1,478 mg/kg (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

### · Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
75-52-5	nitromethane	2B
42397-64-8	1,6-dinitropyrene	2B
· NTP (Natio	nal Toxicology Program)	
	nitromethane	R
42397-64-8	1,6-dinitropyrene	R
· OSHA-Ca (	Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

(Contd. on page 7)



Printing date 03/30/2019

Version Number 2

F

Reviewed on 03/30/2019

Trade name: 1,6-Dinitropyrene Standard (1X1 mL)

(Contd. of page 6)

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Danger to drinking water if even small quantities leak into the ground.
- $\cdot$  Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### **13 Disposal considerations**

### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

## **14 Transport information**

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (Nitromethane)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (NITROMETHANE)
Transport hazard class(es)	
DOT, IMDG, IATA	
· Class	3 Flammable liquids
· Class · Label	3 Flammable liquids 3
	•



Printing date 03/30/2019

Reviewed on 03/30/2019

Trade name: 1,6-Dinitropyrene Standard (1X1 mL)

	(Contd. of page
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	30
EMS Number:	F-E, <u>S-E</u>
· Stowage Category	A
· Transport in bulk according to Annex	LII of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
	in a set quantity per cases parenaging. 1000 m

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
Section 313 (Specific toxic chemical listings):
All ingredients are listed.
TSCA (Toxic Substances Control Act):
75-52-5 nitromethane
Proposition 65
· Chemicals known to cause cancer:
All ingredients are listed.
Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.



Printing date 03/30/2019

Version Number 2

Reviewed on 03/30/2019

Trade name: 1,6-Dinitropyrene Standard (1X1 mL)

(Contd. of page 8)

### • TLV (Threshold Limit Value established by ACGIH)

75-52-5 nitromethane

Printing date 03/30/2019

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- Date of preparation / last revision 03/30/2019 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3
- Acute Tox. 4: Acute toxicity Category 4
- Carc. 2: Carcinogenicity Category 2
- \*\* Data compared to the previous version altered.



A3