

Printing date 03/25/2019 Version Number 3 Reviewed on 01/29/2019

# 1 Identification

· Product identifier

· Trade name: Aroclor 1262 (PCB 1262)

· Part number: RPC-1262

• CAS Number: 37324-23-5 • EC number: 215-648-1

• **Index number:** 602-039-00-4

- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

Aroclor 1262 (PCB 1262)

· Hazard statements

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)



# **Safety Data Sheet** acc. to OSHA HCS

Printing date 03/25/2019 Version Number 3 Reviewed on 01/29/2019

Trade name: Aroclor 1262 (PCB 1262)

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



0 Health = 0Fire = 0

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable. · vPvB: Not applicable.

# 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

37324-23-5 Aroclor 1262 (PCB 1262)

· Identification number(s) · EC number: 215-648-1

· Index number: 602-039-00-4

## 4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)



Version Number 3 Printing date 03/25/2019 Reviewed on 01/29/2019

Trade name: Aroclor 1262 (PCB 1262)

(Contd. of page 2)

· Advice for firefighters

· **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals	
· PAC-1:	
	34 mg/m³
· PAC-2:	
	370 mg/m³
· PAC-3:	
	2,200 mg/m³

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)



Printing date 03/25/2019 Version Number 3 Reviewed on 01/29/2019

Trade name: Aroclor 1262 (PCB 1262)

(Contd. of page 3)

At this time, the other constituents have no known exposure limits.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

#### · Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

#### · Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Color: Not determined.

Odor: Characteristic

Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

(Contd. on page 5)



Printing date 03/25/2019 Version Number 3 Reviewed on 01/29/2019

Trade name: Aroclor 1262 (PCB 1262)

		(Contd. of page 4
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	0.00 %	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

· Other information

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

0.0 g/l / 0.00 lb/gal

No further relevant information available.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

## 37324-23-5 Aroclor 1262 (PCB 1262)

Oral LD50 11,300 mg/kg (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 6)



Printing date 03/25/2019 Version Number 3 Reviewed on 01/29/2019

Trade name: Aroclor 1262 (PCB 1262)

· Additional toxicological information:

(Contd. of page 5)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 .	i rai	ispo	rt II	HOLL	natio	n

**UN-Number** 

· DOT, IMDG, IATA	UN2315
· UN proper shipping name	
·DOT	Polychlorinated biphenyls, liquid
· IMDG	POLYCHLORINATED BIPHENYLS, LIQUID, MARINE
	POLLUTANT
· IATA	POLYCHLORINATED BIPHENYLS, LIQUID

(Contd. on page 7)



Printing date 03/25/2019 Version Number 3 Reviewed on 01/29/2019

Trade name: Aroclor 1262 (PCB 1262)

(Contd. of page 6)

· Transport	hazard	class(es)
-------------	--------	-----------

· DOT, IATA



• Class 9 Miscellaneous dangerous substances and articles

· Label

· IMDG



• Class 9 Miscellaneous dangerous substances and articles

ΙΙ

· Label 9

· Packing group · DOT, IMDG, IATA

• Environmental hazards: Product contains environmentally hazardous substances: Aroclor

1016 (PCB 1016)

• Marine pollutant: Symbol (fish and tree)

· Special precautions for user Warning: Miscellaneous dangerous substances and articles

Danger code (Kemler): 90
• EMS Number: F-A,S-A

· Stowage Category A

• Segregation Code SG50 Segregation from foodstuffs as in 7.3.4.2.1, 7.6.3.1.2 or

7.7.3.6.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

 $\cdot \ Transport/Additional\ information:$ 

· DOT

• Quantity limitations On passenger aircraft/rail: 100 L

On cargo aircraft only: 220 L

· IMDG

· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 2315 POLYCHLORINATED BIPHENYLS, LIQUID, 9, II,

ENVIRONMENTALLY HAZARDOUS

US



Printing date 03/25/2019 Version Number 3 Reviewed on 01/29/2019

Trade name: Aroclor 1262 (PCB 1262)

(Contd. of page 7)

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act):

Substance is not listed.

· TSCA new (21st Century Act): (Substances not listed)

37324-23-5 Aroclor 1262 (PCB 1262)

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/25/2019 / 2
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)



Printing date 03/25/2019 Version Number 3 Reviewed on 01/29/2019

Trade name: Aroclor 1262 (PCB 1262)

(Contd. of page 8)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

\* Data compared to the previous version altered.

US ·