Printing date 03/29/2019

Agilent

Version Number 3

Reviewed on 03/29/2019

#### **1 Identification**

· Product identifier

· Trade name: Terpenes Standard (1X1 mL)

- · Part number: SNV-105-1
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

#### · Information department:

Telephone: 800-227-9770 e-mail: pdl-msds\_author@agilent.com • Emergency telephone number: CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: propan-2-ol dipentene Linalool alpha-Pinene terpinolene
Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause an allergic skin reaction.

US

# Safety Data Sheet acc. to OSHA HCS

Version Number 3

Reviewed on 03/29/2019

Trade name: Terpenes Standard (1X1 mL)

(Contd. of	fpage 1)
May cause drowsiness or dizziness.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	
Continue rinsing.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = $3$	
2 $0$ Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 Health = 2	
Treatti – 2	
FIRE 3 Fire = 3 $P_{\text{restricture}} = 0$	
<b>REACTIVITY</b> Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
· <b>PBT:</b> Not applicable.	
• <b>vPvB:</b> Not applicable.	
11 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
<b>3</b> Composition/information on ingredients	
5 Composition/information on ingreatents	

# · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

## · Dangerous components:

Г

	Dangerou		
	67-63-0	propan-2-ol	98.855%
	138-86-3	dipentene	0.127%
1		(Con	ntd. on page 3)



Version Number 3

Reviewed on 03/29/2019

Trade name: Terpenes Standard (1X1 mL)

Printing date 03/29/2019

	(C	ontd. of page 2)
78-70-6	Linalool	0.127%
80-56-8	alpha-Pinene	0.127%
586-62-9	terpinolene	0.127%

#### **4 First-aid measures**

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
67-63-0 propan-2-ol	400 ppm
(Cont	d. on page 4

Reviewed on 03/29/2019

Trade name: Terpenes Standard (1X1 mL)

	(Contd. of page 3)
• PAC-2:	
67-63-0 propan-2-ol	2000* ppm

· PAC-3:

67-63-0 propan-2-ol

Printing date 03/29/2019

#### 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:

\*

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

· Comp	onents with limit values that require monitoring at the workplace:
67-63-	0 propan-2-ol
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
TLV	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm Long-term value: 492 mg/m <sup>3</sup> , 200 ppm BEI
138-86	5-3 dipentene
WEEL	Long-term value: 30 ppm
80-56-	8 alpha-Pinene
TLV	Long-term value: 112 mg/m <sup>3</sup> , 20 ppm DSEN
·Ingred	lients with biological limit values:
67-63-	0 propan-2-ol
N T	0 mg/L Aedium: urine 'ime: end of shift at end of workweek 'arameter: Acetone (background, nonspecific)
	(Contd. on page 5)



Version Number 3

\_\_\_\_\_

12000\*\* ppm

Version Number 3

Reviewed on 03/29/2019


**Boiling point/Boiling range:** 

· Flammability (solid, gaseous):

· Flash point:

Agilent

Printing date 03/29/2019



82 °C (179.6 °F)

12 °C (53.6 °F) Not applicable.

(Contd. on page 6)

Reviewed on 03/29/2019

Trade name: Terpenes Standard (1X1 mL)

	(Contd. of page
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits: Lower: Upper:	2 Vol % 12 Vol %
Vapor pressure at 20 °C (68 °F):	35 hPa (26.3 mm Hg)
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.785 g/cm <sup>3</sup> (6.55083 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water at 20 °C (68 °F):	1 g/l
Partition coefficient (n-octanol/wate	er): Not determined.
<sup>.</sup> Viscosity: Dynamic at 20 °C (68 °F): Kinematic:	2.43 mPas Not determined.
Solvent content: Organic solvents: VOC content:	99.0 % 98.98 % 989.8 g/l / 8.26 lb/gal
Solids content: Other information	0.0 % No further relevant information available.

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)



Version Number 3

Reviewed on 03/29/2019

Trade name: Terpenes Standard (1X1 mL)

(Contd. of page 6)

	city:	
		t are relevant for classification:
ATE (Acut	-	
	LD50	4,765 mg/kg (rat)
Inhalative 1	LC50/4 h	73.4 mg/L (rat)
67-63-0 pro	opan-2-ol	
Oral I	LD50	4,710 mg/kg (rat)
Dermal 1	LD50	12,800 mg/kg (rat)
		12,800 mg/kg (rabbit)
Inhalative 1	LC50/4 h	72.6 mg/L (rat)
78-70-6 Lir	nalool	
Oral 1	LD50	2,790 mg/kg (rat)
Dermal 1	LD50	5,610 mg/kg (rabbit)
80-56-8 alp	ha-Pinen	e
Oral 1	LD50	3,700 mg/kg (rat)
• Additional	Irritating on: Sensit toxicolog t shows th	effect. ization possible through skin contact. <b>gical information:</b> e following dangers according to internally approved calculation methods for preparations pries
Irritant • Carcinoger	0	l Agency for Research on Cancer)
Irritant · Carcinoger · IARC (Inte	ernationa	
Irritant Carcinoger IARC (Inte	ernationa opan-2-ol	
Irritant Carcinoger IARC (Inte 67-63-0 pro NTP (Natio	ernationa opan-2-ol onal Toxi	cology Program)
Irritant Carcinoger IARC (Inte	ernationa opan-2-ol onal Toxi	cology Program)
Irritant • Carcinoger • IARC (Inte 67-63-0 pro • NTP (Nation None of the	ernationa opan-2-ol onal Toxi e ingredier	cology Program)

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water



Printing date 03/29/2019

#### Version Number 3

## \_\_\_\_\_

Reviewed on 03/29/2019

Trade name: Terpenes Standard (1X1 mL)

(Contd. of page 7)

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

Waste treatment methods
 Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

## **14 Transport information**

UN-Number		
DOT, IMDG, IATA	UN1219	
UN proper shipping name		
DOT	Isopropanol	
IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL)	
Transport hazard class(es)		
DOT, IMDG, IATA		
Class	3 Flammable liquids	
Label	3	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	33	
EMS Number:	F-E,S-D	
Stowage Category	В	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	



Printing date 03/29/2019

Version Number 3

Version Number 3

Reviewed on 03/29/2019

Trade name: Terpenes Standard (1X1 mL)

· Transport/Additional information:	(Contd. of page
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
2	On cargo aircraft only: 60 L
·IMDG	
· Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 35	5 (extremely hazardous substances):	
None of the ingredients is listed.		
	3 (Specific toxic chemical listings):	
67-63-0 pr	ropan-2-ol	
	oxic Substances Control Act):	
	propan-2-ol	
	Caryophyllene oxide	
	dipentene	
	Linalool	
	alpha-Pinene	
	terpinolene	
	Myrcene	
	a-humulene	
	a-bisabolol	
<ul> <li>Propositio</li> </ul>		
	s known to cause cancer:	
123-35-3	Myrcene	
· Chemicals	s known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
· Chemicals	s known to cause reproductive toxicity for males:	
None of the	e ingredients is listed.	
· Chemicals	s known to cause developmental toxicity:	
None of the	e ingredients is listed.	
0	enic categories	
	ironmental Protection Agency)	
None of the	e ingredients is listed.	
	(Contd. on page 10)	
	Us	



(Contd. of page 9)

A4

A4

# Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/29/2019

Trade name: Terpenes Standard (1X1 mL)

#### · TLV (Threshold Limit Value established by ACGIH)

67-63-0 propan-2-ol

80-56-8 alpha-Pinene

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Date of preparation / last revision 03/29/2019 / 2

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \* \* Data compared to the previous version altered.



Version Number 3