

Printing date 03/29/2019 Version Number 2 Reviewed on 03/21/2019

1 Identification

· Product identifier

· Trade name: Oregon Pesticides Standard 2 (1X1 mL)

· Part number: SOR-105-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd.

Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- $\cdot \ Hazard\text{-}determining \ components \ of \ labeling:$

acetonitrile

· Hazard statements

Highly flammable liquid and vapor.

Harmful if swallowed.

Causes serious eye irritation.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)



Printing date 03/29/2019 Reviewed on 03/21/2019 Version Number 2

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

(Contd. of page 1)

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

75-05-8 acetonitrile

99.746%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)



Printing date 03/29/2019 Version Number 2 Reviewed on 03/21/2019

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

(Contd. of page 2)

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:		
75-05-8	acetonitrile	13 ppm
60-51-5	dimethoate (ISO)	2.7 mg/m ³
13194-48-4	ethoprophos (ISO)	0.14 mg/m ²
121-75-5	malathion (ISO)	15 mg/m ³
2032-65-7	mercaptodimethur (ISO)	1.4 mg/m ³
16752-77-5	methomyl	0.91 mg/m ³
298-00-0	parathion -methyl (ISO)	0.11 mg/m ²
PAC-2:		
1110-2.		
	acetonitrile	50 ppm
75-05-8	acetonitrile dimethoate (ISO)	50 ppm 30 mg/m ³
75-05-8 60-51-5		
75-05-8 60-51-5 13194-48-4	dimethoate (ISO)	30 mg/m^3
75-05-8 60-51-5 13194-48-4 121-75-5	dimethoate (ISO) ethoprophos (ISO)	30 mg/m³ 1.6 mg/m³
75-05-8 60-51-5 13194-48-4 121-75-5 2032-65-7	dimethoate (ISO) ethoprophos (ISO) malathion (ISO)	30 mg/m ³ 1.6 mg/m ³ 120 mg/m ³



Printing date 03/29/2019 Reviewed on 03/21/2019 Version Number 2

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

(Contd. of page 3)

· PAC-3:		
75-05-8	acetonitrile	150 ppm
	· · · · · · · · · · · · · · · · · · ·	170 mg/m ³
13194-48-4	ethoprophos (ISO)	9.3 mg/m ³
121-75-5	malathion (ISO)	390 mg/m ³
2032-65-7	mercaptodimethur (ISO)	90 mg/m ³
16752-77-5	methomyl	23 mg/m ³
298-00-0	parathion -methyl (ISO)	3.5 mg/m^3

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values th	at require monitoring	at the workplace:
-----------------------------------	-----------------------	-------------------

75-05-8 acetonitrile

PEL	Long-term value: 70 mg/m³, 40 ppm
	Long-term value: 34 mg/m³, 20 ppm
TLV	Long-term value: 34 mg/m³, 20 ppm Skin
	Skin

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 5)



Printing date 03/29/2019 Version Number 2 Reviewed on 03/21/2019

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

(Contd. of page 4)

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and o	chemical properties
· Appearance:	
Form:	Fluid
Color:	Colorless
· Odor:	Aromatic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-46 °C (-50.8 °F)
Boiling point/Boiling range:	81 °C (177.8 °F)
· Flash point:	2 °C (35.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	525 °C (977 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits: Lower:	4.4 Vol %
	(Contd. on page 6)

(Contd. on page 6)



Printing date 03/29/2019 Version Number 2 Reviewed on 03/21/2019

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

		(Contd. of page 5)
Upper:	16 Vol %	
· Vapor pressure at 20 °C (68 °F):	0 hPa (0 mm Hg)	
Density at 20 °C (68 °F):	0.786 g/cm³ (6.55917 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water	r): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	0.39 mPas	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.03 %	
	0.3 g/l / 0.00 lb/gal	

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

Solids content:

· Other information

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

0.0 %

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:			
ATE (Acu	ATE (Acute Toxicity Estimate)			
Oral	LD50	1,323 mg/kg (rat)		
Dermal	LD50	>2,005 mg/kg (rabbit)		
Inhalative	LC50/4 h	3,596 mg/L (mouse)		
75-05-8 ac	etonitrile			

75-05-8 ac	etonitrile	
Oral	LD50	1,320 mg/kg (rat)
	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3,587 mg/L (mouse)

(Contd. on page 7)



Printing date 03/29/2019 Version Number 2 Reviewed on 03/21/2019

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

		(Contd. of page 6
80844-07-	1 etofenpr	OX
Oral	LD50	>42,800 mg/kg (rat)
Dermal	LD50	>2,140 mg/kg (rat)
153233-91	-1 etoxazo	ol .
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	>1.09 mg/L (rat)
120068-37	-3 fiproni	
Oral	LD50	97 mg/kg (rat)
Dermal	LD50	354 mg/kg (rabbit)
Inhalative	LC50/4 h	680 mg/L (rat)
121-75-5 r	nalathion	(ISO)
Oral	LD50	1,000 mg/kg (rat)
Dermal	LD50	8,790 mg/kg (rabbit)
16752-77-	5 methom	yl
Oral	LD50	17 mg/kg (rat)
Dermal	LD50	5,880 mg/kg (rabbit)
298-00-0 I	parathion	-methyl (ISO)
Oral	LD50	6.01 mg/kg (rat)
Dermal	LD50	67 mg/kg (rat)
		300 mg/kg (rabbit)
· Primary i		2 - 4 -

- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (Int	ernational Agency for Research on Cancer)	
121-75-5	malathion (ISO)	2A
298-00-0	parathion -methyl (ISO)	3
· NTP (Nati	ional Toxicology Program)	
None of th	e ingredients is listed.	
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of th	e ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 8)



Printing date 03/29/2019 Version Number 2 Reviewed on 03/21/2019

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

(Contd. of page 7)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities	
----------------------------------------	--

- · UN-Number
- · **DOT, IMDG, IATA** UN1648
- · UN proper shipping name
- · **DOT** Acetonitrile
- · IMDG ACETONITRILE, MARINE POLLUTANT
- · IATA ACETONITRILE
- · Transport hazard class(es)
- · DOT, IATA



- · Class 3 Flammable liquids
- · Label
- · IMDG



- · Class 3 Flammable liquids
- · Label 3

(Contd. on page 9)



Printing date 03/29/2019 Version Number 2 Reviewed on 03/21/2019

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

	(Contd.
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Product contains environmentally hazardous substances:
	etofenprox, malathion (ISO)
Marine pollutant:	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	33
EMS Number:	F-E,S-D
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
•	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
1 1 ()	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
	UN 1648 ACETONITRILE, 3, II, ENVIRONMENTALLY
UN "Model Regulation":	UN 1048 AUGUUNITKILG Y II GINVIKUNIVIGINTALLI

15 Regulatory information

- $\cdot \ Safety, health \ and \ environmental \ regulations/legislation \ specific \ for \ the \ substance \ or \ mixture$
- Sara

· Sara	
· Section 355	(extremely hazardous substances):
60-51-5	dimethoate (ISO)
13194-48-4	ethoprophos (ISO)
2032-65-7	mercaptodimethur (ISO)
16752-77-5	methomyl
298-00-0	parathion -methyl (ISO)
· Section 313	(Specific toxic chemical listings):
75-05-8	acetonitrile
60-51-5	dimethoate (ISO)
13194-48-4	ethoprophos (ISO)
72490-01-8	ethyl[2-(4-phenoxyphenoxy)ethyl]carbamate
35554-44-0	imazalil (ISO)
121-75-5	malathion (ISO)
2032-65-7	mercaptodimethur (ISO)
	(Contd. on page 10)



Printing date 03/29/2019 Version Number 2 Reviewed on 03/21/2019

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

	(Contd. of pag
298-00-0 parathion -methyl (ISO)	
88671-89-0 myclobutanil	
· TSCA (Toxic Substances Control Act):	
75-05-8 acetonitrile	
60-51-5 dimethoate (ISO)	
Proposition 65	
· Chemicals known to cause cancer:	
13194-48-4 ethoprophos (ISO)	
72490-01-8 ethyl[2-(4-phenoxyphenoxy)ethyl]carbamate	
35554-44-0 imazalil (ISO)	
143390-89-0 kresoxim-methyl (ISO)	
121-75-5 malathion (ISO)	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
88671-89-0 myclobutanil	
· Chemicals known to cause developmental toxicity:	
88671-89-0 myclobutanil	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
75-05-8 acetonitrile	CBD,
· TLV (Threshold Limit Value established by ACGIH)	
75-05-8 acetonitrile	A
121-75-5 malathion (ISO)	F
16752-77-5 methomyl	P
298-00-0 parathion -methyl (ISO)	F
NIOSH-Ca (National Institute for Occupational Safety and Health)	<u>'</u>
None of the ingredients is listed.	

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- \cdot Date of preparation / last revision 03/29/2019 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)



Printing date 03/29/2019 Version Number 2 Reviewed on 03/21/2019

Trade name: Oregon Pesticides Standard 2 (1X1 mL)

(Contd. of page 10)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

HC

^{*} Data compared to the previous version altered.