

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** SDWA SOCs Mixture
- **Part number:** SVM-500-1
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
ULTRA Scientific, inc.  
250 Smith Street  
North Kingstown, RI 02852  
USA
- **Information department:**  
Telephone: (401) 294-9400  
Fax: (401) 295-2300  
E-mail: regulatory@ultrasci.com
- **Emergency telephone number:**  
US: (800) 424-9300  
Outside US: (703) 527-3887

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

acetone

benzo[a]pyrene

(Contd. on page 2)

**Trade name: SDWA SOC's Mixture**

(Contd. of page 1)

· **Hazard statements**

- Highly flammable liquid and vapor.
- Causes serious eye irritation.
- May cause cancer.
- May cause drowsiness or dizziness.

· **Precautionary statements**

- Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Wear protective gloves/protective clothing/eye protection/face protection.
- Ground/bond container and receiving equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wash thoroughly after handling.
- Use only outdoors or in a well-ventilated area.
- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- Call a POISON CENTER/doctor if you feel unwell.
- IF exposed or concerned: Get medical advice/attention.
- If eye irritation persists: Get medical advice/attention.
- In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.
- Store locked up.
- Store in a well-ventilated place. Keep container tightly closed.
- Store in a well-ventilated place. Keep cool.
- Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

67-64-1	acetone	99.431%
---------	---------	---------

(Contd. on page 3)

**Trade name: SDWA SOC's Mixture**

(Contd. of page 2)

87-86-5	pentachlorophenol	0.253%
50-32-8	benzo[a]pyrene	0.063%

#### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

#### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· <b>PAC-1:</b>		
67-64-1	acetone	200 ppm
87-86-5	pentachlorophenol	1 mg/m <sup>3</sup>
77-47-4	hexachlorocyclopentadiene	0.03 ppm
118-74-1	hexachlorobenzene	0.006 mg/m <sup>3</sup>
50-32-8	benzo[a]pyrene	0.6 mg/m <sup>3</sup>
117-81-7	di-(2-ethylhexyl) phthalate	10 mg/m <sup>3</sup>
103-23-1	Dioctyl adipate	17 mg/m <sup>3</sup>

(Contd. on page 4)

**Trade name: SDWA SOC's Mixture**

(Contd. of page 3)

· PAC-2:		
67-64-1	acetone	3200* ppm
87-86-5	pentachlorophenol	15 mg/m3
77-47-4	hexachlorocyclopentadiene	0.55 ppm
118-74-1	hexachlorobenzene	14 mg/m3
50-32-8	benzo[a]pyrene	120 mg/m3
117-81-7	di-(2-ethylhexyl) phthalate	1,000 mg/m3
103-23-1	Dioctyl adipate	180 mg/m3
· PAC-3:		
67-64-1	acetone	5700* ppm
87-86-5	pentachlorophenol	150 mg/m3
77-47-4	hexachlorocyclopentadiene	1 ppm
118-74-1	hexachlorobenzene	91 mg/m3
50-32-8	benzo[a]pyrene	700 mg/m3
117-81-7	di-(2-ethylhexyl) phthalate	6,100 mg/m3
103-23-1	Dioctyl adipate	1,100 mg/m3

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with limit values that require monitoring at the workplace:	
<b>67-64-1 acetone</b>	
PEL	Long-term value: 2400 mg/m <sup>3</sup> , 1000 ppm
REL	Long-term value: 590 mg/m <sup>3</sup> , 250 ppm
TLV	Short-term value: 1187 mg/m <sup>3</sup> , 500 ppm
	Long-term value: 594 mg/m <sup>3</sup> , 250 ppm
	BEI

(Contd. on page 5)

**Trade name: SDWA SOCs Mixture**

(Contd. of page 4)

**87-86-5 pentachlorophenol**

PEL	Long-term value: 0.5 mg/m <sup>3</sup> Skin
REL	Long-term value: 0.5 mg/m <sup>3</sup> Skin
TLV	Short-term value: 1* mg/m <sup>3</sup> Long-term value: 0.5* mg/m <sup>3</sup> Skin; BEI;*inhalable fraction+vapor

**50-32-8 benzo[a]pyrene**

PEL	Long-term value: 0.2 mg/m <sup>3</sup> see Coal tar pitch volatiles
REL	Long-term value: 0.1 mg/m <sup>3</sup> Coal tar pitch volatile; Pocket Guide Apps. A+C
TLV	L; BEIp

**· Ingredients with biological limit values:**

**67-64-1 acetone**

BEI	50 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)
-----	--

**87-86-5 pentachlorophenol**

BEI	2 mg/g creatinine Medium: urine Time: prior to last shift of workweek Parameter: Total pentachlorophenol (background)
	5 mg/L Medium: plasma Time: end of shift Parameter: Free pentachlorophenol (background)

**50-32-8 benzo[a]pyrene**

BEI	- Medium: urine Time: end of shift at end of workweek Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)
-----	---

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

**Trade name: SDWA SOCs Mixture**

(Contd. of page 5)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Characteristic
<b>Odor threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

<b>Melting point/Melting range:</b>	-94.7 °C (-138 °F)
<b>Boiling point/Boiling range:</b>	55 °C (131 °F)

· **Flash point:** -17 °C (1 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 465 °C (869 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

<b>Lower:</b>	2.6 Vol %
<b>Upper:</b>	13 Vol %

(Contd. on page 7)

**Trade name: SDWA SOCs Mixture**

(Contd. of page 6)

· <b>Vapor pressure at 20 °C (68 °F):</b>	175 hPa (131 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.80487 g/cm <sup>3</sup> (6.717 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	99.4 %
· <b>VOC content:</b>	0 g/l / 0 lb/gl
· <b>Solids content:</b>	0.4 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>ATE (Acute Toxicity Estimates)</b>		
Oral	LD50	10680 mg/kg (rat)
Dermal	LD50	41535 mg/kg (rat)
Inhalative	LC50/4 h	198 mg/L
<b>67-64-1 acetone</b>		
Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)
<b>87-86-5 pentachlorophenol</b>		
Oral	LD50	27 mg/kg (rat)
Dermal	LD50	96 mg/kg (rat)
Inhalative	LC50/4 h	355 mg/L (rat)

(Contd. on page 8)

**Trade name: SDWA SOC's Mixture**

(Contd. of page 7)

**77-47-4 hexachlorocyclopentadiene**

Oral	LD50	315 mg/kg (rat)
Dermal	LD50	430 mg/kg (rabbit)
Inhalative	LC50/4 h	2 mg/L (rat)

**118-74-1 hexachlorobenzene**

Oral	LD50	10000 mg/kg (rat)
Inhalative	LC50/4 h	3600 mg/L (rat)

· **Primary irritant effect:**

- **on the skin:** No irritant effect.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

87-86-5	pentachlorophenol	2B
118-74-1	hexachlorobenzene	2B
50-32-8	benzo[a]pyrene	1
117-81-7	di-(2-ethylhexyl) phthalate	2B
103-23-1	Dioctyl adipate	3

· **NTP (National Toxicology Program)**

87-86-5	pentachlorophenol	R
118-74-1	hexachlorobenzene	R
50-32-8	benzo[a]pyrene	R
117-81-7	di-(2-ethylhexyl) phthalate	R

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information**

· **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 9)



**Trade name: SDWA SOCs Mixture**



· **Other adverse effects** No further relevant information available.

(Contd. of page 8)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

· UN-Number	
· DOT, IMDG, IATA	UN1993
· UN proper shipping name	
· DOT	Flammable liquids, n.o.s. (Acetone)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ACETONE)
· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
· EMS Number:	F-E, <u>S-E</u>
· Stowage Category	B
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

(Contd. on page 10)

**Trade name: SDWA SOC's Mixture**

(Contd. of page 9)

**· Transport/Additional information:**

**· DOT**

**· Quantity limitations**

On passenger aircraft/rail: 5 L  
On cargo aircraft only: 60 L

**· IMDG**

**· Limited quantities (LQ)**

1L

**· Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

**· UN "Model Regulation":**

UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ACETONE), 3, II

**15 Regulatory information**

**· Safety, health and environmental regulations/legislation specific for the substance or mixture**

**· Sara**

**· Section 355 (extremely hazardous substances):**

77-47-4	hexachlorocyclopentadiene
---------	---------------------------

**· Section 313 (Specific toxic chemical listings):**

87-86-5	pentachlorophenol
77-47-4	hexachlorocyclopentadiene
118-74-1	hexachlorobenzene
50-32-8	benzo[a]pyrene
117-81-7	di-(2-ethylhexyl) phthalate

**· TSCA (Toxic Substances Control Act):**

All ingredients are listed.

**· Proposition 65**

**· Chemicals known to cause cancer:**

87-86-5	pentachlorophenol
118-74-1	hexachlorobenzene
50-32-8	benzo[a]pyrene
117-81-7	di-(2-ethylhexyl) phthalate

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

117-81-7	di-(2-ethylhexyl) phthalate
----------	-----------------------------

**· Chemicals known to cause developmental toxicity:**

118-74-1	hexachlorobenzene
117-81-7	di-(2-ethylhexyl) phthalate

**· Carcinogenic categories**

**· EPA (Environmental Protection Agency)**

67-64-1	acetone	I
87-86-5	pentachlorophenol	L

(Contd. on page 11)

**Trade name: SDWA SOC's Mixture**

(Contd. of page 10)

77-47-4	hexachlorocyclopentadiene	E, NL
118-74-1	hexachlorobenzene	B2
50-32-8	benzo[a]pyrene	B2
117-81-7	di-(2-ethylhexyl) phthalate	B2
103-23-1	Dioctyl adipate	C

· **TLV (Threshold Limit Value established by ACGIH)**

67-64-1	acetone	A4
87-86-5	pentachlorophenol	A3
77-47-4	hexachlorocyclopentadiene	A4
118-74-1	hexachlorobenzene	A3
50-32-8	benzo[a]pyrene	A2
117-81-7	di-(2-ethylhexyl) phthalate	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

50-32-8	benzo[a]pyrene
117-81-7	di-(2-ethylhexyl) phthalate

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02    GHS07    GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

acetone  
benzo[a]pyrene

· **Hazard statements**

Highly flammable liquid and vapor.  
Causes serious eye irritation.  
May cause cancer.  
May cause drowsiness or dizziness.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Use explosion-proof electrical/ventilating/lighting/equipment.  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Wear protective gloves/protective clothing/eye protection/face protection.  
Ground/bond container and receiving equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Wash thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER/doctor if you feel unwell.  
IF exposed or concerned: Get medical advice/attention.

(Contd. on page 12)

**Trade name: SDWA SOCs Mixture**

(Contd. of page 11)

If eye irritation persists: Get medical advice/attention.  
In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.  
Store locked up.  
Store in a well-ventilated place. Keep container tightly closed.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Additional classification according to Decree on Hazardous Materials:**

Carcinogenic hazardous material group III (dangerous).

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.  
Exceptions can be made by the authorities in certain cases.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Document Control / Regulatory

· **Contact:** regulatory@ultrasci.com

· **Date of preparation / last revision** 03/11/2017 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1B: Carcinogenicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3