

Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

### 1 Identification

· Product identifier

· Trade name: USP 467 Class 2 Residual Solvents Standard B (Low) (1X1 mL)

· Part number: USPM-467N-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

Combustible liquid.

· Precautionary statements

Keep away from flames and hot surfaces. – No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 2

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable.

· vPvB: Not applicable.



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: USP 467 Class 2 Residual Solvents Standard B (Low) (1X1 mL)

(Contd. of page 1)

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous co	omponents:
----------------	------------

67-68-5 dimethyl sulfoxide

99.916%

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
67-68-5	dimethyl sulfoxide	150 ppm
110-54-3	n-hexane	260 ppm
110-86-1	pyridine	3 ppm
		(Contd. on page 3)

.. on page 3



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: USP 467 Class 2 Residual Solvents Standard B (Low) (1X1 mL)

		(Contd. of page
	1,2,3,4-tetrahydronaphthalene	1.6 ppm
	1,2-dimethoxyethane	13 ppm
	trichloroethylene	130 ppm
	trichloromethane	2 ppm
	nitromethane	60 ppm
591-78-6	hexan-2-one	10 ppm
· PAC-2:		
	dimethyl sulfoxide	290 ppm
110-54-3	n-hexane	2900* ppn
110-86-1	pyridine	19 ppm
	1,2,3,4-tetrahydronaphthalene	17 ppm
110-71-4	1,2-dimethoxyethane	140 ppm
	trichloroethylene	450 ppm
67-66-3	trichloromethane	64 ppm
75-52-5	nitromethane	210 ppm
591-78-6	hexan-2-one	830 ppm
· PAC-3:		-
67-68-5	dimethyl sulfoxide	1,800 ppm
110-54-3	n-hexane	8600** ppn
110-86-1	pyridine	3600* ppm
	1,2,3,4-tetrahydronaphthalene	100 ppm
110-71-4	1,2-dimethoxyethane	840 ppm
	trichloroethylene	3,800 ppm
67-66-3	trichloromethane	3,200 ppm
75-52-5	nitromethane	1,000 ppm
591-78-6	hexan-2-one	5000* ppm

## 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: USP 467 Class 2 Residual Solvents Standard B (Low) (1X1 mL)

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

#### 67-68-5 dimethyl sulfoxide

WEEL Long-term value: 250 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

#### · Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

#### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

## Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours • Eye protection: Goggles recommended during refilling.

### 9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Fluid	
Color:	Colorless	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	16-19 °C (60.8-66.2 °F) 189 °C (372.2 °F)	
· Flash point:	87 °C (188.6 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	270 °C (518 °F)	
· Decomposition temperature:	Not determined.	
	(0)	

(Contd. on page 5)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: USP 467 Class 2 Residual Solvents Standard B (Low) (1X1 mL)

		(Contd. of page
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	1.8 Vol %	
Upper:	63 Vol %	
· Vapor pressure at 20 °C (68 °F):	0.41 hPa (0.3 mm Hg)	
· Density at 20 °C (68 °F):	1.09988 g/cm³ (9.1785 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	99.97 %	
	1,099.5 g/l / 9.18 lb/gal	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
67-68-5 dimethyl sulfoxide			
Oral	LD50	14,500 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	40,250 mg/L (rat)	

- Primary irritant effect:
- · on the skin: No irritant effect.

(Contd. on page 6)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: USP 467 Class 2 Residual Solvents Standard B (Low) (1X1 mL)

(Contd. of page 5)

- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

IARC (International Agency for Research on Cancer)  110-86-1 pyridine  79-01-6 trichloroethylene  67-66-3 trichloromethane  75-52-5 nitromethane	
79-01-6 trichloroethylene 67-66-3 trichloromethane 75-52-5 nitromethane	
67-66-3 trichloromethane 75-52-5 nitromethane	3
75-52-5 nitromethane	1
	2B
NUTD (N. 4' 1 Tr' 1 D	2B
· NTP (National Toxicology Program)	
79-01-6 trichloroethylene	K
67-66-3 trichloromethane	R
75-52-5 nitromethane	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

· Not Regulated, De minimus Quantities

(Contd. on page 7)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: USP 467 Class 2 Residual Solvents Standard B (Low) (1X1 mL)

		(Contd. of page 6)
· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	I of Not applicable.	
· UN "Model Regulation":	not regulated	

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara

•	Section	333	(extremely	nazardous	substances):	

67-66-3 trichloromethane

### · Section 313 (Specific toxic chemical listings):

110-54-3	n-hexane
110-86-1	pyridine

110-71-4 1,2-dimethoxyethane

79-01-6 trichloroethylene

67-66-3 trichloromethane

75-52-5 nitromethane

### · TSCA (Toxic Substances Control Act):

All ingredients are listed.

### · Proposition 65

· Chemicals	known to	cause	cancer:
-------------	----------	-------	---------

110-86-1	nvridine

79-01-6 trichloroethylene

67-66-3 trichloromethane

75-52-5 nitromethane

### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

110-54-3 n-hexane

(Contd. on page 8)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: USP 467 Class 2 Residual Solvents Standard B (Low) (1X1 mL)

		(Contd. of pag
	trichloroethylene	
591-78-6	hexan-2-one	
· Chemica	als known to cause developmental toxicity:	
	trichloroethylene	
67-66-3	trichloromethane	
591-78-6	hexan-2-one	
Carcino	genic categories	
· EPA (Er	nvironmental Protection Agency)	
110-54-3	n-hexane	II
79-01-6	trichloroethylene	СаН
67-66-3	trichloromethane	B2, L, 1
591-78-6	hexan-2-one	II
· TLV (Tł	nreshold Limit Value established by ACGIH)	
110-86-1	pyridine	
79-01-6	trichloroethylene	1
67-66-3	trichloromethane	
75-52-5	nitromethane	
· NIOSH-	Ca (National Institute for Occupational Safety and Health)	
	trichloroethylene	
	trichloromethane	

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/30/2019 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

(Contd. on page 9)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: USP 467 Class 2 Residual Solvents Standard B (Low) (1X1 mL)

(Contd. of page 8)

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids – Category 4

\* Data compared to the previous version altered.

...