
Printing date 03/25/2019

Agilent

Version Number 3

Reviewed on 03/25/2019



# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 1 H330 Fatal if inhaled.

**GHS05** Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

· Label elements

- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling: octanoic acid
- · Hazard statements
- Fatal if inhaled.
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.

(Contd. on page 2)

US

Version Number 3

Reviewed on 03/25/2019

## Trade name: Octanoic Acid (Caprylic Acid)

(Contd. of page 1) Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment is urgent (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3FIRE 1 Fire = 1**REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. • **vPvB**: Not applicable.

## **3** Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description
- 124-07-2 octanoic acid • Identification number(s)
- EC number: 204-677-5
- Index number: 607-708-00-4

## 4 First-aid measures

## · Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.

#### • After inhalation:

Supply fresh air or oxygen; call for doctor.

(Contd. on page 3)



Printing date 03/25/2019

<sup>—</sup> US

Reviewed on 03/25/2019

Trade name: Octanoic Acid (Caprylic Acid)

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

# **6** Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
	30 mg/m <sup>3</sup>
· PAC-2:	
	330 mg/m <sup>3</sup>
· PAC-3:	
	2,000 mg/m <sup>3</sup>

# 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.

(Contd. on page 4)



Printing date 03/25/2019

Version Number 3

Keviewe

<sup>-</sup> US

Version Number 3

Reviewed on 03/25/2019

Trade name: Octanoic Acid (Caprylic Acid)

(Contd. of page 3) • Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

Printing date 03/25/2019

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection



• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

### · Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

- For normal use: nitrile rubber: 1 hour
- For direct contact with the chemical: butyl rubber: >4 hours
- Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Reviewed on 03/25/2019

Trade name: Octanoic Acid (Caprylic Acid)

(Contd. of page 4)

Information on basic physical and c	hamical properties
General Information	nemical properties
Appearance:	
Form:	Oily
Color:	Colorless
Odor:	Rancid
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	16.7 °C (62.1 °F)
<b>Boiling point/Boiling range:</b>	237 °C (458.6 °F)
Flash point:	>110 °C (>230 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	440 °C (824 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	0.0533 hPa (0 mm Hg)
Density at 20 °C (68 °F):	0.91 g/cm <sup>3</sup> (7.59395 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	0.68 g/l
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic at 20 °C (68 °F):	5-6 mPas
Kinematic:	Not determined.
VOC content:	
	0.0 g/l / 0.00 lb/gal No further relevant information available.

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 6)

US



Printing date 03/25/2019

Version Number 3

Version Number 3

Reviewed on 03/25/2019

Trade name: Octanoic Acid (Caprylic Acid)

· Incompatible materials: No further relevant information available. · Hazardous decomposition products: No dangerous decomposition products known.

# **11** Toxicological information

· Information on toxicological effects

· Acute toxicity:

Printing date 03/25/2019

· LD/LC50 values that are relevant for classification:

## **ATE (Acute Toxicity Estimate)**

#### 124-07-2 octanoic acid

Oral LD50 >2,000 mg/kg (rat) Dermal LD50 >5,000 mg/kg (rabbit) Inhalative LC50/4 h >0.1621 mg/L (rat)

## Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

- on the eve: Strong caustic effect.
- · Sensitization: No sensitizing effects known.

#### · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

### · NTP (National Toxicology Program)

Substance is not listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

# **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Contd. on page 7)



(Contd. of page 5)

>2,000 mg/kg (rat) Oral LD50

Inhalative LC50/4 h >0.162 mg/L (rat)

Version Number 3

Reviewed on 03/25/2019

Trade name: Octanoic Acid (Caprylic Acid)

(Contd. of page 6)

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN3265
UN proper shipping name DOT IMDG, IATA	Corrosive liquid, acidic, organic, n.o.s. (octanoic acid) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (octanoic acid)
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler):	Warning: Corrosive substances 80
Segregation groups	Acids
Stowage Category	A SW2 Class of living superturn
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L



\*

Printing date 03/25/2019

Reviewed on 03/25/2019

Trade name: Octanoic Acid (Caprylic Acid)

(Contd. of page 7)

·IMDG	
· Limited quantities (LQ)	5L
• Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (OCTANOIC ACID), 8, III

## \*

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

• Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

• TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Department issuing SDS: Document Control / Regulatory

· Contact: regulatory@ultrasci.com

- 0:



Printing date 03/25/2019

Version Number 3

Reviewed on 03/25/2019

Trade name: Octanoic Acid (Caprylic Acid)

	(Contd. of page 8)
Date of preparation / last revision 03/25/2019 / 2	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the In	ternational Carriage
of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Tox. 1: Acute toxicity – Category 1	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
* Data compared to the previous version altered.	
· ·	US



Printing date 03/25/2019

## Version Number 3