
Printing date 03/25/2019

gilent

Version Number 2

Reviewed on 03/25/2019



Reviewed on 03/25/2019

Agilent

Printing date 03/25/2019

Version Number 2

Trade name: Pentylamine

(Contd. of page 1) · Hazard-determining components of labeling: pentylamine · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. **Classification system:** · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH \*3 Health = \*3FIRE 3 Fire = 3**REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. • **vPvB**: Not applicable.

(Contd. on page 3)

Reviewed on 03/25/2019

Trade name: Pentylamine

Printing date 03/25/2019

(Contd. of page 2)

### **3** Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 110-58-7 pentylamine
- · Identification number(s)
- EC number: 203-780-2

### **4 First-aid measures**

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
  Wear protective equipment. Keep unprotected persons away.
  Environmental precautions: Dilute with plenty of water.
  Do not allow to enter sewers/ surface or ground water.
  Methods and material for containment and cleaning up: About with limit hinding vertical (cond. distantia, and hindens emineral hinding)
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)



(Contd. of page 3)

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/25/2019

Trade name: Pentylamine

Printing date 03/25/2019

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## • Protective Action Criteria for Chemicals

· PAC-1:	
	0.3 mg/m <sup>3</sup>
· PAC-2:	
	3.3 mg/m <sup>3</sup>
· PAC-3:	
	20 mg/m <sup>3</sup>

## 7 Handling and storage

### · Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not

(Contd. on page 5)



Version Number 2

Keviewed

Reviewed on 03/25/2019

## Printing date 03/25/2019

Version Number 2

Trade name: Pentylamine

### (Contd. of page 4)

needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

### · Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### · Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

### • Eye protection:



Tightly sealed goggles

### **9** Physical and chemical properties

· Information on basic physical and · General Information	chemical properties
· Appearance:	
Form:	Fluid
Color:	Colorless
· Odor:	Ammonia-like
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-55 °C (-67 °F)
<b>Boiling point/Boiling range:</b>	104.4 °C (219.9 °F)
· Flash point:	1 °C (33.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	305 °C (581 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	2.2 Vol %
Upper:	22 Vol %
	(Contd. on page 6)



Reviewed on 03/25/2019

Printing date 03/25/2019 Trade name: Pentylamine

	(Cor	td. of page
· Vapor pressure at 20 °C (68 °F):	~24 hPa (~18 mm Hg)	
Density at 20 °C (68 °F):	0.752 g/cm <sup>3</sup> (6.27544 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot$  Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

<ul> <li>Information on</li> </ul>	toxicological effects
------------------------------------	-----------------------

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

## ATE (Acute Toxicity Estimate)

		470 mg/kg (rat)
Dermal	LD50	1,120 mg/kg (rabbit)
Inhalative	LC50/4 h	2,000 mg/L (rat)

### 110-58-7 pentylamine

Oral		470 mg/kg (rat)
Dermal	LD50	1,120 mg/kg (rabbit)
Inhalative	LC50/4 h	2,000 mg/L (rat)

### Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

· on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

(Contd. on page 7)



<sup>–</sup> US

(Contd. of page 6)

## Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/25/2019

Trade name: Pentylamine

### · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

### ·NTP (National Toxicology Program)

Substance is not listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

## **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1106	
· UN proper shipping name		
DOT	Amylamines	
· IMDG, IATA	AMYLAMINE	



Printing date 03/25/2019

Printing date 03/25/2019	Version Number 2	Reviewed on 03/25/201
Frade name: Pentylamine		
		(Contd. of page
· Transport hazard class(es)		
DOT		
· Class	3 Flammable liquids	
· Label	3, 8	
·IMDG	·····	
· Class	3 Flammable liquids	
· Label	3/8	
·IATA		
· Class · Label	3 Flammable liquids 3 (8)	
<ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> </ul>	II	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Warning: Flammable liquids	
· Danger code (Kemler):	338	
· EMS Number:	3-02	
<ul> <li>Stowage Category</li> </ul>	А	
• Transport in bulk according to An MARPOL73/78 and the IBC Code		
	11	
<ul> <li>Transport/Additional information</li> </ul>		
• Transport/Additional information • DOT		
-	On passenger aircraft/rail: 1 L	
• DOT • Quantity limitations		
· DOT · Quantity limitations · IMDG	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L	
· DOT · Quantity limitations · IMDG · Limited quantities (LQ)	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L 1L	
· DOT · Quantity limitations · IMDG	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L 1L Code: E2	ickaging: 30 ml
· DOT · Quantity limitations · IMDG · Limited quantities (LQ)	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L 1L Code: E2 Maximum net quantity per inner pa	uckaging: 30 ml uckaging: 500 ml
· DOT · Quantity limitations · IMDG · Limited quantities (LQ)	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L 1L Code: E2	uckaging: 30 ml uckaging: 500 ml

(Contd. on page 9)



Version Number 2

Reviewed on 03/25/2019

Printing date 03/25/2019

Trade name: Pentylamine

(Contd. of page 8)

### **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Date of preparation / last revision 03/25/2019 / 1

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

US



Reviewed on 03/25/2019

Printing date 03/25/2019

Trade name: Pentylamine

(Contd. of page 9)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 · \* **Data compared to the previous version altered.** 

