



## **Agilent Barcode Label Printing Bundle (G9201AA)**

### **Customer Letter and Supplies Ordering Guide**

Dear Customer,

Thank you for your purchase of the Agilent Barcode Label Printing Bundle (G9201AA). This bundle provides the printer, software, templates, and labels to print barcode labels for the Agilent 7693A Automatic Sampler Tray with barcode reader (G4520A) or Agilent 7693A Automatic Sampler Tray (G4514A) with barcode reader (G4515A), 7696A Workbench (G4529AA, G4539AA), and 7697A Headspace Sampler (G4557A). The barcode labels are within the specification of the barcode readers on the hardware. Even though the barcode labels are chemical resistant and have a wide temperature range, it is recommended that evaluations for the specific chemicals and temperature conditions in the laboratory are performed.

A comprehensive guide is located on the GC & GC/MS Instrument Utilities DVD (G4600-64006). In addition, sample templates, located on the DVD, can be used or adjusted to print barcode labels. Refer to the printing and software manuals for complete step-by-step instructions on setting up the printer and configuring the software to print barcode labels.

Please refer to the enclosed ordering guide for the part numbers when reordering materials for the Agilent Barcode Label Printing Bundle.

Thank you.



## Supplies Ordering Guide

### Labels and Ribbon

Part number	Description	Unit
5190-3195	Ribbon for 2 mL and headspace vials	1 each
5190-3184	Ribbon for high temp headspace	1 each
5190-3177	Ribbon + label for 2 mL vials	2500/roll
5190-3178	Ribbon + label for headspace	2500/roll
5190-3179	Ribbon + label for high temp headspace	500/roll
5190-3180	Label only 2 mL vials	2500/roll
5190-3181	Label only headspace	2500/roll
5190-3182	Label only high temp headspace	500/roll

### Certified Screw Cap Pack for 7696A Sample Prep Workbench

Description	Septa type	Part no.
Multicolor screw cap pack Includes 50/pk of each color: blue, green, red, light turquoise, purple	PTFE/silicone septa	5040-4682

### Certified Agilent Headspace Crimp Top Vials With Graduation Marks and Write -on Spot

Vial size	Vial type	Unit	Flat bottom	Rounded bottom
20 mL, 23 x 75 mm	Clear	100/pk	5190-2286	n/a
	Amber	100/pk	5190-2288	n/a
10 mL, 23 x 46 mm	Clear	100/pk	5190-2285	n/a
	Amber	100/pk	5190-2287	n/a

### 2 mL Wide Opening Screw Top Glass Vials

Description	Certified	100/pk	1000/cs*
Clear	yes	5182-0714	5183-2067
Clear, write-on spot	yes	5182-0715	5183-2068
Amber	yes	5188-6535	5188-6536
Amber, write-on spot	yes	5182-0716	5183-2069

## 2 mL Wide Opening Screw Top Glass Vials

Description	Certified	100/pk	1000/cs*
<b>Deactivated vials</b>			
Clear	yes	5183-2070	n/a
Clear, write-on spot	yes	5183-2071	n/a
Amber, write-on spot	yes	5183-2072	n/a
<b>Screw top vials with fixed inserts</b>			
Clear, 300 µL insert volume		5188-6591	n/a
Amber, 300 µL insert volume		5188-6592	n/a

\* Case includes 10 packs of 100 vials.

## 2 mL Wide Opening Crimp Top Glass Vials

Description	Certified	100/pk	1000/cs*
Clear	yes	5181-3375	5183-4491
Clear, write-on spot	yes	5182-0543	5183-4492
Amber, write-on spot	yes	5181-3376	5183-4493
<b>Deactivated vials</b>			
Clear	yes	5183-4494	
Clear, write-on spot	yes	5183-4495	
Amber, write-on spot	yes	5183-4496	
<b>Crimp top vials with fixed inserts</b>			
Amber, 300 µL recommended useable volume		5188-6572	
Clear, 300 µL recommended useable volume		9301-1388	

\* Case includes 10 packs of 100 vials.

For a full listing of Agilent columns and supplies please access our website at:

<http://www.chem.agilent.com/en-US/Products/columns-supplies/generalchromatography/pages/default.aspx>



### **Warranty**

**The material contained in this document is provided "as is," and is subject to being changed, without notice, in future editions. Further, to the maximum extent permitted by applicable law, Agilent disclaims all warranties, either express or implied, with regard to this manual and any information contained herein, including but not limited to the implied warranties of merchantability and fitness for a particular purpose. Agilent shall not be liable for errors or for incidental or consequential damages in connection with the furnishing, use, or performance of this document or of any information contained herein. Should Agilent and the user have a separate written agreement with warranty terms covering the material in this document that conflict with these terms, the warranty terms in the separate agreement shall control.**

© Agilent Technologies, Inc. 2011  
Printed in USA  
First edition, March 2011  
Agilent Technologies, Inc.  
2850 Centerville Road  
Wilmington, DE 19808-1610 USA  
G9201-90010



G9201-90010