#### Conforms to US OSHA Hazard Communication 29CFR1910.1200

# SAFETY DATA SHEET



SureSelect Max Target Enrichment Kit Fast Hyb Module, Box 2, 16\_96 Hybs

### Section 1. Identification

1.1 Product identifier			
Product name	: SureSelect Max Target Enrichment Kit Fast Hyb Module, Box 2, 16_96 Hybs		
Part no. (chemical kit)	: 5282-0129, 5282-0131		
Part no.	: SureSelect Max Fast Hyb Buffer, 16 Hybs         5271-0085 / 5271-0086           SureSelect RNase Block         5190-4383 / 5972-3700           Amplification Master Mix         5271-0079 / 5271-0083		
Validation date	: 5/31/2024		
1.2 Relevant identified uses	f the substance or mixture and uses advised against		
Identified uses	: Analytical reagent. For research use only.		
	SureSelect Max Fast Hyb Buffer, 16 Hybs0.108 ml / 0.768 mlSureSelect RNase Block0.016 ml / 0.08 mlAmplification Master Mix0.45 ml (16 reactions) / 2.84 ml (96 reactions)		
Uses advised against	: Not for use in diagnostic procedures.		
1.3 Details of the supplier of the safety data sheet			
Supplier/Manufacturer	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770		

#### **1.4 Emergency telephone number**

In case of emergency : CHEMTREC®: 1-800-424-9300

# Section 2. Hazards identification

2.1 Classification of the sub	<u>stance or mixture</u>	
OSHA/HCS status	: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
<b>Classification of the substan</b>	nce or mixture	
SureSelect Max Fast Hyb Buffer, 16 Hybs H373	SPECIFIC TARGET ORG	AN TOXICITY (REPEATED EXPOSURE) - Category 2
SureSelect RNase Block H320	EYE IRRITATION - Catego	ory 2B
Amplification Master Mix		
H302	ACUTE TOXICITY (oral) - Category 4	
H315	SKIN IRRITATION - Category 2	
H319	EYE IRRITATION - Category 2A	
H370	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 1	
H412	AQUATIC HAZARD (LONG-TERM) - Category 3	

### Section 2. Hazards identification

	SureSelect Max Fast Hyb Buffer, 16 Hybs	Percentage of the mixture consisting of ingredient (s) of unknown hazards to the aquatic environment: 20.3%
2.2 GHS label elements		
Hazard pictograms	: SureSelect Max Fast Hyb Buffer, 16 Hybs	
	Amplification Master Mix	
Signal word	<ul> <li>SureSelect Max Fast Hyb Buffer, 16 Hybs</li> </ul>	Warning
	SureSelect RNase Block	Warning
I have and a factor south	Amplification Master Mix	Danger
Hazard statements	: SureSelect Max Fast Hyb Buffer, 16 Hybs	H373 - May cause damage to organs through prolonged or repeated exposure.(central nervous system (CNS))
	SureSelect RNase Block	H320 - Causes eye irritation.
	Amplification Master Mix	H302 - Harmful if swallowed.
		H315 - Causes skin irritation. H319 - Causes serious eye irritation.
		H370 - Causes damage to organs.(central nervous
		system (CNS))
		H412 - Harmful to aquatic life with long lasting
Precautionary statements		effects.
Prevention	: SureSelect Max Fast Hyb Buffer,	P260 - Do not breathe vapor.
Trevention	16 Hybs	
	SureSelect RNase Block	Not applicable.
	Amplification Master Mix	P280 - Wear protective gloves. Wear eye or face
		protection. P273 - Avoid release to the environment.
		P260 - Do not breathe vapor.
		P270 - Do not eat, drink or smoke when using this
		product.
Peenenee	- SureSelect May Fast Hub Puffer	P264 - Wash thoroughly after handling.
Response	: SureSelect Max Fast Hyb Buffer, 16 Hybs	P314 - Get medical advice or attention if you feel unwell.
	SureSelect RNase Block	P305 + P351 + P338 - IF IN EYES: Rinse
		cautiously with water for several minutes. Remove
		contact lenses, if present and easy to do. Continue rinsing.
		P337 + P313 - If eye irritation persists: Get medical
		advice or attention.
	Amplification Master Mix	P308 + P311 - IF exposed: Call a POISON
		CENTER or doctor. P362 + P364 - Take off contaminated clothing and
		wash it before reuse.
		P302 + P352 - IF ON SKIN: Wash with plenty of
		water. P305 + P351 + P338 - IF IN EYES: Rinse
		cautiously with water for several minutes. Remove
		contact lenses, if present and easy to do. Continue

### Section 2. Hazards identification

		rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
Storage	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Not applicable.
	SureSelect RNase Block Amplification Master Mix	Not applicable. Not applicable.
Disposal	<ul> <li>SureSelect Max Fast Hyb Buffer, 16 Hybs</li> </ul>	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	SureSelect RNase Block Amplification Master Mix	Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	: SureSelect Max Fast Hyb Buffer, 16 Hybs	None known.
	SureSelect RNase Block Amplification Master Mix	None known. None known.
2.3 Other hazards		
Hazards not otherwise classified	: SureSelect Max Fast Hyb Buffer, 16 Hybs	None known.
	SureSelect RNase Block Amplification Master Mix	None known. None known.

# Section 3. Composition/information on ingredients

: SureSelect Max Fast Hyb Buffer, 16	Mixture	
Hybs		
SureSelect RNase Block	Mixture	
Amplification Master Mix	Mixture	
	Hybs SureSelect RNase Block	Hybs SureSelect RNase Block Mixture

Ingredient name	%	CAS number
SureSelect Max Fast Hyb Buffer, 16 Hybs		
Proprietary	Proprietary	-
SureSelect RNase Block		
Proprietary	Proprietary	-
Amplification Master Mix		
Glycerol	≥25 - ≤50	56-81-5
Trometamol	≤10	77-86-1
Proprietary	Proprietary	-

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

	cessary first aid measures	
Eye contact	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell.
	SureSelect RNase Block	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	Amplification Master Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician.
Inhalation	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	SureSelect RNase Block	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Amplification Master Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person

### Section 4. First aid measures

		may need to be kept under medical surveillance for 48 hours.
Skin contact	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	SureSelect RNase Block	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	Amplification Master Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	SureSelect RNase Block	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Amplification Master Mix	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen

SureSelect Max Target Enrichment Kit Fast Hyb Module, Box 2, 16\_96 Hybs

### Section 4. First aid measures

tight clothing such as a collar, tie, belt or waistband.

#### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Potential acute health effect		
Eye contact	: SureSelect Max Fast Hyb Buff 16 Hybs	er, No known significant effects or critical hazards.
	SureSelect RNase Block Amplification Master Mix	Causes eye irritation. Causes serious eye irritation.
Inhalation	: SureSelect Max Fast Hyb Buff 16 Hybs	er, No known significant effects or critical hazards.
	SureŚelect RNase Block Amplification Master Mix	No known significant effects or critical hazards. Causes damage to organs following a single exposure if inhaled.
Skin contact	: SureSelect Max Fast Hyb Buff 16 Hybs	er, No known significant effects or critical hazards.
	SureSelect RNase Block Amplification Master Mix	No known significant effects or critical hazards. Causes damage to organs following a single exposure in contact with skin. Causes skin irritation.
Ingestion	: SureSelect Max Fast Hyb Buff 16 Hybs	er, No known significant effects or critical hazards.
	SureSelect RNase Block Amplification Master Mix	No known significant effects or critical hazards. Harmful if swallowed. Causes damage to organs following a single exposure if swallowed.
Over-exposure signs/sympt	o <u>ms</u>	
Eye contact	: SureSelect Max Fast Hyb Buff 16 Hybs	er, No specific data.
	SureSelect RNase Block	Adverse symptoms may include the following: irritation watering redness
	Amplification Master Mix	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: SureSelect Max Fast Hyb Buff 16 Hybs	er, No specific data.
	SureSelect RNase Block Amplification Master Mix	No specific data. No specific data.
Skin contact	: SureSelect Max Fast Hyb Buff 16 Hybs	er, No specific data.
	SureSelect RNase Block Amplification Master Mix	No specific data. Adverse symptoms may include the following: irritation redness
Ingestion	: SureSelect Max Fast Hyb Buff 16 Hybs	er, No specific data.
	SureSelect RNase Block Amplification Master Mix	No specific data. No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

# Section 4. First aid measures

Notes to physician	: SureSelect Max Fast Hyb Buffer, 16 Hybs	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	SureSelect RNase Block	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Amplification Master Mix	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: SureSelect Max Fast Hyb Buffer, 16 Hybs	No specific treatment.
	SureSelect RNase Block Amplification Master Mix	No specific treatment. No specific treatment.
Protection of first-aiders	: SureSelect Max Fast Hyb Buffer, 16 Hybs	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	SureSelect RNase Block	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Amplification Master Mix	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### See toxicological information (Section 11)

### Section 5. Fire-fighting measures

5.1 Extinguishing media		
Suitable extinguishing media	: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the
		surrounding fire.
Unsuitable extinguishing media	: SureSelect Max Fast Hyb Buffer, 16 Hybs	None known.
	SureSelect RNase Block	None known.
	Amplification Master Mix	None known.
	from the substance or mixture	
Specific hazards arising from the chemical	: SureSelect Max Fast Hyb Buffer, 16 Hybs	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect RNase Block	In a fire or if heated, a pressure increase will occur and the container may burst.
	Amplification Master Mix	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

### Section 5. Fire-fighting measures

Hazardous thermal decomposition products	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds
	SureSelect RNase Block	metal oxide/oxides Decomposition products may include the following materials: carbon dioxide
	Amplification Master Mix	carbon monoxide Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds
5.3 Advice for firefighters		
Special protective actions for fire-fighters	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect RNase Block	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Amplification Master Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect RNase Block	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Amplification Master Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

6.1 Personal precautions,	s, protective equipment and emergency procedures			
For non-emergency personnel	: SureSelect Max Fast Hyb Buffer, 16 Hybs	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.		
	SureSelect RNase Block	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and		

Date of issue :	05/31/2024
	00/01/2021

## Section 6. Accidental release measures

		Amplification Master Mix	unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	SureSelect Max Fast Hyb Buffer, 16 Hybs	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
		SureSelect RNase Block	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
		Amplification Master Mix	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	SureSelect Max Fast Hyb Buffer, 16 Hybs	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		SureSelect RNase Block	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		Amplification Master Mix	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
6.3 Methods and materials fo	r c	ontainment and cleaning up	
Methods for cleaning up	:	SureSelect Max Fast Hyb Buffer, 16 Hybs	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		SureSelect RNase Block	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

### Section 6. Accidental release measures

**Amplification Master Mix** 

disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### Section 7. Handling and storage

	• •	
7.1 Precautions for safe ha	Indling	
Protective measures	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	SureSelect RNase Block	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Amplification Master Mix	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	SureSelect RNase Block	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Amplification Master Mix	Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### Section 7. Handling and storage

7.2 Conditions for safe storage, including any incompatibilities	: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
7.3 Specific end use(s)		
Recommendations	: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix	Industrial applications, Professional applications. Industrial applications, Professional applications.
Industrial sector specific solutions	<ul> <li>SureSelect Max Fast Hyb Buffer, 16 Hybs</li> <li>SureSelect RNase Block</li> <li>Amplification Master Mix</li> </ul>	Industrial applications, Professional applications. Not available. Not available. Not available.

# Section 8. Exposure controls/personal protection

8.1 Control parameters Occupational exposure limits

# Section 8. Exposure controls/personal protection

Ingredient name	Exposure limits
SureSelect Max Fast Hyb Buffer, 16 Hybs Proprietary	ACGIH TLV (United States, 1/2024). [Ammonium chloride] TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Fume STEL: 20 mg/m <sup>3</sup> 15 minutes. Form: Fume NIOSH REL (United States, 10/2020). [AMMONIUM CHLORIDE FUME] TWA: 10 mg/m <sup>3</sup> 10 hours. Form: Fume STEL: 20 mg/m <sup>3</sup> 15 minutes. Form: Fume OSHA PEL 1989 (United States, 3/1989). TWA: 10 mg/m <sup>3</sup> 8 hours. STEL: 20 mg/m <sup>3</sup> 15 minutes. CAL OSHA PEL (United States, 5/2018). STEL: 20 mg/m <sup>3</sup> 15 minutes. TWA: 10 mg/m <sup>3</sup> 8 hours.
SureSelect RNase Block Proprietary	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust CAL OSHA PEL (United States, 5/2018). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: total dust
Amplification Master Mix Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust CAL OSHA PEL (United States, 5/2018). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: total dust
Trometamol Proprietary	None. None.

#### **Biological exposure indices**

No exposure indices known.

8.2 Exposure controls	
Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### Section 8. Exposure controls/personal protection

Environmental exposure controls	Emissions from ventilation or work process equipment should be c hey comply with the requirements of environmental protection legi cases, fume scrubbers, filters or engineering modifications to the p vill be necessary to reduce emissions to acceptable levels.	slation. In some
Individual protection measu		
Hygiene measures	Handle as biohazard material (Biosafety level 1). Wash hands, for horoughly after handling chemical products, before eating, smokin avatory and at the end of the working period. Appropriate techniqu emove potentially contaminated clothing. Wash contaminated clo Ensure that eyewash stations and safety showers are close to the	g and using the ues should be used to thing before reusing.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mist gases or dusts. If contact is possible, the following protection should be worn, un the assessment indicates a higher degree of protection: chemical splash goggles	
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved vorn at all times when handling chemical products if a risk assess necessary. Considering the parameters specified by the glove ma luring use that the gloves are still retaining their protective properti noted that the time to breakthrough for any glove material may be glove manufacturers. In the case of mixtures, consisting of severa protection time of the gloves cannot be accurately estimated.	ment indicates this is nufacturer, check les. It should be different for different
Body protection	Personal protective equipment for the body should be selected bas performed and the risks involved and should be approved by a spe nandling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures based on the task being performed and the risks involved and sho specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator appropriate standard or certification. Respirators must be used ac espiratory protection program to ensure proper fitting, training, and aspects of use.	cording to a

### Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>		
Physical state	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Liquid.
	SureSelect RNase Block Amplification Master Mix	Liquid. Liquid.
Color	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Not available.
	SureSelect RNase Block Amplification Master Mix	Not available. Not available.
Odor	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Not available.
	SureSelect RNase Block Amplification Master Mix	Not available. Not available.
Odor threshold	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Not available.
	SureSelect RNase Block	Not available.
	Amplification Master Mix	Not available.
рН	:	

## Section 9. Physical and chemical properties and safety characteristics

elect RNase tary - ication Mix ol - lect Max Fast H s lect RNase Bloc ation Master Mi lect Max Fast H	lix Hyb Buffer lix Hyb Buffer ck lix •C - Hyb Buffer ck lix	Not a Not a Not a Not a <b>Closed cu</b> <b>°F</b> - r, Not a Not a Not a	- available.	• <b>C</b> 177 177	Open 0 °F 350.6 350.6	-
ation Master Mi lect Max Fast H s lect RNase Bloc ation Master Mi lect RNase Bloc ation Master Mi <b>ient name</b> lect RNase tary fication Mix bl lect Max Fast H s lect RNase Bloc ation Master Mi lect RNase Bloc ation Master Mi lect RNase Bloc	lix Hyb Buffer lix Hyb Buffer ck lix •C - Hyb Buffer ck lix	8.5 r, Not a Not a Not a r, Not a <b>Not a</b> <b>Closed cu</b> <b>°F</b> - r, Not a Not a Not a	available. available. available. available. available. <b>Method</b> - - available.	177	°F 350.6	Method
s lect RNase Bloc lation Master Mi lect Max Fast H s lect RNase Bloc tation Master Mi elect RNase tary - ication Mix ol - lect Max Fast H s lect RNase Bloc tation Master Mi lect Max Fast H	ck lix Hyb Buffer ix °C - - Hyb Buffer ck lix	Not a Not a Not a Not a <b>Closed cu</b> <b>°F</b> - r, Not a Not a Not a	available. available. available. available. available. <b>Method</b> - - available.	177	°F 350.6	Method
lect RNase Bloc ation Master Mi lect Max Fast H s lect RNase Bloc ation Master Mi elect RNase tary - ication Mix ol - lect Max Fast H s lect RNase Bloc ation Master Mi lect RNase Bloc	lix Hyb Buffer lix •C - - Hyb Buffer ck lix	Not a Not a Not a Not a <b>Closed cu</b> •F - r, Not a Not a Not a	available. available. available. p Method - - available.	177	°F 350.6	Method
s lect RNase Bloc ation Master Mi ient name elect RNase tary - ication Mix ol - lect Max Fast H s lect RNase Bloc ation Master Mi lect Max Fast H	ck lix °C - - Hyb Buffer ck lix	Not a Not a <b>°F</b> - r, Not a Not a Not a	available. available. p Method - - available.	177	°F 350.6	Method
ient name ient name	lix °C - - Hyb Buffer ck lix	Not a Closed cu °F - r, Not a Not a Not a	Available.	177	°F 350.6	Method
elect RNase tary - ication Mix ol - lect Max Fast H s lect RNase Bloc ation Master Mi lect Max Fast H	°C - - Hyb Buffer ck lix	• <b>F</b> - r, Not a Not a Not a	- available.	177	°F 350.6	Method
elect RNase tary - ication Mix ol - lect Max Fast H s lect RNase Bloc ation Master Mi lect Max Fast H	- - Hyb Buffer ck lix	- r, Not a Not a Not a	- - available.	177	350.6	-
tary - ication Mix ol - lect Max Fast H s lect RNase Bloc ation Master Mi lect Max Fast H	ck lix	Not a Not a	available.			-
ication Mix ol - lect Max Fast H s lect RNase Bloc ation Master Mi lect Max Fast H	ck lix	Not a Not a	available.			- -
Mix Mix ect Max Fast H s lect RNase Bloc ation Master Mi lect Max Fast H	ck lix	Not a Not a	available.	177	350.6	
lect Max Fast H s lect RNase Bloc ation Master Mi lect Max Fast H	ck lix	Not a Not a	available.	177	350.6	-
s lect RNase Bloc ation Master Mi lect Max Fast H	ck lix	Not a Not a	available.			
lect Max Fast H		r. Nota	SureSelect Max Fast Hyb Buffer,Not available.16 HybsSureSelect RNase BlockNot available.Amplification Master MixNot available.			
SureSelect Max Fast Hyb Buffer, 16 HybsNot applicable.SureSelect RNase BlockNot applicable.Amplification Master MixNot applicable.						
SureSelect Max Fast Hyb Buffer, Not available. 16 Hybs SureSelect RNase Block Not available.						
ation Master Mi			available.	Mar		
ient name	vapo mm Hg	1	re at 20°C Method	mm	or pressu kPa	re at 50°C Method
elect Max yb Buffer, os				Hg		
1	17.5	2.3	-	92.258	12.3	-
elect RNase						
1	17.5	2.3	-	92.258	12.3	-
tami	0.000075	0.00001	-	0.0025	0.00033	-
lary (						
	elect RNase	elect RNase 17.5 17.5 17.5 tary 0.000075	elect RNase       17.5       2.3         tary       17.5       2.3         0.000075       0.00001	17.5       2.3       -         elect RNase       17.5       2.3       -         17.5       2.3       -       -         tary       0.000075       0.00001       -	Initial state       Initial state <thinitial state<="" th=""> <thinitial state<="" t<="" td=""><td>Plect RNase       17.5       2.3       -       92.258       12.3         17.5       2.3       -       92.258       12.3</td></thinitial></thinitial>	Plect RNase       17.5       2.3       -       92.258       12.3         17.5       2.3       -       92.258       12.3

# Section 9. Physical and chemical properties and safety characteristics

						•	
	water	17.5	2.3	-	92.258	12.3	-
	Trometamol	<0.00075006	<0.0001	-	-	-	-
Relative vapor density :	SureSelect Max Fast 16 Hybs SureSelect RNase Bl Amplification Master I	ock	Not	available. available. available.			
Relative density :	SureSelect Max Fast 16 Hybs SureSelect RNase Bl Amplification Master I	ock	Not	available. available. available.			
Solubility(ies)	Media			Result			
	SureSelect Max Fas Hybs water SureSelect RNase B water Amplification Maste water	Block	fer, 16	Soluble Soluble Soluble			
Partition coefficient: n- : octanol/water	SureSelect Max Fast 16 Hybs SureSelect RNase Bl Amplification Master I	ock	Not	applicable. applicable. applicable.			
Auto-ignition temperature	Ingredient name		°C	°F		Method	
	SureSelect Max Fas Buffer, 16 Hybs	st Hyb					
	Proprietary		>400	>752	E	J A.16	
	SureSelect RNase E	Block					
	Proprietary		370	698	-		
	Amplification Maste	er Mix					
	Glycerol		370	698	-		
Decomposition temperature :	SureSelect Max Fast 16 Hybs SureSelect RNase Bl Amplification Master I	ock	Not	available. available. available.			
Viscosity	SureSelect Max Fast 16 Hybs			available.			
	SureSelect RNase Bl Amplification Master I			available. available.			
Particle characteristics							
Median particle size	SureSelect Max Fast 16 Hybs	-		applicable.			
	SureSelect RNase Bl Amplification Master I			applicable. applicable.			

# Section 10. Stability and reactivity

10.1 Reactivity	: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available
	Amplification Master Mix	for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: SureSelect Max Fast Hyb Buffer, 16 Hybs	The product is stable.
	SureSelect RNase Block Amplification Master Mix	The product is stable. The product is stable.
10.3 Possibility of hazardous reactions	: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
	Amplification Master Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: SureSelect Max Fast Hyb Buffer, 16 Hybs	No specific data.
	SureSelect RNase Block Amplification Master Mix	No specific data. No specific data.
10.5 Incompatible materials	: SureSelect Max Fast Hyb Buffer, 16 Hybs	May react or be incompatible with oxidizing materials.
	SureSelect RNase Block	May react or be incompatible with oxidizing materials.
	Amplification Master Mix	May react or be incompatible with oxidizing materials.
10.6 Hazardous decomposition products	: SureSelect Max Fast Hyb Buffer, 16 Hybs	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect RNase Block	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Amplification Master Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
SureSelect Max Fast Hyb Buffer, 16 Hybs				
Proprietary	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	1650 mg/kg	-
SureSelect RNase Block				
Proprietary	LD50 Oral	Rat	12600 mg/kg	-
Amplification Master Mix				
ate of issue : 05/31/20	)24	I	1	

### Section 11. Toxicological information

	xioological interna			
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Trometamol	LD50 Dermal	Rat	>5000 mg/kg	-
Proprietary	LD50 Dermal	Rabbit - Male,	200 to 500 mg/kg	-
		Female		
	LD50 Oral	Rat	50 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
SureSelect Max Fast Hyb Buffer, 16 Hybs					
Proprietary	Eyes - Severe irritant	Rabbit	-	100 mg	-
SureSelect RNase Block					
Proprietary	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Skin - Mild irritant	Rabbit	-	mg 24 hours 500 mg	-
Amplification Master Mix					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
Trometamol	Skin - Moderate irritant Skin - Severe irritant	Rabbit Rabbit	-	25 % 500 mg	-

#### **Sensitization**

Not available.

Mutagenicity	
<b>Conclusion/Summary</b>	: Not available.
<b>Carcinogenicity</b>	
<b>Conclusion/Summary</b>	: Not available.
Reproductive toxicity	
<b>Conclusion/Summary</b>	: Not available.
Teratogenicity	
<b>Conclusion/Summary</b>	: Not available.

#### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
Amplification Master Mix Trometamol	Category 3	-	Respiratory tract
Proprietary	Category 1	oral	central nervous system (CNS)

#### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
SureSelect Max Fast Hyb Buffer, 16 Hybs Proprietary	Category 2		central nervous system (CNS)

#### Aspiration hazard

Not available.

# Section 11. Toxicological information

Information on the likely routes of exposure		ureSelect Max Fast Hyb Buffer, l6 Hybs	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
	S	ureSelect RNase Block	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
	A	mplification Master Mix	Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.
Potential acute health effec	s		
Eye contact		ureSelect Max Fast Hyb Buffer, l6 Hybs	No known significant effects or critical hazards.
	S	ureSelect RNase Block	Causes eye irritation.
	A	mplification Master Mix	Causes serious eye irritation.
Inhalation		ureSelect Max Fast Hyb Buffer, l6 Hybs	No known significant effects or critical hazards.
	-	ureSelect RNase Block mplification Master Mix	No known significant effects or critical hazards. Causes damage to organs following a single exposure if inhaled.
Skin contact		ureSelect Max Fast Hyb Buffer, l6 Hybs	No known significant effects or critical hazards.
	S	ureSelect RNase Block mplification Master Mix	No known significant effects or critical hazards. Causes damage to organs following a single exposure in contact with skin. Causes skin irritation.
Ingestion		ureSelect Max Fast Hyb Buffer, l6 Hybs	No known significant effects or critical hazards.
	S	ureSelect RNase Block mplification Master Mix	No known significant effects or critical hazards. Harmful if swallowed. Causes damage to organs following a single exposure if swallowed.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: SureSelect Max Fast Hyb Buffer, 16 Hybs	No specific data.
	SureSelect RNase Block	Adverse symptoms may include the following: irritation watering redness
	Amplification Master Mix	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: SureSelect Max Fast Hyb Buffer, 16 Hybs	No specific data.
	SureSelect RNase Block Amplification Master Mix	No specific data. No specific data.
Skin contact	: SureSelect Max Fast Hyb Buffer, 16 Hybs	No specific data.
	SureSelect RNase Block Amplification Master Mix	No specific data. Adverse symptoms may include the following: irritation redness
Ingestion	: SureSelect Max Fast Hyb Buffer, 16 Hybs	No specific data.
	SureSelect RNase Block Amplification Master Mix	No specific data. No specific data.

#### <u>Delayed and immediate effects and also chronic effects from short and long term exposure</u> <u>Short term exposure</u>

# Section 11. Toxicological information

<u> </u>	
: Not available.	
: Not available.	
: Not available.	
: Not available.	
ects	
: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix	May cause damage to organs through prolonged or repeated exposure. No known significant effects or critical hazards. No known significant effects or critical hazards.
: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
: SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
	<ul> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix</li> <li>SureSelect RNase Block Amplification Master Mix</li> </ul>

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/ I)
SureSelect Max Fast Hyb Buffer, 16 Hybs					
SureSelect Max Fast Hyb Buffer, 16 Hybs	61693.9	93475.6	N/A	N/A	N/A
Proprietary	1650	2500	N/A	N/A	N/A
SureSelect RNase Block					
Proprietary	12600	N/A	N/A	N/A	N/A
Amplification Master Mix					
Amplification Master Mix	1279.5	7677.0	N/A	N/A	N/A
Glycerol	12600	N/A	N/A	N/A	N/A
Proprietary	50	300	N/A	N/A	N/A

#### **Other information**

: SureSelect RNase Block

Adverse symptoms may include the following: May cause skin sensitization.

# Section 12. Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
SureSelect Max Fast Hyb Buffer, 16 Hybs			
Proprietary	Acute EC50 0.07 mg/l Marine water	Algae - <i>Hormosira banksii -</i> Gamete	72 hours
	Acute LC50 20 μg/l Fresh water	Crustaceans - <i>Macrobrachium</i> rosenbergii - Post-larvae	48 hours
	Acute LC50 390 µg/l Fresh water	Daphnia - <i>Daphnia magna</i> - Young	48 hours
	Acute LC50 80 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic EC10 0.03 mg/l Fresh water	Daphnia - Daphnia obtusa	21 days
	Chronic NOEC 0.6 mg/l Marine water	Algae - <i>Entomoneis punctulata</i> - Exponential growth phase	72 hours
	Chronic NOEC 330 µg/l Fresh water	Crustaceans - <i>Crangonyx sp.</i> - Juvenile (Fledgling, Hatchling, Weanling)	21 days
	Chronic NOEC 0.006 mg/l Fresh water	Fish - Ictalurus punctatus - Fry	30 days
SureSelect RNase Block			
Proprietary	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Amplification Master Mix			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Trometamol	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
	Acute NOEC 520 mg/l Fresh water	Daphnia	48 hours
Proprietary	Acute LC50 462 mg/l Fresh water	Fish - Pimephales promelas	96 hours

#### **12.2 Persistence and degradability**

Product/ingredient name	Test	Result		Dose		Inoculum
SureSelect RNase Block Proprietary	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 d	ays	-		-
Amplification Master Mix						
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 d	ays	-		-
Trometamol	OECD 301F Ready Biodegradability - Manometric Respirometry Test	97.1 % - Re	eadily - 28 days	30 mg/l		-
Product/ingredient name	Aquatic half-life		Photolysis	•	Biodeg	radability
SureSelect Max Fast Hyb Buffer, 16 Hybs Proprietary	-		-		Readily	
Amplification Master Mix						
Trometamol Proprietary	-		-  -		Readily Readily	

### Section 12. Ecological information

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
SureSelect Max Fast Hyb			
Buffer, 16 Hybs			
Proprietary	-3.2	-	Low
SureSelect RNase Block			
Proprietary	-1.76	-	Low
Amplification Master Mix			
Glycerol	-1.76	-	Low
Trometamol	-2.31	-	Low
Proprietary	<-1.6	-	Low

#### 12.4 Mobility in soil

Soil/water partition	: Not a
coefficient (Koc)	

vailable.

12.5 Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

### Section 14. Transport information

DOT / TDG / Mexico / IMDG / : Not regulated. ΙΑΤΑ

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### Section 14. Transport information

Transport in bulk according : Not available. to IMO instruments

# Section 15. Regulatory information

_		-	
15.1 Safety, health and envir	on	mental regulations/legislation spe	cific for the substance or mixture
U.S. Federal regulations	1		
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not listed	
Clean Air Act Section 602 Class I Substances	:	Not listed	
Clean Air Act Section 602 Class II Substances	:	Not listed	
DEA List I Chemicals (Precursor Chemicals)	:	Not listed	
DEA List II Chemicals (Essential Chemicals)	:	Not listed	
<u>SARA 302/304</u>			
Composition/information	on	ingredients	
No products were found.			
SARA 304 RQ	:	Not applicable.	
<u>SARA 311/312</u>			
Classification	:	SureSelect Max Fast Hyb Buffer, 16 Hybs SureSelect RNase Block Amplification Master Mix	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 EYE IRRITATION - Category 2B ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2
			EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 1

#### **Composition/information on ingredients**

Name	%	Classification
SureSelect Max Fast Hyb Buffer, 16 Hybs		
Proprietary	Proprietary	ACUTE TOXICITY (oral) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
SureSelect RNase Block Proprietary	Proprietary	EYE IRRITATION - Category 2B
Tophetary	Trophetary	
Amplification Master Mix		
Glycerol	≥25 - ≤50	EYE IRRITATION - Category 2B
Trometamol	≤10	COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract
Proprietary	Proprietary	irritation) - Category 3 ACUTE TOXICITY (oral) - Category 2 ACUTE TOXICITY (dermal) - Category 3 SKIN IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 1

#### **SARA 313**

## Section 15. Regulatory information

	Product name	CAS number	%
Form R - Reporting requirements	SureSelect Max Fast Hyb Buffer, 16 Hybs Proprietary	-	Proprietary
Supplier notification	SureSelect Max Fast Hyb Buffer, 16 Hybs Proprietary	-	Proprietary

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

Massachusetts	: The following components are listed: Proprietary
New York	: None of the components are listed.
New Jersey	: The following components are listed: Proprietary
Pennsylvania	: The following components are listed: Proprietary
<u>California Prop. 65</u>	

This product does not require a Safe Harbor warning under California Prop. 65.

#### International regulations

Chemical Weapon Convention List Schedules I, II & III Chemic	<u>als</u>
Not listed.	

#### **Montreal Protocol**

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **Inventory list**

Australia	: Not determined.	
Canada	: Not determined.	
China	: Not determined.	
Japan	: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.	
New Zealand	: Not determined.	
Philippines	: Not determined.	
Republic of Korea	: Not determined.	
Taiwan	: All components are listed or exempted.	
Thailand	: Not determined.	
Turkey	: Not determined.	
United States	: Not determined.	
Viet Nam	: Not determined.	

### Section 16. Other information

#### Procedure used to derive the classification

Classification	Justification
SureSelect Max Fast Hyb Buffer, 16 Hybs SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	Calculation method
SureSelect RNase Block EYE IRRITATION - Category 2B	Calculation method
Amplification Master Mix	
ACUTE TOXICITY (oral) - Category 4	Calculation method
SKIN IRRITATION - Category 2	Calculation method
EYE IRRITATION - Category 2A	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 1	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method

#### <u>History</u>

Date of issue/Date of revision	: 05/31/2024
Date of previous issue	: No previous validation
Version	: 1
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations

✓ Indicates information that has changed from previously issued version.

#### Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.