SAFETY DATA SHEET



SureSelect Max Target Enrichment Kit Overnight Hyb Module, Box 2, 16_96 Hybs

Section 1. Identification

Product identifier : SureSelect Max Target Enrichment Kit Overnight Hyb Module, Box 2, 16_96 Hybs

Part no. (chemical kit) : 5282-0133, 5282-0135

Part no. : SureSelect Hyb 3 5190-4382 / 5972-3696

 SureSelect RNase Block
 5190-4383 / 5972-3700

 Amplification Master Mix
 5271-0079 / 5271-0083

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Analytical reagent.

For research use only.

SureSelect Hyb 3 0.16 ml / 0.4 ml SureSelect RNase Block 0.016 ml / 0.08 ml

Amplification Master Mix 0.45 ml (16 reactions) / 2.84 (96

reactions)

Uses advised against: Not for use in diagnostic procedures.

Supplier/Manufacturer: Agilent Technologies Australia Pty Ltd

679 Springvale Road

Mulgrave

Victoria 3170, Australia

1800 802 402

Emergency telephone number (with hours of

operation)

: CHEMTREC®: +(61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

SureSelect RNase Block

H320 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2B

Amplification Master Mix

H302 ACUTE TOXICITY (oral) - Category 4

H315 SKIN CORROSION/IRRITATION - Category 2

H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A

H371 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 2

H412 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

SureSelect Hyb 3 Percentage of the mixture consisting of ingredient(s)

of unknown hazards to the aquatic environment: 3%

GHS label elements

Hazard pictograms : Amplification Master Mix





Signal word : SureSelect Hyb 3

SureSelect RNase Block Amplification Master Mix No signal word. WARNING WARNING

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 1/18

Section 2. Hazard(s) identification

Hazard statements : SureSelect Hyb 3

SureSelect RNase Block Amplification Master Mix No known significant effects or critical hazards.

H320 - Causes eye irritation. H302 - Harmful if swallowed.

H315 - Causes skin irritation. H319 - Causes serious eye irritation.

H371 - May cause damage to organs.(central

nervous system (CNS))

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention : SureSelect Hyb 3

SureSelect RNase Block Amplification Master Mix Not applicable.

P280 - Wear protective gloves. Wear eye or face

protection.

Not applicable.

P273 - Avoid release to the environment.

P260 - Do not breathe vapour.

P270 - Do not eat, drink or smoke when using this

product.

Response : SureSelect Hyb 3 Not applicable.

SureSelect RNase Block

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical

advice or attention.

Amplification Master Mix P308 + P311 - IF exposed or concerned: Call a

POISON CENTER or doctor.

Storage : SureSelect Hyb 3 Not applicable.

SureSelect RNase Block
Amplification Master Mix
SureSelect Hyb 3
Not applicable.
Not applicable.

SureSelect RNase Block
Amplification Master Mix

Not applicable.
P501 - Dispose

P501 - Dispose of contents and container in accordance with all local, regional, national and

international regulations.

Supplemental label elements

Additional warning

phrases

Disposal

: SureSelect Hyb 3 SureSelect RNase Block Amplification Master Mix Not applicable. Not applicable. Not applicable.

Other hazards which do not

result in classification

SureSelect Hyb 3 SureSelect RNase Block Amplification Master Mix None known. None known. None known.

Section 3. Composition and ingredient information

Substance/mixture

SureSelect Hyb 3
SureSelect RNase Block
Amplification Master Mix

Mixture Mixture Mixture

CAS number/other identifiers

| Ingredient name | % (w/w) | CAS number |
|--------------------------|-----------|------------|
| SureSelect RNase Block | | |
| Glycerol | ≥30 - ≤60 | 56-81-5 |
| | | |
| Amplification Master Mix | | |
| Glycerol | ≥30 - ≤60 | 56-81-5 |
| Trometamol | ≤10 | 77-86-1 |
| | | |

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 2/18

Section 3. Composition and ingredient information

tetramethylammonium chloride 75-57-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

Occupational exposure limits, if available, are listed in Section 8.

Description of necessary first aid measures

Eye contact : SureSelect Hvb 3 Immediately flush eyes with plenty of water,

> occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect RNase Block Immediately flush eyes with plenty of water,

> occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists,

get medical attention.

Immediately flush eyes with plenty of water, **Amplification Master Mix**

> occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

If necessary, call a poison center or physician.

Inhalation : SureSelect Hvb 3 Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept

under medical surveillance for 48 hours.

SureSelect RNase Block Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept

under medical surveillance for 48 hours.

Section 4. First aid measures

Amplification Master Mix

Date of issue/Date of revision : 31/05/2024 Date of previous issue Version: 1 3/18 : No previous validation

Section 4. First aid measures

Skin contact

: SureSelect Hyb 3

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

SureSelect RNase Block

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Amplification Master Mix Flush contaminated skin with plenty of water.

> Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

Ingestion

: SureSelect Hyb 3

SureSelect RNase Block

Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce

vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband.

Amplification Master Mix

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : SureSelect Hyb 3

SureSelect RNase Block Amplification Master Mix

Inhalation : SureSelect Hyb 3

SureSelect RNase Block **Amplification Master Mix**

No known significant effects or critical hazards. Causes eye irritation.

Causes serious eye irritation.

No known significant effects or critical hazards. No known significant effects or critical hazards. May cause damage to organs following a single

exposure if inhaled.

Skin contact : SureSelect Hyb 3

SureSelect RNase Block **Amplification Master Mix** No known significant effects or critical hazards. No known significant effects or critical hazards. May cause damage to organs following a single exposure in contact with skin. Causes skin irritation.

Date of issue/Date of revision : 31/05/2024 Date of previous issue Version: 1 4/18 : No previous validation

Section 4. First aid measures

Ingestion: SureSelect Hyb 3 No known significant effects or critical hazards.

SureSelect RNase Block No known significant effects or critical hazards.

Amplification Master Mix Harmful if swallowed. May cause damage to organs

following a single exposure if swallowed.

Over-exposure signs/symptoms

Skin contact

Eye contact: SureSelect Hyb 3 No specific data.

SureSelect RNase Block Adverse symptoms may include the following:

irritation watering redness

Amplification Master Mix Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation : SureSelect Hyb 3 No specific data.

SureSelect RNase Block
Amplification Master Mix
No specific data.
No specific data.
No specific data.

SureSelect RNase Block No specific data.

Amplification Master Mix Adverse symptoms may include the following:

irritation redness

Ingestion : SureSelect Hyb 3 No specific data.

SureSelect RNase Block No specific data.

Amplification Master Mix No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : SureSelect Hyb 3 In case of inhalation of decomposition products in a

fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

SureSelect RNase Block Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Amplification Master Mix In case of inhalation of decomposition products in a

fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours. No specific treatment.

Specific treatments : SureSelect Hyb 3

SureSelect RNase Block
Amplification Master Mix
No specific treatment.
No specific treatment.

Protection of first-aiders : SureSelect Hyb 3

No action shall be taken involving any personal risk

or without suitable training.

SureSelect RNase Block No action shall be taken involving any personal risk

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

Amplification Master Mix No action shall be taken involving any personal risk

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

See toxicological information (Section 11)

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 5/18

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media

: SureSelect Hyb 3 Use an extinguishing agent suitable for the

surrounding fire.

surrounding fire.

surrounding fire.

Unsuitable extinguishing media

: SureSelect Hyb 3 None known. SureSelect RNase Block None known. Amplification Master Mix None known.

Specific hazards arising from the chemical

: SureSelect Hyb 3 In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect RNase Block In a fire or if heated, a pressure increase will occur

and the container may burst.

Amplification Master Mix

In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any

waterway, sewer or drain.

Hazardous thermal decomposition products

: SureSelect Hyb 3 Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds

carbonyl halides

SureSelect RNase Block Decomposition products may include the following

materials: carbon dioxide carbon monoxide

Amplification Master Mix Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds

Special protective actions for fire-fighters

: SureSelect Hyb 3 Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect RNase Block Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Amplification Master Mix Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-fighters

: SureSelect Hyb 3 Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect RNase Block Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 6/18

Section 5. Firefighting measures

Amplification Master Mix

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: SureSelect Hyb 3

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

SureSelect RNase Block

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Amplification Master Mix

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on

appropriate personal protective equipment.

For emergency responders: SureSelect Hyb 3

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect RNase Block

Amplification Master Mix

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the

spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : SureSelect Hyb 3 Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

SureSelect RNase Block

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Amplification Master Mix

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and material for containment and cleaning up

Date of issue/Date of revision Date of previous issue : 31/05/2024 Version :1 7/18 : No previous validation

Section 6. Accidental release measures

Methods for cleaning up : SureSelect Hyb 3

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

SureSelect RNase Block

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Amplification Master Mix

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: SureSelect Hyb 3

Put on appropriate personal protective equipment (see Section 8).

SureSelect RNase Block

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Amplification Master Mix

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: SureSelect Hyb 3

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Potentially biohazardous material. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

Amplification Master Mix

SureSelect RNase Block

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 8/18

Section 7. Handling and storage

See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, : SureSelect Hyb 3 including any incompatibilities

SureSelect RNase Block

Amplification Master Mix

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid

environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|------------------------------------|---|
| SureSelect RNase Block Glycerol | Safe Work Australia (Australia, 10/2022). TWA: 10 mg/m³ 8 hours. |
| Amplification Master Mix Glycerol | Safe Work Australia (Australia, 10/2022). TWA: 10 mg/m³ 8 hours. |

Biological exposure indices

No exposure indices known.

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Date of issue/Date of revision : 31/05/2024 Version: 1 9/18 Date of previous issue : No previous validation

Section 8. Exposure controls and personal protection

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Handle as biohazard material (Biosafety level 1). Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : SureSelect Hyb 3 Liquid.
SureSelect RNase Block Liquid.
Amplification Master Mix Liquid.

Colour : SureSelect Hyb 3 Not available.

SureSelect Hyb 3 Not available.

SureSelect RNase Block Not available.

Amplification Master Mix Not available.

SureSelect Hyb 3 Not available.

Odour : SureSelect Hyb 3 Not available.
SureSelect RNase Block Not available.
Amplification Master Mix Not available.
Odour threshold : SureSelect Hyb 3 Not available.

SureSelect RNase Block Not available.
Amplification Master Mix Not available.

pH : SureSelect Hyb 3 7
SureSelect RNase Block 7.6
Amplification Master Mix 8.5

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 10/18

Section 9. Physical and chemical properties and safety characteristics

Melting point/freezing point

SureSelect Hyb 3 SureSelect RNase Block Amplification Master Mix 0°C (32°F) Not available. Not available. 100°C (212°F)

Boiling point, initial boiling point, and boiling range

: SureSelect Hyb 3 SureSelect RNase Block Amplification Master Mix

Not available.

Flash point

| | Closed cup | | | Open cup | | |
|-----------------------------|------------|----|--------|----------|-------|--------|
| Ingredient name | °C | °F | Method | °C | °F | Method |
| SureSelect RNase Block | | | | | | |
| Glycerol | - | - | - | 177 | 350.6 | - |
| Amplification Master Mix | | | | | | |
| Glycerol | - | - | - | 177 | 350.6 | - |

Evaporation rate

: SureSelect Hyb 3

Not available.

Flammability

SureSelect RNase Block Amplification Master Mix : SureSelect Hyb 3

SureSelect RNase Block

Not available. Not available. Not applicable.

Not applicable. Not applicable.

Lower and upper explosion limit/flammability limit

Amplification Master Mix SureSelect Hyb 3 SureSelect RNase Block Amplification Master Mix

Not available. Not available. Not available.

Vapour pressure

| | Vapour Pressure at 20°C | | | Vapour pressure at 50°C | | | |
|-----------------------------|-------------------------|---------|--------|-------------------------|---------|--------|--|
| Ingredient name | mm Hg | kPa | Method | mm Hg | kPa | Method | |
| SureSelect Hyb 3 | | | | | | | |
| water | 17.5 | 2.3 | - | 92.258 | 12.3 | - | |
| SureSelect RNase Block | | | | | | | |
| water | 17.5 | 2.3 | - | 92.258 | 12.3 | - | |
| Glycerol | 0.000075 | 0.00001 | - | 0.0025 | 0.00033 | - | |
| Amplification Master Mix | | | | | | | |
| water | 17.5 | 2.3 | - | 92.258 | 12.3 | - | |
| Trometamol | <0.00075006 | <0.0001 | - | - | - | - | |

Relative vapour density

: SureSelect Hyb 3

Not available.

Relative density

SureSelect RNase Block
Amplification Master Mix

SureSelect Hyb 3
SureSelect RNase Block
Amplification Master Mix

Not available.
Not available.
Not available.
Not available.

Date of issue/Date of revision: 31/05/2024Date of previous issue: No previous validationVersion: 1

Section 9. Physical and chemical properties and safety characteristics

| Solubility(ies) | : | Media | | F | Result | | |
|--|--------------------------|--|---|--|---------|--------|--|
| | | SureSelect Hyb 3 water | | So | Soluble | | |
| | | SureSelect RNase Block water Amplification Master Mix | | So | oluble | | |
| | | water | | Sc | oluble | | |
| Partition coefficient: n-octanol/water | : | SureSelect Hyb 3 SureSelect RNase Block Amplification Master Mix | Ν | lot applicable lot applicable lot applicable | э. | | |
| Auto-ignition temperature | : | Ingredient name | | °C | °F | Method | |
| | | SureSelect RNase Block | | | | | |
| | | Glycerol | | 370 | 698 | - | |
| | Amplification Master Mix | | | | | | |
| | | Glycerol | | 370 | 698 | - | |
| Decomposition temperature | : | SureSelect Hyb 3 SureSelect RNase Block Amplification Master Mix | Ν | lot available. lot available. lot available. | | | |
| Viscosity | : | SureSelect Hyb 3 SureSelect RNase Block Amplification Master Mix | Ν | lot available. lot available. lot available. | | | |
| Particle characteristics | | | | | | | |
| Median particle size | : | SureSelect Hyb 3 SureSelect RNase Block Amplification Master Mix | Ν | lot applicable lot applicable lot applicable | Э. | | |

| Occion for Gtab. | inty and rodotivity | |
|------------------------------------|--|--|
| Reactivity | : SureSelect Hyb 3 | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect RNase Block | No specific test data related to reactivity available for this product or its ingredients. |
| | Amplification Master Mix | No specific test data related to reactivity available for this product or its ingredients. |
| Chemical stability | : SureSelect Hyb 3 | The product is stable. |
| - | SureSelect RNase Block | The product is stable. |
| | Amplification Master Mix | The product is stable. |
| Possibility of hazardous reactions | : SureSelect Hyb 3 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| | SureSelect RNase Block | Under normal conditions of storage and use, hazardous reactions will not occur. |
| | Amplification Master Mix | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : SureSelect Hyb 3 | No specific data. |
| | SureSelect RNase Block | No specific data. |
| | Amplification Master Mix | No specific data. |
| Incompatible materials | : SureSelect Hyb 3 SureSelect RNase Block | May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. |
| | A 1261 12 1 A 1 A 1 A | N.A |

Date of issue/Date of revision : 31/05/2024 Date of previous issue Version:1 12/18 : No previous validation

May react or be incompatible with oxidising materials.

Amplification Master Mix

Section 10. Stability and reactivity

Hazardous decomposition products

: SureSelect Hyb 3 Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

SureSelect RNase Block Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Amplification Master Mix Under normal conditions of storage and use,

hazardous decomposition products should not be

produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|------------------------------------|-------------|----------------|----------------|----------|
| SureSelect RNase Block Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| Amplification Master Mix | | | | |
| Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| Trometamol | LD50 Dermal | Rat | >5000 mg/kg | - |
| tetramethylammonium | LD50 Dermal | Rabbit - Male, | 200 to 500 mg/ | - |
| chloride | | Female | kg | |
| | LD50 Oral | Rat | 50 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|--------------------------|--------------------------|---------|-------|--------------------|-------------|
| SureSelect RNase Block | | | | | |
| Glycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| Amplification Master Mix | | | | | |
| Glycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| Trometamol | Skin - Moderate irritant | Rabbit | - | 25 % | - |
| | Skin - Severe irritant | Rabbit | - | 500 mg | - |

Sensitisation

Not available.

Mutagenicity

Conclusion/Summary

: Not available.

Carcinogenicity

Conclusion/Summary

: Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 13/18

Section 11. Toxicological information

| Name | , | Route of exposure | Target organs |
|-------------------------------------|------------|-------------------|---|
| Amplification Master Mix Trometamol | Category 3 | - | Respiratory tract |
| tetramethylammonium chloride | Category 1 | oral | irritation central nervous system (CNS) |

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes

of exposure

Not available. : SureSelect Hyb 3

SureSelect RNase Block Routes of entry anticipated: Oral, Dermal, Inhalation,

Amplification Master Mix Routes of entry anticipated: Oral, Dermal, Inhalation,

Eyes.

Potential acute health effects

Eye contact SureSelect Hvb 3 No known significant effects or critical hazards.

> SureSelect RNase Block Causes eye irritation.

Amplification Master Mix Causes serious eye irritation.

Inhalation : SureSelect Hyb 3 No known significant effects or critical hazards.

SureSelect RNase Block No known significant effects or critical hazards. **Amplification Master Mix** May cause damage to organs following a single

exposure if inhaled.

SureSelect Hyb 3 No known significant effects or critical hazards. Skin contact

SureSelect RNase Block No known significant effects or critical hazards. **Amplification Master Mix** May cause damage to organs following a single

exposure in contact with skin. Causes skin irritation.

: SureSelect Hyb 3 No known significant effects or critical hazards. Ingestion

No known significant effects or critical hazards. SureSelect RNase Block

Amplification Master Mix Harmful if swallowed. May cause damage to organs

following a single exposure if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : SureSelect Hyb 3 No specific data.

SureSelect RNase Block Adverse symptoms may include the following:

irritation watering redness

Amplification Master Mix Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation : SureSelect Hyb 3 No specific data.

> SureSelect RNase Block No specific data. Amplification Master Mix No specific data. SureSelect Hyb 3 No specific data.

Skin contact

SureSelect RNase Block No specific data.

Amplification Master Mix Adverse symptoms may include the following:

> irritation redness

Ingestion : SureSelect Hyb 3 No specific data.

SureSelect RNase Block No specific data. No specific data. Amplification Master Mix

Date of issue/Date of revision : 31/05/2024 Date of previous issue Version: 1 14/18 : No previous validation

Section 11. Toxicological information

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate

: Not available.

effects

Mutagenicity

Potential delayed effects : Not available.

Potential chronic health effects

General : SureSelect Hyb 3

SureSelect RNase Block

Amplification Master Mix

Carcinogenicity : SureSelect Hyb 3

SureSelect RNase Block Amplification Master Mix

Amplification waster iv

: SureSelect Hyb 3 SureSelect RNase Block

Amplification Master Mix

Reproductive toxicity: SureSelect Hyb 3

SureSelect RNase Block Amplification Master Mix No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|-----------------------|----------------------|--------------------------------|-----------------------------------|--|
| SureSelect RNase Block Glycerol | 12600 | N/A | N/A | N/A | N/A |
| Amplification Master Mix Amplification Master Mix Glycerol tetramethylammonium chloride | 1279.5 12600 50 | 7677.0 N/A 300 | N/A N/A N/A | N/A N/A N/A | N/A N/A N/A |

Other information : SureSelect RNase Block Adverse symptoms may include the following: May cause skin sensitisation.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|---|---|--|--|
| SureSelect RNase Block Glycerol | Acute LC50 54000 mg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
| Amplification Master Mix Glycerol Trometamol tetramethylammonium chloride | Acute LC50 54000 mg/l Fresh water Acute EC50 >980 mg/l Fresh water Acute NOEC 520 mg/l Fresh water Acute LC50 462 mg/l Fresh water | Fish - <i>Oncorhynchus mykiss</i> Daphnia Daphnia Fish - <i>Pimephales promelas</i> | 96 hours 48 hours 48 hours 96 hours |

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 15/18

Section 12. Ecological information

Persistence and degradability

| Product/ingredient name | Test | Result | | Dose | Inoculum |
|--|--|----------------------------|-----------|---------|--------------------|
| SureSelect RNase Block Glycerol | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 days | | - | - |
| Amplification Master Mix | | | | | |
| Glycerol | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 days | | - | - |
| Trometamol | OECD 301F Ready Biodegradability - Manometric Respirometry Test | 97.1 % - Readily - 28 days | | 30 mg/l | - |
| Product/ingredient name | Aquatic half-life | | Photolysi | s | Biodegradability |
| Amplification Master Mix Trometamol tetramethylammonium chloride | - | | - | | Readily Readily |

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|------------------------------|--------|-----|-----------|
| SureSelect RNase Block | | | |
| Glycerol | -1.76 | - | Low |
| Amplification Master Mix | | | |
| Glycerol | -1.76 | - | Low |
| Trometamol | -2.31 | - | Low |
| tetramethylammonium chloride | <-1.6 | - | Low |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 16/18

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.

New Zealand : Not determined.

United States : Not determined.

Section 16. Any other relevant information

History

Date of issue/Date of : 31/05/2024

revision

Date of previous issue : No previous validation

Version : 1

Key to abbreviations : ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 17/18

Section 16. Any other relevant information

Procedure used to derive the classification

| Classification | Justification |
|--|--|
| SureSelect RNase Block SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2B | Calculation method |
| Amplification Master Mix ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 2 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 | Calculation method Calculation method Calculation method Calculation method Calculation method |

[▼] Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Date of issue/Date of revision : 31/05/2024 Date of previous issue : No previous validation Version : 1 18/18